

x REVISED

JOB HAZARD ANALYSIS - Task Specific

NEW

WORKPLACE TASK TO BE ANALYSED	WESTERN HAZARD CATEGORY*	DATE:
Wet Mopping High Traffic Areas	Work Site/Ergonomic Hazards	March 17, 2021
DEPARTMENT	HAZARD TYPE*	WRITTEN BY:
Facilities Management	Slips/Trips/Falls, All Ergonomic	Frank DeGurse, Chris Brown
WESTERN JOB CLASSIFICATION*	LOSS POTENTIAL RATING*	REVIEWED BY:
Caretaker	Moderate	Building Managers
REQUIRED EQUIPMENT AND/OR PERSONAL PROTECTIVE EQUIPMENT	*refer to Stantec Specific Job Report	MGMT APPROVAL:
Safety shoes, appropriate gloves		Chris Bumbacco

SEQUENCE OF TASK	POTENTIAL HAZARDS	ACTION OR PROCEDURE
Assess and prepare equipment and chemical mixture	a) Back injury	a) Assess and inspect equipment, assess if wet vac with G.F.C.I. protection is needed for larger volumes of water and soil.
	b) Overexertion strain	 b) Mops to be appropriate size by length and width and weight for stair and stair surface type.
	c) Slip, trip, fall	c) Safely ensure footing and body position for awareness of slip, trip or fall, ensure pedestrian safely aware of wet floor through use of wet floor signs at any corridor or common area affected. For lobby or entry areas, staf may decide to rope off half areas at a time with caution tape or barrier devices and complete pickup of wet area.
	d) Exposure to chemical	d) Safely mix any chemical to be used, avoid spillage, mix chemicals to proper dilution per MSDS sheet, manufacturer's guidelines. Also see produce labels and Caretaking manual.

Assign appropriate staff	Overexertion strain injuries	Lead Caretaker and/or Supervisor organize crew to job requirements Re-instruct staff as required as to safe ergonomic operation
Removal of large debris or obstacles	Cuts	Wear gloves appropriate for removal of such debris
Proceed with mopping of area	a) Overexertion strain injury b) Slip, trip, fall	 a) Use mop and pail size and equipment (wet vac/ auto-scrubber) that is appropriate size by weight, length and width area and surface type. b) Staff to watch proper footing and pedestrian traffic around them with caution to work environment awareness being work around. Leave wet floor signs in position until floor is dry.