

## Notice of Service Interruption/Area Closure Western University Facilities Management

Client Services 519-661-3304 (fmhelp@uwo.ca)

Submit by E-mail

Print Form

Date of Interruption/Closure Tuesday, May 5th 2015 Time(s): 1:30 PM 4:00 PM						
Building(s) #1   Affected: #3   #3 #4   Areas/Rooms Affected Alternate Route/Service: BGSB Cooling Tower 303.						
Service to be #1 Chilled Water #2 interrupted: #3 #4 Description/Reason for Project: Repairs inside B&G Cooling Tower 303 by contractor. This may impact the amount of cooling available to the campus North end.						
Requester:       Mike DeJager / Absolute Cooling Tower       Date of Request:       Apr 30, 2015						
Supervising Tradesperson: Unit:						
Trade Supervisor: Unit: Date:					e:	
Contractor: Absolute Cooling Towers - Derek Ryde - cell # Phone # +1 (416) 605-4477						
Coordinator/Project Manager: Mike DeJager			Phone # 88737 Date:Apr 30, 2015			
Reviewed by Trade Supervisor(s)/Shop(s) Affected:						
Name: Power Plant	Date: May 1, 201	5 Name:	Name: WES Control		Date: May 1, 2015	
Signature/ Stamp: By Mike Herman (mrherman @uwo.ca) at 9:21 am, May 01, 2015		Signature/ Stamp:				
Name: Date: Principal Occupants:						
Signature/		Name:		Ext.	Date:	
Stamp:		Name:		Ext.	Date:	
Name:	Date:	Name:		Ext.	Date:	
Signature/	_	Name:			Ext. Date:	
Stamp:	]		Approval to Proceed:	:	Date:	
Name: Signature/ Stamp:	Date:		<b>APPROVED</b> By Dan Trudgeon (fminterr@uwo.ca) at 10:33 am, May 01, 2015			
Notes: Deficiency inside tower requires immediate repair. Follow up work required later in the week new SIN to be issued when date is decided. Power Plant has a WO for their requested support to this work.						