

Notice of Service Interruption/Area Closure Western University Facilities Management

Client Services 519-661-3304 (fmhelp@uwo.ca)

Submit by E-mail

Print Form

Date of Interruption/Closure May 17, 2018		Time(s): 7:	30AM - 9:30AM				
Building(s) #1 Talbot College (TC) #2 Affected: Areas/Rooms Affected Alternate Route/Service: Second Floor north wing and north end of library - Fire Alarm zone isolation.							
Service to be #1 Fire Alarm #2 #2 #4 Description/Reason for Project: Part of project 9D8836 - TC 234H-1 renovation. Fire Alarm isolation required to have redundant heat detector inside rm. 234H-1							
Requester: S.E.M. Constr. / Angton Elecrtric / MDJ Date of Request: May 10, 2018							
Supervising Tradesperson: Trade Manager:				Date:			
Contractor: Angton Electric / S.E.M. Constr James Coordinator/Project Manager: Mike DeJager	Phone # +1 (226) 234-58 Phone # 88737						
Reviewed by Trade Manager(s)/Shop(s) Affected:							
Name: Electrical Shop	Date: May 10, 201	8 Name:	Fire Safety Date: M		lay 10, 2018		
Signature/ Stamp: REVIEWED By Heather Zavitz (hzavitz@uwo.ca) at 10:42 am, May 11, 2		Signature/ Stamp:	APPROV	/ED			
Name: Principal Occupants:							
Signature/ Stamp:			Name: Megan Clements		Date		
	Date:		Name:		Date		
Name.		Name:	Name:		Date		
Signature/ Stamp:		Approval to Proceed:			Date:		
Name: Signature/ Stamp:	Date:		APPROVED By Dara Gomez (dgomez5@uwo.ca) at 8:44 am, May 14, 2018				
Notes: Electrical shop WO # 649480. Please meet contractor at room 234 prior to going to FA panel.							