

Notice of Service Interruption/Area Closure Western University Facilities Management

Client Services 519-661-3304 (fmhelp@uwo.ca)

Submit by E-mail
Print Form

Date of Interruption/Closure May 21, 2015 Time(s): 1:00PM - 3:00PM							
Building(s) #1 WESTERN CHILD CARE CENTRE (WCCC) #2 Affected: #3 #4 Areas/Rooms Affected Alternate Route/Service: Whole building.							
Service to be #1 Fire Alarm #2 #2 interrupted: #3 #4 Description/Reason for Project: Fire alarm bypass required for plumbing repairs.							
Requester: Pete Dearing				Date of Request: May 20, 2015			
Supervising Tradesperson: Pete Dearing Unit: Plumbing Shop							
Trade Supervisor: Dan Gyetvai Unit:				Plumber / Fitter Shop Date:May 20, 2015			
Contractor: Phone # Coordinator/Project Manager: Phone # Date:						Date:	
Reviewed by Trade Supervisor(s)/Shop(s) Affected:							
Name:	Electrical Shop	Date: May 20, 201	5 Name:	Fire Safety		Date: May 20, 2015	
Signature/ Stamp:	In Jehn.		C4	APPROVED By Jenn Romyn (jromyn2@L	ıwo.ca) at 3:43 p	om, May 20, 2015	
Name: Principal Occupants:							
Signature/			Name:	upants.	Ext.	Date:	
Stamp:			Name:		Ext.	Date:	
Name:		Date:	Name:		Ext.	Date:	
Signature/			Name:		Ext.	Date:	
Stamp:			A	pproval to Proceed:		Date:	
Name: Date: Signature/ Stamp:				APPROVED By Dan Trudgeon (fminterr@uwo.ca) at 3:47 pm, May 20, 2015			
Notes: Work order issued to Electrical Shop to perform fire alarm bypass.							