

**THE UNIVERSITY OF WESTERN ONTARIO
BIOLOGICAL AGENTS REGISTRY FORM**
Approved Biohazards Subcommittee: July 9, 2010
Biosafety Website: www.uwo.ca/humanresources/biosafety/

This form must be completed by each Principal Investigator holding a grant administered by the University of Western Ontario (UWO) or in charge of a laboratory/facility where the use of Level 1, 2 or 3 biological agents is described in the laboratory or animal work proposed. The form must also be completed if any work is proposed involving animals carrying zoonotic agents infectious to humans or involving plants, fungi, or insects that require Public Health Agency of Canada (PHAC) or Canadian Food Inspection Agency (CFIA) permits.

This form must be updated at least every 3 years or when there are changes to the biological agents being used.

Containment Levels will be established in accordance with Laboratory Biosafety Guidelines, 3rd edition, 2004, Public Health Agency of Canada (PHAC) or Containment Standards for Veterinary Facilities, 1st edition 1996, Canadian Food Inspection Agency (CFIA).

Completed forms are to be returned to Occupational Health and Safety, (OHS), (Support Services Building, Room 4190) for distribution to the Biohazards Subcommittee. For questions regarding this form, please contact the Biosafety Officer at extension 81135 or biosafety@uwo.ca. If there are changes to the information on this form (excluding grant title and funding agencies), contact Occupational Health and Safety for a modification form. See website: www.uwo.ca/humanresources/biosafety/

PRINCIPAL INVESTIGATOR	<u>Fred Dick</u>
DEPARTMENT	<u>Biochemistry</u>
ADDRESS	<u>A4136 Victoria Research Labs</u>
PHONE NUMBER	<u>58620</u>
EMERGENCY PHONE NUMBER(S)	<u>519-438-7463</u>
EMAIL	<u>fdick@uwo.ca</u>

Location of experimental work to be carried out: Building(s) LRCP/VRL Room(s) A4-824, A7-132a 4th and 7th floors

*For work being performed at Institutions affiliated with the University of Western Ontario, the Safety Officer for the Institution where experiments will take place must sign the form prior to its being sent to the University of Western Ontario Biosafety Officer (See Section 15.0, Approvals).

FUNDING AGENCY/AGENCIES: CIHR and CRS

GRANT TITLE(S): 1) Regulation of heterochromatin by the Retinoblastoma protein in cell cycle control and cancer
2) Differential Control of E2F Transcription Factors by pRB in Normal and Cancer Cells
3) The role of the retinoblastoma protein in TGF-beta induced growth arrest.

List all personnel working under Principal Investigators supervision in this location:

<u>Name</u>	<u>UWO E-mail Address</u>	<u>Date of Biosafety Training</u>
Matt Cecchini	mcecchi2@uwo.ca	5/2007
Srikanth Talluri	stallur@uwo.ca	9/2006
Courtney Coschi	ccoschi@uwo.ca	7/2007
Jasmyne Carnevale	jcarnev@uwo.ca	9/2009

Control of Cell Proliferation in Development and Cancer.

My laboratory studies the genes and regulatory networks that control cell division. Cells have the ability to sense their external surroundings and integrate this information to determine when it is appropriate to divide. The genes that participate in this decision making process are often disrupted in cancer and this contributes to the unregulated cell division that is characteristic of this disease.

Our research work focuses on the genes and their encoded proteins that participate in this growth control process. A key component in controlling cell proliferation is the retinoblastoma protein (pRB) that integrates information from many internal and extracellular signals to control proliferation. We use a combination of in vitro biochemical methods, cell culture assays, and gene targeted mice to understand the mechanisms used by the retinoblastoma protein and other growth regulators to control proliferation and relate their function to cancer susceptibility in mice.

In order to undertake this type of research we use many modern molecular biological tools (and generate their associated biohazards). We are frequently manipulating gene sequences using recombinant DNA technology. We also utilize bacteria extensively for recombinant protein expression. These reagents are used in experiments to help us develop models of biochemical function that we test in mammalian cell culture experiments. Experiments in mammalian cells often involve re-expressing wild type or mutant forms of proteins like pRB in cells that are deficient for its function. We can then investigate its function by studying the proteins pRB interacts with in extracts from these cells, or we can assay cellular outcomes such as proliferation or apoptosis. Lastly, the most intriguing mutants from these studies are used to create gene-targeted mouse strains so that we can relate the proliferative effects that we see in cell culture with cell cycle control in development. Most importantly, we can determine if these defects in proliferative control in mice is manifest in cancer.

Recently, we have also begun to collect DNA samples derived from peripheral blood, or primary human tumors. We are using these samples to search for new genetic alterations in growth regulating components like pRB. In this way we are hoping to relate mechanisms of growth control characterized in our research with the genetic characteristics of human cancers to better classify cancer patients for treatment.

Disposal of biohazardous materials

The experimental approach that is described above utilizes, or generates, biohazards that fit into the following categories:

Bacterial cell cultures that harbor foreign DNA:

All solid phase media and culture vessels are sealed in biohazardous waste containers for autoclaving. All liquid cultures are bleached, neutralized, and disposed of down the drain.

Mammalian cell culture (primary and immortal cell isolates):

All tissue culture plastics are sealed in biohazardous waste containers for autoclaving. Liquid waste is bleached, neutralized, and disposed of down the drain.

Viral production (and associated mammalian cell culture):

All tissue culture plastics are collected in biohazardous waste bags inside the laminar flow hood, sealed, and autoclaved after removal from the hood. All glassware is disinfected with bleach inside the laminar flow hood and neutralized before removal from the hood. All liquid waste is bleached, and neutralized inside the hood before removal.

Extraction of DNA from human tissues:

All extractions are carried out in a laminar flow hood. We use an agent called 'Trizol' that dissolves the tissue and allows the DNA to be isolated. Its harsh chemical make up destroys any associated pathogens that may be present. Dissolved tissue is disposed of in biohazardous waste containers for autoclaving. The DNA is further purified and sterilized in alcohol and stored.

1.0 Microorganisms

1.1 Does your work involve the use of biological agents? YES NO
(non-pathogenic and pathogenic biological agents including but not limited to bacteria and other microorganisms, viruses, prions, parasites or pathogens of plant or animal origin)? If no, please proceed to Section 2.0

Do you use microorganisms that require a permit from the CFIA? YES NO

If YES, please give the name of the species. _____

What is the origin of the microorganism(s)? _____

Please describe the risk (if any) of escape and how this will be mitigated:

Please attach the CFIA permit.

Please describe any CFIA permit conditions:

1.2 Please complete the table below:

Name of Biological agent(s)*	Is it known to be a human pathogen? YES/NO	Is it known to be an animal pathogen? YES/NO	Is it known to be a zoonotic agent? YES/NO	Maximum quantity to be cultured at one time? (in Litres)	Source/ Supplier	PHAC or CFIA Containment Level
E. coli (DH5 α , BL21, BS1365, and derivatives of these strains)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	8 litres	ATCC/ other investigat ors	<input checked="" type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3

*Please attach a Material Safety Data Sheet or equivalent from the supplier (*Data sheet for DH5 α is provided as an example for all E. coli*).

2.0 Cell Culture

2.1 Does your work involve the use of cell cultures? YES NO

If no, please proceed to Section 3.0

2.2 Please indicate the type of primary cells (i.e. derived from fresh tissue) that will be grown in culture:

Cell Type	Is this cell type used in your work?	Source of Primary Cell Culture Tissue	AUS Protocol Number
Human	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Not applicable
Rodent	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Embryos and organs from our mice	2007-058
Non-human primate	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Other (specify)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		

2.3 Please indicate the type of established cells that will be grown in culture in:

Cell Type	Is this cell type used in your work?	Specific cell line(s)*	Supplier / Source
Human	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	C33A, Saos-2, U2OS, HeLa, H1299, T98G, IMR90	ATCC, other investigators
Rodent	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	NIH 3T3, other 3T3's	ATCC, and our primary cultures
Non-human primate	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Other (specify)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		

*Please attach a Material Safety Data Sheet or equivalent from the supplier. (For more information, see www.atcc.org) (*Data sheet for C33A is provided as an example for all human cell lines*).

2.4 For above named cell types(s) indicate PHAC or CFIA containment level required 1 2 2+ 3

3.0 Use of Human Source Materials

3.1 Does your work involve the use of human source materials? YES NO
If no, please proceed to Section 4.0

3.2 Indicate in the table below the Human Source Material to be used.

Human Source Material	Source/Supplier /Company Name	Is Human Source Material Infected With An Infectious Agent? YES/NO	Name of Infectious Agent (If applicable)	PHAC or CFIA Containment Level (Select one)
Human Blood (whole) or other Body Fluid		<input type="checkbox"/> Yes <input type="checkbox"/> Unknown		<input type="radio"/> 1 <input type="radio"/> 2 <input type="checkbox"/> 2+ <input type="radio"/> 3
Human Blood (fraction) or other Body Fluid	LHSC molecular diagnostics lab	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> Unknown		<input type="radio"/> 1 <input checked="" type="radio"/> 2 <input type="checkbox"/> 2+ <input type="radio"/> 3
Human Organs or Tissues (unpreserved)	OICR tumor bank	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> Unknown		<input type="radio"/> 1 <input checked="" type="radio"/> 2 <input type="checkbox"/> 2+ <input type="radio"/> 3
Human Organs or Tissues (preserved)		Not Applicable		Not Applicable

4.0 Genetically Modified Organisms and Cell lines

4.1 Will genetic modifications be made to the microorganism 1.0 and 2.0? YES NO If no, please

See e-mail

4.2 Will genetic modification(s) involving plasmids be done? YES, complete table below NO

Bacteria Used for Cloning *	Plasmid(s) **	Source of Plasmid	Gene Transfected	Describe the change that results from transformation or transfection
DH5a, BL21, BS1365	See accompanying table of plasmids.	See accompanying table of plasmids.	Too numerous to list, in general related to cell division and viability	None in bacteria. In mammalian cells we see growth arrest, growth acceleration, or apoptosis.

* Please attach a Material Data Sheet or equivalent if available. (*Data sheet for DH5α is provided as an example*).

** Please attach a plasmid map. (*See accompanying table of plasmids*).

4.3 Will genetic modification(s) involving viral vectors be made? YES, complete table below NO

Virus Used for Vector Construction	Vector(s) *	Source of Vector	Gene(s) Transduced	Describe the change that results from transduction
none	ecotropic retroviruses, recombinant adenovirus	other investigators	as above	As above, however we also use viruses containing cre to delete gene sequences containing LoxP sites.

* Please attach a Material Safety Data Sheet or equivalent. (Data sheet for a recombinant adenovirus from a company is provided as an example, none available for retroviruses)

4.4 Will genetic sequences from the following be involved?

- ◆ HIV YES, please specify _____ NO
- ◆ HTLV 1 or 2 or genes from any Level 1 or Level 2 pathogens YES, specify _____ NO
- ◆ SV 40 Large T antigen YES NO
- ◆ E1A oncogene YES NO
- ◆ Known oncogenes YES, please specify __E7, Ras_____ NO
- ◆ Other human or animal pathogen and or their toxins YES, please specify _____ NO

4.5 Will virus be replication defective? YES NO

4.6 Will virus be infectious to humans or animals? YES NO

4.7 Will this be expected to increase the containment level required? YES NO

(Please note that oncogenes will only be packaged into ecotropic viruses that will be used to infect murine cells (or human cells engineered to carry the ecotropic receptor). All work will be done in containment level 2. Adenoviruses will not carry oncogenes, only growth suppressing genes, or cre. These viruses will be used to infect mice or murine cell cultures.)

5.0 Human Gene Therapy Trials

5.1 Will human clinical trials be conducted involving a biological agent? YES NO
(including but not limited to microorganisms, viruses, prions, parasites or pathogens of plant or animal origin)
If no, please proceed to Section 6.0

5.2 If YES, please specify which biological agent will be used: _____
Please attach a full description of the biological agent.

5.2 Will the biological agent be able to replicate in the host? YES NO

5.3 How will the biological agent be administered? _____

5.4 Please give the Health Care Facility where the clinical trial will be conducted: _____

5.5 Has human ethics approval been obtained? YES, number: _____ NO PENDING

6.0 Animal Experiments

6.1 Will live animals be used? YES NO If no, please proceed to section 7.0

6.2 Name of animal species to be used: mouse

6.3 AUS protocol # 2007-058

6.4 Will any of the agents listed in section 4.0 be used in live animals YES, specify: Adenoviruses expressing cre will be used to delete gene sequences from transgenic mouse lines NO

6.5 Will the agent(s) be shed by the animal: YES NO, please justify:
Some replication defective adenovirus is likely to be shed in the days immediately following administration of the virus. Please see animal protocol 2007-058 for details of viral containment during the housing of these mice.

7.0 Use of Animal species with Zoonotic Hazards

7.1 Will any animals with zoonotic hazards or their organs, tissues, lavages or other body fluids including blood be used (see list below)? YES No If no, please proceed to section 8.0

7.2 Please specify the animal(s) used:

- ◆ Pound source dogs YES NO
- ◆ Pound source cats YES NO
- ◆ Cattle, sheep or goats YES, please specify species _____ NO
- ◆ Non-human primates YES, please specify species _____ NO
- ◆ Wild caught animals YES, please specify species & colony # _____ NO
- ◆ Birds YES, please specify species _____ NO
- ◆ Others (wild or domestic) YES, please specify _____ NO

8.0 Biological Toxins

8.1 Will toxins of biological origin be used? YES NO If no, please proceed to Section 9.0

8.2 If YES, please name the toxin(s) _____
Please attach information, such as a Material Safety Data Sheet, for the toxin(s) used.

8.3 What is the LD₅₀ (specify species) of the toxin _____

8.4 How much of the toxin is handled at one time*? _____

8.5 How much of the toxin is stored*? _____

8.6 Will any biological toxins be used in live animals? YES, Please provide details: _____ NO

*For information on biosecurity requirements, please see:

http://www.uwo.ca/humanresources/docandform/docs/healthandsafety/biosafety/Biosecurity_Requirements.pdf

9.0 Insects

9.1 Do you use insects? YES NO If no, please proceed to Section 10.0

9.2 If YES, please give the name of the species. _____

9.3 What is the origin of the insect? _____

9.4 What is the life stage of the insect? _____

9.5 What is your intention? Initiate and maintain colony, give location: _____
 "One-time" use, give location: _____

9.6 Please describe the risk (if any) of escape and how this will be mitigated:

9.7 Do you use insects that require a permit from the CFIA permit? YES NO
If YES, Please attach the CFIA permit & describe any CFIA permit conditions:

10.0 Plants

10.1 Do you use plants? YES NO If no, please proceed to Section 11.0

10.2 If YES, please give the name of the species. _____

10.3 What is the origin of the plant? _____

10.4 What is the form of the plant (seed, seedling, plant, tree...)? _____

10.5 What is your intention? Grow and maintain a crop "One-time" use

10.6 Do you do any modifications to the plant? YES NO

If yes, please describe: _____

10.7 Please describe the risk (if any) of loss of the material from the lab and how this will be mitigated:

10.8 Is the CFIA permit attached? YES NO

If YES, Please attach the CFIA permit & describe any CFIA permit conditions:

11.0 Import Requirements

11.1 Will any of the above agents be imported? YES, please give country of origin _____ NO
If no, please proceed to Section 12.0

11.2 Has an Import Permit been obtained from HC for human pathogens? YES NO

11.3 Has an import permit been obtained from CFIA for animal or plant pathogens? YES NO

11.4 Has the import permit been sent to OHS? YES, please provide permit # _____ NO

12.0 Training Requirements for Personnel Named on Form

All personnel named on the above form who will be using any of the above named agents are required to attend the following training courses given by OHS:

- ◆ Biosafety
- ◆ Laboratory and Environmental/Waste Management Safety

3) Safety Officer for Institution where experiments will take place (if not UWO):

SIGNATURE: M. Ryder
Date: August 13, 2010

Approval Number: _____ Expiry Date (3 years from Approval): _____

Special Conditions of Approval:



Product Information Sheet for ATCC® 53868™

ATCC® Catalog No. 53868™

Designation: *Escherichia coli* DH5

This material is cited in a U.S. and/or other Patent or Patent Application, and may not be used to infringe on the patent claims.

Description: This is a recA- *Escherichia coli* host strain for plasmids and cosmids.

Lineage: strain 100 (Hoffman-Berling) → MM294 (Meselson) → DH1 (Hanahan) → DH5 (Hanahan)

Deposited for Patent purposes on behalf of : Cold Spring Harbo Laboratories, Cold Spring Harbor, NY

Genotype : F- supE44 hsdR (rK- mK+) recA1 gyrA96 endA1 thi-1 relA1 deoR λ-

Shipped: Frozen glycerol stock of *E. coli*

Propagation:

Transfer a loopful to a test tube containing 5 mL LB broth. A loopful of culture can also be streaked on an LB agar plate. Incubate cultures at 37^o C. Isolate DNA using standard plasmid preparation procedures.

Conditions: Store frozen vial at -80^o C.

BIOSAFETY LEVEL: 1

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the current publication of the *Biosafety in Microbiological and Biomedical Laboratories* from the U.S. Department of Health and Human Services Centers for Disease Control and Prevention and National Institutes for Health.

ATCC® WARRANTY:

The viability of ATCC® products is warranted for 30 days from the date of shipment. If you feel there is a problem with this product, contact Technical Services by phone at 800-638-6597 or 703-365-2700 or by e-mail at tech@atcc.org. Or you may contact your local distributor.

DISCLAIMERS:

This product is intended for laboratory research purposes only. It is not intended for use in humans.

While ATCC® uses reasonable efforts to include accurate and up-to-date information on this product sheet, ATCC® makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. ATCC® does not warrant that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, and use. ATCC® is not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to insure authenticity and reliability of strains on deposit, ATCC® is not liable for damages arising from the misidentification or misrepresentation of cultures.

Please see the enclosed Material Transfer Agreement (MTA) for further details regarding the use of this product. The MTA is also available on our Web site at www.atcc.org.

© ATCC®, 2010. All rights reserved.

ATCC® is a registered trademark of the American Type Culture Collection.

Updated (06/10) LMH

VECTOR BIOLABS
THE ADENOVIRUS COMPANY

MATERIAL SAFETY DATA SHEET

EMERGENCY TELEPHONES: 1- 877-Biolabs 1-215-966-6045

<http://www.vectorbiolabs.com>

MATERIAL SAFETY DATA SHEET - INFECTIOUS SUBSTANCES

SECTION I - INFECTIOUS AGENT

PRODUCT IDENTIFICATION:

All pre-made adenovirus made by Vector BioLabs.

BIOLOGICAL NAME: Adenovirus - Type 5

CHARACTERISTICS: Adenoviridae; non-enveloped, icosahedral virions, 75-80 nm diameter, doublestranded, linear DNA genome. The recombinant viruses are based on human adenoviral backbone which is deleted in the essential E1 gene as well as the E3 gene. The viruses produced are thus non-replicative.

SECTION II - HEALTH HAZARD

PATHOGENICITY: Varies in clinical manifestation and severity; symptoms include fever, rhinitis, pharyngitis, cough and conjunctivitis. The risk from infection by defective recombinant adenoviral vectors depends both on the dose of virus and on the nature of the transgene. Adenovirus does not integrate into the host cell genome but can produce a strong immune response.

HOST RANGE: Humans and animals

INCUBATION PERIOD: from 1-10 days

MODE OF TRANSMISSION: In the laboratory, care must be taken to avoid spread of infectious material by aerosol, direct contact or accidental injection

CHEMICAL LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN: None

SECTION III - VIABILITY

DRUG SUSCEPTIBILITY: No specific antiviral available

SUSCEPTIBILITY TO DISINFECTANTS: Susceptible to 1% sodium hypochlorite, 2% glutaraldehyde. Recommend use of 1/3 volume of bleach for 30 minutes.

PHYSICAL INACTIVATION: Sensitive to heat; 1 hour at 56°C is used to inactivate virus.

SURVIVAL OUTSIDE HOST: Adenovirus type 5 survived from 3-8 weeks on environmental surfaces at room temperature.

SECTION IV - MEDICAL

SURVEILLANCE: Monitor for symptoms; confirm by serological analysis

FIRST AID/TREATMENT:

Contact: Immediately flush eyes and skin with plenty of water for at least 15 minutes. Call a physician.

Inhalation: N/A

Ingestion: Wash out mouth with water. Call a physician

Accidental injection: wash area with soap and water. Call a physician.

SECTION V – ACCIDENTAL RELEASE PROCEDURES

Pour 1 volume of Javel water over the leak(s) and wait for 15 minutes.

Wipe up carefully.

Hold for autoclave waste disposal and decontaminate work surfaces with 70% alcohol.

SECTION VI - RECOMMENDED PRECAUTIONS

CONTAINMENT REQUIREMENTS: Biosafety level 2 practices and containment facilities for all activities involving the virus and potentially infectious body fluids or tissues. This level consists of etiological agents considered to be of ordinary potential harm.

PROTECTIVE CLOTHING: Recombinants Adenovirus: Laboratory coat; gloves.

OTHER PRECAUTIONS:

Access to the laboratory is limited.

Work surfaces are decontaminated before and after each procedure

Mechanical pipetting devices are used for all procedures; mouth pipetting is prohibited.

Eating, drinking, and smoking are not permitted in the laboratory; food is not stored in laboratory areas.

Laboratory coats are worn in and are removed before leaving the laboratory.

Hands are washed before and after handling virus.

SECTION VII - HANDLING INFORMATION

DISPOSAL: Decontaminate all wastes before disposal; steam sterilization

STORAGE: In sealed containers that are appropriately labeled

SECTION VIII - MISCELLANEOUS INFORMATION

The above information and recommendations are believed to be accurate and represent the most complete information currently available to us. All materials and components may present unknown hazards and should be used with caution. Vector BioLabs, Inc assumes no liability resulting from use of the above products.

Date of revision: May 24, 2004

Cell line Info

Cell Biology

ATCC® Number:	CRM-HTB-31™ Order this Item	Price:	\$400.00
Designations:	C-33 A	Related Links ▶	
Depositors:	N Auersperg	NCBI Entrez Search	
<u>Biosafety Level:</u>	1	Make a Deposit	
Shipped:	frozen	Frequently Asked Questions	
Medium & Serum:	See Propagation	Material Transfer Agreement	
Growth Properties:	adherent	Technical Support	
Organism:	<i>Homo sapiens</i> (human)	Related Cell Culture Products	
Morphology:	epithelial	BioProducts	
Permits/Forms:	In addition to the MTA mentioned above, other ATCC and/or regulatory permits may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please click here for information regarding the specific requirements for shipment to your location.	Cell, microbial and molecular genomics products for the life sciences	
Applications:	For use in testing and calibration in ISO 17025 accredited laboratories, to challenge assay performance, validate or compare test methods, and to establish sensitivity, linearity and specificity during assay validation or implementation. ISO Guide 34:2000	BioServices	
Tumorigenic:	YES	Bio-materials management: basic repository to complex partnership-level services	
Oncogene:	p53 +; pRB + Amelogenin: X CSF1PO: 12 D13S317: 13 D16S539: 13,14	BioStandards	
DNA Profile (STR):	D5S818: 11,12 D7S820: 10 TH01: 7,8 TPOX: 9 vWA: 18,20	Biological Reference Material and Consensus Standards for the life science community	
Cytogenetic Analysis:	This a pseudodiploid human cell line with the modal chromosome number of 46, occurring in 70% of cells examined. Polyploid cells occurred at 8.6%. Seven marker chromosomes were consistently detected per pseudodiploid cell. They are: t(1q17q), t(1p21q), del(18) (q21.3), der(1)t(1;17) (p16;q21.3) and three others. Several other markers were also found but they occurred only once in 15 metaphases analyzed. Neither DMs nor HSRs were detected. Structurally normal N1 was absent. Generally there are two X chromosomes in each cell.		
Isoenzymes:	AK-1, 1 ES-D, 1		
Age:	66 years adult		

Cell Biology

ATCC® Number: **HTB-85™** [Order this Item](#) Price: **\$269.00**

Designations: **Saos-2**
 Depositors: J Fogh, G Trempe
Biosafety Level: 1
 Shipped: frozen
 Medium & Serum: [See Propagation](#)
 Growth Properties: adherent
 Organism: *Homo sapiens* (human)

Morphology: epithelial



Source: **Organ:** bone
Disease: osteosarcoma

Permits/Forms: In addition to the [MTA](#) mentioned above, other [ATCC and/or regulatory permits](#) may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please [click here](#) for information regarding the specific requirements for shipment to your location.

Restrictions: The cells are distributed for research purposes only. The Memorial Sloan-Kettering Cancer Center releases the line subject to the following: 1.) The cells or their products must not be distributed to third parties. Commercial interests are the exclusive property of Memorial Sloan-Kettering Cancer Center. 2.) Any proposed commercial use of these cells must first be negotiated with The Director, Office of Industrial Affairs, Memorial Sloan-Kettering Cancer Center, 1275 York Avenue, New York, NY 10021; phone (212) 639-6181; FAX (212) 717-3439.

Applications: transfection host ([Nucleofection technology from Lonza Roche FuGENE® Transfection Reagents](#))

Receptors: epidermal growth factor (EGF); transforming growth factor beta (type 1 and type 2)

Tumorigenic: No

Antigen Expression: Blood Type B, Rh+; HLA A2, A3, Bw16, Bw47

Amelogenin: X
 CSF1PO: 10
 D13S317: 12,13
 D16S539: 12,13
 DNA Profile (STR): D5S818: 12
 D7S820: 8,10
 TH01: 6,9
 TPOX: 8
 vWA: 18

Related Links ▶

[NCBI Entrez Search](#)

[Cell Micrograph](#)

[Make a Deposit](#)

[Frequently Asked Questions](#)

[Material Transfer Agreement](#)

[Technical Support](#)

[Related Cell](#)

[Culture Products](#)

Login Required ▶

[Product Information Sheet](#)

[BioProducts](#)

[Cell, microbial and molecular genomics products for the life](#)

- [sciences BioServices](#)

[Bio-materials management: basic repository to complex partnership-](#)

- [level services BioStandards](#)

[Biological Reference Material and Consensus Standards for the life science](#)

- [community](#)

Cell Biology

ATCC® Number: **HTB-96™** Order this Item Price: **\$256.00**

Designations: U-2 OS

Depositors: Hellstrom

Biosafety Level: 1

Shipped: frozen

Medium & Serum: [See Propagation](#)

Growth Properties: adherent

Organism: *Homo sapiens* (human)

Morphology: epithelial

Source: **Organ:** bone
Disease: osteosarcoma

Cellular Products: osteosarcoma derived growth factor (ODGF)
In addition to the [MTA](#) mentioned above, other [ATCC and/or regulatory permits](#) may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please [click here](#) for information regarding the specific requirements for shipment to your location.

Permits/Forms:

Applications: transfection host ([Nucleofection technology from Lonza Roche FuGENE® Transfection Reagents](#))

Receptors: insulin-like growth factor I (IGF-I); insulin-like growth factor II (IGF II)

Antigen Expression: Blood Type A; Rh+; HLA A2, Aw30, B12, Bw35, B40(+/-)
Amelogenin: X
CSF1PO: 13
D13S317: 13
D16S539: 11,12

DNA Profile (STR): D5S818: 11
D7S820: 11,12
TH01: 6,9.3
TPOX: 11,12
vWA: 14,18

Cytogenetic Analysis: Cell line U-2 OS is chromosomally highly altered, with chromosome counts in the hypertriploid range. We did not find the hypodiploid cell population described by J. Ponten, et al.,. Instead, most of the population has slightly higher counts than first described. Very few normal chromosomes are present, but a high number of stable marker chromosomes are identified., Different chromosomal rearrangements involving the same chromosomes (N1, N7, N9, and N11 particularly), are seen. Twenty-two markers are found including: t(9qter--->9q21::1p36--->1p:?), 7p+, iso(17q), t(15q:?), 4q+, del(3)(q21), 5q(aberrant) and others. [[22509](#)]

Related Links ▶

[NCBI Entrez Search](#)

[Make a Deposit](#)

[Frequently Asked Questions](#)

[Material Transfer Agreement](#)

[Technical Support](#)

[Related Cell](#)

[Culture Products](#)

Login Required ▶

[Product](#)

[Information Sheet](#)

[BioProducts](#)

[Cell, microbial and molecular genomics products for the life](#)

- [sciences BioServices](#)

[Bio-materials management; basic repository to complex partnership-](#)

- [level services BioStandards](#)

[Biological Reference Material and Consensus Standards for the life science](#)

- [community](#)

Cell Biology

ATCC® Number: **CRL-5803™** Price: **\$269.00**

Designations: **NCI-H1299**
 Depositors: AF Gazdar, JD Minna
Biosafety Level: 1
 Shipped: frozen
 Medium & Serum: [See Propagation](#)
 Growth Properties: adherent
 Organism: *Homo sapiens* (human)
 Morphology: epithelial

Source: **Organ:** lung
Disease: carcinoma; non-small cell lung cancer
Derived from metastatic site: lymph node

Cellular Products: neuromedin B

Permits/Forms: In addition to the [MTA](#) mentioned above, other [ATCC and/or regulatory permits](#) may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please [click here](#) for information regarding the specific requirements for shipment to your location.

Restrictions: The line is available with the following restrictions: 1. This cell line was deposited at the ATCC by Dr. A. Gazdar and Dr. J. Minna and is provided for research purposes only. Neither the cell line nor products derived from it may be sold or used for commercial purposes. Nor can the cells be distributed to third parties for purposes of sale, or producing for sale, cells or their products. The cells are provided as service to the research community. They are provided without warranty of merchantability or fitness for a particular purpose or any other warranty, expressed or implied. 2. Any proposed commercial use of these cells, or their products must first be negotiated with the University of Texas Southwestern Medical Center at Dallas, 5323 Harry Hines Blvd., Dallas, Texas 75235. Telephone (214) 699-8056, FAX (214) 688-7233.

Applications: transfection host ([Nucleofection technology from Lonza Roche FuGENE® Transfection Reagents](#))

Amelogenin:X
 CSF1PO:12
 D13S317:12
 D16S539:12,13
 DNA Profile (STR): D5S818:11
 D7S820:10
 TH01:6,9.3
 TPOX:8
 vWA: 16,17,18

Age: 43 years adult

Related Links ▶

[NCBI Entrez Search](#)
[Make a Deposit](#)
[Frequently Asked Questions](#)
[Material Transfer Agreement](#)
[Technical Support](#)
[Related Cell Culture Products](#)

Login Required ▶

[Product Information Sheet](#)

BioProducts

[Cell, microbial and molecular genomics products for the life](#)

- [sciences BioServices](#)

[Bio-materials management: basic repository to complex partnership-level services](#)

- [BioStandards](#)

[Biological Reference Material and Consensus Standards for the life science](#)

- [community](#)

Cell Biology

ATCC® Number: **CCL-186™** [Order this Item](#) Price: **\$256.00**

Designations: **IMR-90**
 Depositors: WW Nichols
Biosafety Level: 1
 Shipped: frozen
 Medium & Serum: [See Propagation](#)
 Growth Properties: adherent
 Organism: *Homo sapiens* (human)
 Morphology: fibroblast

Source: **Organ:** lung
Disease: normal
Cell Type: fibroblast

Permits/Forms: In addition to the [MTA](#) mentioned above, other [ATCC and/or regulatory permits](#) may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please [click here](#) for information regarding the specific requirements for shipment to your location.

Applications: transfection host ([Nucleofection technology from Lonza](#))

Human poliovirus 1
 Human poliovirus 2
 Varicella-Zoster
 Herpes simplex virus 1
 Virus Susceptibility: Herpes simplex virus 2
 Human poliovirus 3
 Vaccinia virus
 Human herpesvirus 5
 Vesicular stomatitis virus

DNA Profile (STR): Amelogenin: X
 CSF1PO: 11,13
 D13S317: 11,13
 D16S539: 10,13
 D5S818: 12,13
 D7S820: 9,12
 THO1: 8,9,3
 TPOX: 8,9
 vWA: 16,19

Cytogenetic Analysis: normal human female; diploid; stable

Isoenzymes: G6PD, B
 Age: 16 weeks gestation
 Gender: female
 Ethnicity: Caucasian

Related Links ▶

[NCBI Entrez Search](#)
[Make a Deposit](#)
[Frequently Asked Questions](#)
[Material Transfer Agreement](#)
[Technical Support](#)
[Related Cell Culture Products](#)

Login Required ▶

[Product Information Sheet](#)

[BioProducts](#)

[Cell, microbial and molecular genomics products for the life](#)

- [sciences BioServices](#)

[Bio-materials management; basic repository to complex partnership-level services](#)
[BioStandards](#)

- [Biological Reference Material and Consensus Standards for the life science community](#)

Cell Biology

ATCC® Number: **CRL-1690™** Order this Item Price: **\$264.00**

Designations: **T98G [T98-G]**
 Depositors: GH Stein
Biosafety Level: 1
 Shipped: frozen
 Medium & Serum: [See Propagation](#)
 Growth Properties: adherent
 Organism: *Homo sapiens* (human)
 Morphology: fibroblast

Source: **Organ:** brain
Disease: glioblastoma multiforme
 In addition to the [MTA](#) mentioned above, other [ATCC and/or regulatory permits](#) may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please [click here](#) for information regarding the specific requirements for shipment to your location.

Permits/Forms:

Applications: transfection host ([Roche FuGENE® Transfection Reagents](#))
 Tumorigenic: No

Amelogenin: X,Y
 CSF1PO: 10,12
 D13S317: 13
 D16S539: 13
 DNA Profile (STR): D5S818: 10,12
 D7S820: 9,10
 TH01: 7,9.3
 TPOX: 8
 vWA: 17,20

This is a human cell line with hyperpentaploid chromosome count. The modal chromosome number should be around 128 to 132. The rate of cells with higher ploidies was 1.39%. Fourteen to 16 marker chromosomes were common to most cells. They were: der(1)t(1;?) (p36;?), i(6p), der(10)t(10;?) (q24;?), der (19)t(19;?) (q13;?), der(15)t(15;?) (q26;?), minute metacentric and eight to ten others. Most of these structurally altered markers had complex interchromosomal exchanges. The der(10) and der(19) could be formed from a balanced translocation, i.e., t(10;19) (q24;q13). These two markers and the minute metacentric were present in three or more copies in most cells. There were six or more copies for N5, N7, N11, N13, N20, N21, and N22 in most cells. The X and N15 had only one copy.

Cytogenetic Analysis:

Age: 61 years
 Gender: male
 Ethnicity: Caucasian

Related Links ▶

[NCBI Entrez Search](#)
[Make a Deposit](#)
[Frequently Asked Questions](#)
[Material Transfer Agreement](#)
[Technical Support](#)
[Related Cell Culture Products](#)

Login Required ▶

[Product Information Sheet](#)

[BioProducts](#)

[Cell, microbial and molecular genomics products for the life](#)

- [sciences BioServices](#)

[Bio-materials management: basic repository to complex partnership-](#)

- [level services BioStandards](#)

[Biological Reference Material and Consensus Standards for the life science](#)

- [community](#)

Cell Biology

ATCC® Number: **CCL-2™** [Order this Item](#) Price: **\$256.00**

Designations: **HeLa**
 Depositors: WF Scherer
Biosafety Level: 2 [Cells contain human papilloma virus]
 Shipped: frozen
 Medium & Serum: [See Propagation](#)
 Growth Properties: adherent
 Organism: *Homo sapiens* (human)

Morphology: epithelial



Source: **Organ:** cervix
Disease: adenocarcinoma
Cell Type: epithelial
 keratin

Cellular Products: Lysophosphatidylcholine (lyso-PC) induces AP-1 activity and c-jun N-terminal kinase activity (JNK1) by a protein kinase C-independent pathway [26623]

Permits/Forms: In addition to the [MTA](#) mentioned above, other [ATCC and/or regulatory permits](#) may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please [click here](#) for information regarding the specific requirements for shipment to your location.

Applications: transfection host ([21491] [Nucleofection technology from Lonza](#) [Roche FuGENE® Transfection Reagents](#))
 screening for Escherichia coli strains with invasive potential [21447] [21491]

Virus Susceptibility: Human adenovirus 3
 Encephalomyocarditis virus
 Human poliovirus 1
 Human poliovirus 2
 Human poliovirus 3

DNA Profile (STR): Amelogenin: X
 CSF1PO: 9,10
 D13S317: 12,13.3
 D16S539: 9,10

DNA Profile (STR): D5S818: 11,12
 D7S820: 8,12
 TH01: 7
 TPOX: 8,12
 vWA: 16,18

Related Links ▶

[NCBI Entrez Search](#)

[Cell Micrograph](#)

[Make a Deposit](#)

[Frequently Asked Questions](#)

[Material Transfer Agreement](#)

[Technical Support](#)

[Related Cell Culture Products](#)

Login**Required ▶**

[Product Information Sheet](#)

[BioProducts](#)

[Cell, microbial and molecular genomics products for the life](#)

- [sciences BioServices](#)

[Bio-materials management: basic repository to complex partnership-](#)

- [level services BioStandards](#)

[Biological Reference Material and Consensus Standards for the life science](#)

- [community](#)

----- Original Message -----

Subject:Re: Biological Agents Registry Form: Dick

Date:Mon, 11 Oct 2010 19:38:08 -0400

From:Fred Dick <fdick@uwo.ca>

To:Jennifer Stanley <jstanle2@uwo.ca>

E-mail

Jennifer,

It's all there, further on in section four I list E1A, E7, Ras as the oncogenes that we use. I am also aware of the viral policies. You should also read a brief description of viral strategies to avoid using viruses with oncogenes that could infect members of my lab.

Best regards,

Fred