

Modification Form for Permit BIO-UWO-0171

Permit Holder: Morris Karmazyn

Approved Personnel

(Please stroke out any personnel to be removed)

Silchi Taniai
 Nazo Said
 Cathy Huang
 Eduardo Martinez
 Melissa Moey
 Jim Haist
 Tracey Gan
 Venkatesh Rajapurohitam

Additional Personnel

(Please list additional personnel here)

Please stroke out any approved Biological Agent(s) to be removed

Write additional Biological Agent(s) for approval below. Give the full name

Approved Microorganisms

--

E Coli K12 JM101 HEK-293 cells

Approved Primary and Established Cells

[primary]: rodent heart, [established]: cardiomyocytes
--

--

Approved Use of Human Source Material

--

--

Approved Genetic Modifications (Plasmids/Vectors)

--

1. pFLAG - CMV 2. pAD Track - CMV 3. IP - GFP Adenovirus
--

Ⓢ T7
 Ⓢ PS.tenax™ AdeA0
 1.0 - CMV System

Approved Use of Animals

Sprague Dawley Rat (2009-020)

--

Approved Biological Toxin(s)

--

--

PLEASE ATTACH A MATERIAL SAFETY DATA SHEET OR EQUIVALENT FOR NEW BIOLOGICAL AGENTS.
PLEASE ATTACH A BRIEF DESCRIPTION OF THE WORK THAT EXPLAINS THE BIOLOGICAL AGENTS USED AND HOW THEY WILL BE STORED, USED AND DISPOSED OF.

As the Principal Investigator, I have ensured that this project will follow the Western Biosafety Guidelines and Procedures Manual for Containment Level 1-2 Laboratories (and the Level 3 Facilities Manual for Level 3 projects). I will ensure that UWO faculty, staff and students working in my laboratory have an up-to-date Hazard Communication Form, found at <http://www.shs.uwo.ca/workplace/newposition.htm>

Signature of Permit Holder: _____



Current Classification: 1 Containment Level for Added Biohazards: _____

Date of Last Biohazardous Agents Registry Form: Dec 23, 2010

Date of Last Modification (if applicable): _____

BioSafety Officer(s): _____

Chair, Biohazards Subcommittee: _____

Date: _____

EXPERIMENTAL PROCEDURES:

Cardiomyocytes Isolation and Culture

Cardiomyocyte are isolated from 1- to 2-day-old Sprague-Dawley rat heart ventricles as described previously (Karmazyn et al., 2003). Briefly, after dissection hearts are washed and minced in HEPES-buffered saline solution (containing (mm): 130 NaCl, 3 KCl, 1 NaH₂PO₄, 4 glucose, and 20 HEPES; pH adjusted to 7.35 with NaOH). Tissues are then dispersed in a series of incubations at 37°C in HEPES-buffered saline solution containing 1.2 mg/ml pancreatin and 0.14 mg/ml collagenase (Worthington). After centrifugation cells are re-suspended in Dulbecco's modified Eagle's medium/F-12 (Amersham Biosciences) containing 5% heat-inactivated horse serum, 0.1 mm ascorbate, insulin-transferring-sodium selenite media supplement, 100 units/ml penicillin, 100 µg/ml streptomycin, and 0.1 mm bromodeoxyuridine. The dissociated cells are pre-plated at 37 °C for 1 h and then diluted to 1 × 10⁶ cells/ml and plated in culture dishes according to the specific experimental requirements.

siRNA transfection (non-virus)

Cardiac cells are grown in culture media described in our publications. SiRNAs COX-2 will be chemically synthesized using the T7 RNA polymerase-mediated transcription method (Silencer siRNA Construction kit; Ambion, Austin, TX <http://www.ambion.com/catalog/ProdGrp.html?fkApp=25&fkProdGrp=248>). The rat-specific siRNA COX-2 target sequence is 5'-aaggttctctgaggagag-3' (GenBank: NM_017232; position in gene sequence: 494: Antisense siRNA: 5'-AAGTTCTTCTGAGGAGAGAGCCTGTCTC -3'. Sense siRNA: 5'-AACTCTCTCCTCAGAAGAACCCCTGTCTC -3'). A nonspecific control siRNA will be used as a negative control. COX-2 siRNA will be introduced into the cells using Lipofectamine TM RNAiMAX (Invitrogen) according to the manufacturer's instructions. After the transfection, the cells will be collected for the further experiments.


Constructions of Adenoviruses Harboring target iRNA and adenovirus Infection:

All empty adenovirus plasmids/vectors will be purchased from individual companies (see previously submitted documents). We will buy the adenovirus containing the individual target if the source is available. Viruses will be amplified in HEK293 cells. Here is one example of our constructions of adenovirus harboring target iRNA is CK2 α iRNA:

The rat CK2 α RNAi target sequence is 5' -ATCAAGATGACTACCAGCT-3' . Either a scrambled RNAi or empty vector will be used as a control (5' -ATCAAGACTACGACTTCAG-3'). The specificity of the oligonucleotides was confirmed by comparison with all other sequences in GenBank™ using nucleotide BLAST. There was no homology to other known rat DNA sequences. The adenoviruses harboring these RNAi were constructed using the pSilencer™ adeno 1.0-CMV System (Ambion

<http://www.ambion.com/jp/techlib/tn/105/7.html>) according to the kit's instructions. The effects of the construct on CK2 α expression will be tested. Reference showed that it could significantly inhibit the expression of CK2 α in rat.

Cardiomyocytes will be infected with adenoviruses as described elsewhere with our modification. Following the infection, cells will be treated with various agents for further experiments.



To access your account, log in or register.

shopping cart | log in

PRODUCTS

TECHNICAL REFERENCE

CUSTOMER SERVICE

MY NEB ACCOUNT

search

go >>

CONTACT NEB

ABOUT US

SITE MAP

LITERATURE REQUEST

OEM

ISO

INTERNATIONAL

FREEZER PROGRAM

QUICK ORDER

Home > Products > Strains > Strains > E. coli K12 JM101

E. coli K12 JM101

Limit of 1 per order

FAVORITE TOOLS

- ▶ Enzyme Finder
- ▶ NEBcutter
- ▶ NEBuffer Chart
- ▶ Double Digest Finder
- ▶ Isoschizomers
- ▶ DNA Sequences and Maps
- ▶ PCR Selection
- ▶ Tm Calculator
- ▶ REBASE

SPECIAL OFFERS

Catalog #	Size	Concentration	Price	Qty	
E4106S	200 µl		\$0.00	1	<input type="button" value="ADD TO CART"/>

Prices are in US dollars and valid only for US orders.

Download: MSDS PDF

Description:

A suspension of E. coli K12 JM101 which has been grown in minimal media and brought to 50% glycerol.

Genotype: F' traD36 proA⁺B⁺ lacI^q Δ(lacZ)M15/ Δ(lac-proAB) glnV thi

Recommended Growth Medium: M9

Growth Temperature: 37°C

Strain Properties

dam/dcm Methylation: dam⁺, dcm⁺

Protease-deficient: No

LacI^q: Yes

Storage Conditions

Storage Temperature:

-20°C

For long term storage (>30 days), store at -70°C.

Notes

Usage notes:

1. Rubidium Chloride Method: RbCl Transformation Protocol

References

1. Messing, J. (1979) A multipurpose cloning system based on the single-stranded DNA bacteriophage M13. *Recomb. DNA Tech. Bull. (NIH)*, 3(2), 43-48.
2. Yanish-Perron, C. et al. (1985) *Gene*, 33, 103-119.

Privacy | Limitations, Warranties, Disclaimer | Copyright and Trademark

E. Coli

Designations: HEK-293, 2sus
Depositors: ATCC
Biosafety Level: 2
Shipped: frozen
Medium & Serum: [See Propagation](#)
Growth Properties: suspension
Organism: *Homo sapiens* (human)
Morphology: rounded
Source: **Organ:** embryonic kidney
Cell Type: transformed with adenovirus 5 DNA
Permits/Forms: In addition to the [MTA](#) mentioned above, other [ATCC](#) and/or [regulatory permits](#) may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please [click here](#) for information regarding the specific requirements for shipment to your location
Isolation: **Isolation date:** October 2008
Isolation Method: adaptation to growth in a suspension tissue culture environment
DNA Profile (STR): Amelogenin: X
 CSF1PO: 12
 D13S317: 12,14
 D16S539: 9,13
 D5S818: 8
 D7S820: 11,12
 TH01: 7,9,3
 TPOX: 11
 vWA: 16,19
Cytogenetic Analysis: The following is based on the parent cell line (ATCC CRL-1573): This is a hypotriploid human cell line. The modal chromosome number was 64, occurring in 30% of cells. The rate of cells with higher ploidies was 4.2 %.
 The der(1)t(1;15) (q42,q13), der(19)t(3;19) (q12,q13), der(12)t(8;12) (q22;p13), and four other marker chromosomes were common to most cells. Five other markers occurred in some cells only. The marker der(1) and M8 (or Xq+) were often paired.
 There were four copies of N17 and N22. Noticeably in addition to three copies of X chromosomes, there were paired Xq+, and a single Xp+ in most cells.
 Note: Cytogenetic instability has been reported in the literature for some cell lines.
Age: fetus
Comments: ATCC CRL-1573 (HEK293) cells were progressively adapted from an anchorage-dependent growth mode to a suspension mode. Although an earlier report suggested that the cells contained Adenovirus 5 DNA from both the right and left ends of the viral genome, it is now clear that only left end sequences are present. The Ad5 insert was cloned and sequenced, and it was determined that a colinear segment from nts 1 to 4344 is integrated into chromosome 19 (19q13.2).
Propagation: **ATCC complete growth medium:** The base medium for this cell line is 293 SFM II (Invitrogen, Catalog No. 11686-029). To make the complete growth medium, add the following component to the base medium: 2mM L-glutamine (final conc.)
Temperature: 37.0°C
Atmosphere: air, 95%; carbon dioxide (CO₂), 5%
Subculturing: **Protocol:**

- 1 Cultures can be maintained by addition of fresh medium. Dilute cultures to a cell concentration between 1×10^5 and 3×10^5 cells/ml.
- 2 Alternatively, cultures can be established by centrifugation with subsequent resuspension at 1×10^5 and 3×10^5 viable cells/ml. Transfer the suspension to a centrifuge tube. Sharply rap the side of the flask against your hand or a protected surface several times to remove any adherent cells. Resuspend the dislodged cells in 5 ml medium and triturate with a small bore pipette until cell clumps are dispersed. Pool resuspended cells into the centrifuge tube. Centrifuge at 125 xg for 5 to 7 minutes. Remove supernatant and resuspend cell pellet with fresh medium.

Related Links

[NCBI Entrez Search](#)
[Make a Deposit](#)
[Frequently Asked Questions](#)
[Material Transfer Agreement](#)
[Technical Support](#)
[Related Cell Culture Products](#)

HEK-293
Cells

[Return to Top](#)Notices and Disclaimers

ATCC products are intended for laboratory research purposes only, unless noted otherwise. They are not intended for use in humans.

While ATCC uses reasonable efforts to include accurate and up-to-date information on this site, ATCC makes no warranties or representations as to its accuracy. Content from outside sources and content not created for informational purposes only. ATCC does not warrant that such information has been confirmed to be accurate.

All prices are listed in U.S. dollars and are subject to change without notice. A discount off the current list price will be applied to most cultures for nonprofit institutions in the United States. Cultures that are ordered as test tubes or flasks will carry an additional laboratory fee. Fees for permits, shipping, and handling may apply.

[Back to my Search](#)



[ATCC Advanced Catalog Search](#) » **Product Details**

Product Description

Before submitting an order you will be asked to read and accept the terms and conditions of ATCC's [Material Transfer Agreement](#) or, in certain cases, an MTA specified by the ordering institution.

Customers in Europe, Australia, Canada, China, Hong Kong, India, Israel, Japan, Korea, Macao, Mexico, New Zealand, Singapore, and Taiwan (R.O.C.) must contact a [local distributor](#) for ordering information and to place an order for ATCC cultures and products.

[Print this Page](#)

Cell Biology

ATCC® Number:

CRL-1573.3™

[Order this Item](#)

Price:

\$329.00



Community


Vector Database > pFLAG-CMV4



Vector Database is a list of plasmid backbones from publications and several companies, including cloning, mammalian expression, bacterial expression, and lentiviral and retroviral plasmids. The database is compiled by Addgene, and hosted on LabLife. LabLife does not sell or distribute any of the plasmids listed in this catalog.

Plasmid Name **pFLAG-CMV4**
 Alt Names pFLAG-CMV-4
 Source/Vendor Sigma
 Plasmid Sequence [View Sequence](#)

pFLAG-CMV4





[Browse](#) > [Bert Vogelstein](#) > [He et al](#) > pAdTrack-CMV

Plasmid 16405: pAdTrack-CMV

Gene/insert name: None
Vector backbone: **pAdTrack-CMV**
([Search Vector Database](#))
Vector type: Mammalian Expression, Adenoviral
Backbone size w/o insert: 9220
5' sequencing primer: n/a [List of Sequencing Primers](#)
Bacterial resistance: Kanamycin
Growth strain: DH10B
Growth temperature (°C): 37
High or low copy: Low Copy
Sequence: [View sequences \(3\)](#)
Map: [View map](#) 
Supplemental document: [AdEasy Protocol](#) (application/pdf)
Principal Investigator: Bert Vogelstein
Terms and Licenses: [MTA](#)

Comments: Vector pAdTrack-CMV is used for expression of transgenes under a CMV promoter when a GFP tracer is desired.


Max insert size = 5.0kb with pAdEasy1 and 7.7kb with pAdEasy2.

See attached protocol and <http://www.coloncancer.org/adeasy.htm> for more information.

Note that there are discrepancies between Addgene's quality control sequence and the assembled sequenced from the depositing lab. These differences are not known to affect the function of the plasmid.

Addgene has sequenced a portion of this plasmid for verification. Click [here](#) for the sequencing result.

pAdTrack-CMV




Feature Name	Start	End
Encap	196	344
EBV_rev_primer	392	373
EGFP	1335	622
EGFP_C_primer	685	664
Y66 (EGFP)	1155	1126
EGFP_N_primer	1272	1293
CMV_fwd_primer	1432	1412
EBV_rev_primer	1982	1963
CMV_promoter	2403	2332
CMV_fwd_primer	2402	2382
CAG_enhancer	2843	2568
LITR	6141	6046
RITR	6046	6141
pBR322_origin	7005	6386
Ampicillin (299 - 0)	7459	7160
NEOKAN_promoter	7664	7713
NeoR/KanR	7805	8593
ORF	Start	End
ORF frame 1	574	1353
ORF frame 3	1338	592
ORF frame 1	4820	3462
ORF frame 2	5089	4568
ORF frame 2	7802	8596
Enzyme Name		Cut
AgeI		1346

Enzyme Name	Cut
NheI	1355
EcoRV	2274
HindIII	2286
XhoI	2295
NotI	2301
Sall	2308
KpnI	2318
BglII	2320
EcoRI	5157
BamHI	6159

Article: [A simplified system for generating recombinant adenoviruses](#), He et al (Proc Natl Acad Sci U S A. 1998 Mar 3; 95(5):2509-14. PubMed)

Please acknowledge the principal investigator and cite this article if you use this plasmid in a publication. Also, please include the text "Addgene plasmid 16405" in your Materials and Methods section.



Applied Biological Materials Inc.
Telephone: 1-866-757-2414
Email: info@abmgood.com
Website: www.abmGood.com

IP-eGFP Adenovirus

Cat. No.	Quantity	Titer	Accession Number
000066A	250µl	1x10 ⁶ pfu/mL	
Vector	pAdeno		
Promoter	CMV		
Insert	IP-eGFP		
Organism	Human		
Gene Type	Wild Type		
Titer	1x10 ⁶ pfu/mL		
Storage	DMEM with 2.5% glycerol		

*Caution: This product is for research use only and is not intended for therapeutic or diagnostic applications.
Please contact a technical service representative for more information (1-866-757-2414).*

IP-eGFP
Adenovirus

----- Original Message -----

Subject:Re: Fwd: Re: Fwd: Re: virus transfection permit request

Date:Mon, 21 Nov 2011 14:55:23 -0500

From:Tracey Gan <tgan@uwo.ca>

To:Jennifer Stanley <jstanle2@uwo.ca>

Hi Jennifer

Both T7 and pSilencer adeno 1.0-CMV system can be purchased from Applied Biosystems (Ambion) which belongs to Life Techniques now (last week). T7 is included in the *Silencer*® siRNA Construction Kit (with manual). the Cat#: AM1620M. the web: <https://products.invitrogen.com/ivgn/product/AM1620M?ICID=search-product>.

for the pSilencer™ adeno 1.0-CMV System, the cat #: AM5790.

the web: <https://www.invitrogen.com/search/global/searchAction.action?resultPage=3&resultsPerPage=15&query=Silencer+siRNA+construction+kit>.

Thanks, Tracey



November 11, 2011

Ms. Jennifer Stanley
Biosafety Coordinator
Support Services Building 4190
University of Western Ontario

Re: Biosafety level 2 upgrade request

Dear Jennifer

Thank you very much for all of the information that you provided to us on October 12, 2011 for upgrading to Biosafety Level 2.

Enclosed please find the updated Biosafety permit which is signed by my supervisor Dr. M. Karmazyn. All of the agents, including microorganisms and plasmids/vectors, are indicated in the form for the approval. Also, the agent sources are enclosed.

There are 4 individuals whose names appear on the updated Biosafety form and who will do the virus transfection researches. All of them had completed the "Position Hazard Communication Form" and then submitted them online on Nov 10, 2011.

According to the Biosafety regulation, we are ready for the inspection. Should you have any further requirement please let me know.

Sincerely yours,

T. Gan

Tracey Gan for Dr. M. Karmazyn
Research Scientist/Laboratory manager
Dept. of Physiology & Pharmacology
Ext. 86699

**THE UNIVERSITY OF WESTERN ONTARIO
BIOLOGICAL AGENTS REGISTRY FORM
Approved Biohazards Subcommittee: July 9, 2010
Biosafety Website: www.uwo.ca/humanresources/biosafety/**

This form must be completed by each Principal Investigator holding a grant administered by the University of Western Ontario (UWO) or in charge of a laboratory/facility where the use of Level 1, 2 or 3 biological agents is described in the laboratory or animal work proposed. The form must also be completed if any work is proposed involving animals carrying zoonotic agents infectious to humans or involving plants, fungi, or insects that require Public Health Agency of Canada (PHAC) or Canadian Food Inspection Agency (CFIA) permits.

This form must be updated at least every 3 years or when there are changes to the biological agents being used.

Containment Levels will be established in accordance with Laboratory Biosafety Guidelines, 3rd edition, 2004, Public Health Agency of Canada (PHAC) or Containment Standards for Veterinary Facilities, 1st edition 1996, Canadian Food Inspection Agency (CFIA).

Completed forms are to be returned to Occupational Health and Safety, (OHS), (Support Services Building, Room 4190) for distribution to the Biohazards Subcommittee. For questions regarding this form, please contact the Biosafety Officer at extension 81135 or biosafety@uwo.ca. If there are changes to the information on this form (excluding grant title and funding agencies), contact Occupational Health and Safety for a modification form. See website: www.uwo.ca/humanresources/biosafety/

PRINCIPAL INVESTIGATOR	<u>Dr. Morris Karmazyn</u>
DEPARTMENT	<u>Physiology & Pharmacology</u>
ADDRESS	<u>Dept of Physiology & Pharmacology</u>
PHONE NUMBER	<u>519-661-3872</u>
EMERGENCY PHONE NUMBER(S)	<u>519-471-4330</u>
EMAIL	<u>Morris.Karmazyn@schulich.uwo.ca</u>

Location of experimental work to be carried out: Building(s) Medical Sciences Bldg. __ Room(s) 242,247,259

*For work being performed at Institutions affiliated with the University of Western Ontario, the Safety Officer for the Institution where experiments will take place must sign the form prior to its being sent to the University of Western Ontario Biosafety Officer (See Section 15.0, Approvals).

FUNDING AGENCY/AGENCIES: CIHR and HSFO _____

GRANT TITLE(S): __; Role of Leptin in Cardiac Hypertrophy and Heart Failure CIHR) _____
 Role of Adenosine in Myocardial Hypertrophy and Heart Failure (HSFO) __
 Nitric Oxide as an Endogenous Antihypertrophic Factor (HSFO) __

List all personnel working under Principal Investigators supervision in this location:

<u>Name</u>	<u>UWO E-mail Address</u>	<u>Date of Biosafety Training</u>
<u>Venkatesh Rajapurohitam</u>	<u>Venkatesh.rajapurohitam@schulich.uwo.ca</u>	<u>June 2009</u>
<u>Tracey Gan</u>	<u>tgan@uwo.ca</u>	<u>June 2009</u>
<u>Jim Haist</u>	<u>James.Haist@schulich.uwo.ca</u>	<u>June 2009</u>
<u>Melissa Moey</u>	<u>mmoey@uw.ca</u>	<u>Oct 2009</u>
<u>Eduardo Martinez</u>	<u>Eduardo.martinez@schulich.uwo.ca</u>	<u>May 2009</u>
<u>Cathy Huang</u>	<u>Cathy Xiauling.Huang@schulich.uwo.ca</u>	<u>June 2009</u>
<u>Nazo Said</u>	<u>nsaidfa@uwo.ca</u>	<u>July 2008</u>
<u>Seiichi Taniai</u>	<u>New employee – does not yet have email</u>	<u>Not yet completed</u>

Please explain the biological agents and/or biohazardous substances used and how they will be stored, used and disposed of. Projects without this description will not be reviewed.

The laboratory produces and uses purified heart cells from 1 to 5 day-old Sprague Dawley rats. Other cell types isolated during the process are killed by autoclaving soon after the initial production. The cells are kept in an incubator or a laminar flow hood for 4 to 6 days. One endpoint of cell use is to kill the cells and scrape out of the dishes as much as possible for measurement of cellular DNA or protein. The other endpoints are photography of the dishes or measurement of light or fluorescence in dishes. After wards all dishes are autoclaved. Pipets, pipet tips, filters, and other equipment used in the preparation and use of the cells are also autoclaved.

Please include a one page research summary or teaching protocol.

The majority of experiments will be done on either in cultured neonatal rat ventricular myocytes particularly to examine hypertrophic responses and in rats subjected to coronary artery ligation. Our laboratory has experience with most of the methodology proposed; otherwise key collaborations have been established to assure successful completion of the proposed studies. It is anticipated that this study will provide a comprehensive picture of the role of leptin in heart failure and provide a detailed and comprehensive evaluation of underlying mechanisms. The following studies will be performed to study leptin: 1. We will determine the effect of leptin inhibition on extracellular remodelling in the postinfarcted rat myocardium and determine the role of gender in these responses. 2. We will determine the role of mitochondria and the regulation of mitochondrial function in the postinfarcted myocardium and the influence of leptin inhibition. 3. As cell to cell communication represents a key defect in heart failure, we will determine the relationship between inhibition of both hypertrophy, remodelling/heart failure, and myocardial connexin expression. 4. We will study the mechanisms underlying the salutary effect early brief administration of a leptin receptor antagonist against the development of myocardial remodelling and heart failure. To determine the role of NO as an endogenous antihypertrophic factor and to study the underlying mechanisms involved, the experiments proposed here will be carried out using animals subjected to coronary artery ligation in which the heart failure process can be monitored. In addition, to obtain a better understanding of mechanisms underlying hypertrophic responses we will use cultured adult rat ventricular myocytes which will be studied after in vivo treatment or exposed to hypertrophic stimuli in culture and in which specific mechanisms can be closely studied. Among these mechanisms include the role of the RhoA/ROCK system as a target for the effects of NO. To study the effect of obesity, we will produce obesity in rats by feeding them a high fat diet for either a 12 or 24 week period. We will also carry out experiments in which mice with specific genetic nitric oxide synthase (NOS) isoform deletions will be subjected to coronary artery ligation and resultant heart failure to determine the contributions of specific NOS isoforms to the remodelling process. Thus, overall, we will utilize pharmacological, physiological, cellular and molecular approaches to determine the role of the NO system in the hypertrophic and heart failure process. This study, we believe, will provide a comprehensive assessment into the role of NO in the hypertrophic program and delineate the mechanistic bases for these complex effects. The following represent the major general research goals aimed at determining the role of adenosine in cardiac hypertrophy and heart failure: 1. To determine the potential modulatory role of adenosine receptor agonists on other (non PE) G-protein linked hypertrophic factors 2. To assess the cellular mechanisms underlying the antihypertrophic effect of adenosine receptor activation in cultured myocytes with particular emphasis on the role of the RhoA/ROCK system. 3. To determine whether adenosine receptor expression is altered in hypertrophied cultured myocytes and postinfarcted remodelled myocardium. 4. To determine the response of adenosine receptor activation to hypertrophy in the postinfarcted myocardium 5. To determine the antihypertrophic effects of adenosine receptor modulation in the aging myocardium and to determine whether aging influences adenosine receptor expression profiles and the response to insult. 6. To determine whether treatment delay with adenosine receptor modulators can reverse the maladaptive response and affect the remodelling and heart failure process.

1.0 Microorganisms

1.1 Does your work involve the use of biological agents? YES NO
 (non-pathogenic and pathogenic biological agents including but not limited to bacteria and other microorganisms, viruses, prions, parasites or pathogens of plant or animal origin)? If no, please proceed to Section 2.0

Do you use microorganisms that require a permit from the CFIA? YES NO

If YES, please give the name of the species. _____

What is the origin of the microorganism(s)? _____

Please describe the risk (if any) of escape and how this will be mitigated:

Please attach the CFIA permit.

Please describe any CFIA permit conditions:

1.2 Please complete the table below:

Name of Biological agent(s)*	Is it known to be a human pathogen? YES/NO	Is it known to be an animal pathogen? YES/NO	Is it known to be a zoonotic agent? YES/NO	Maximum quantity to be cultured at one time? (in Litres)	Source/Supplier	PHAC or CFIA Containment Level
	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No			<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 2+ <input type="radio"/> 3
	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No			<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 2+ <input type="radio"/> 3
	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No			<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 2+ <input type="radio"/> 3
	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No			<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 2+ <input type="radio"/> 3

*Please attach a Material Safety Data Sheet or equivalent from the supplier.

2.0 Cell Culture

2.1 Does your work involve the use of cell cultures? YES NO

If no, please proceed to Section 3.0

2.2 Please indicate the type of primary cells (i.e. derived from fresh tissue) that will be grown in culture:

Cell Type	Is this cell type used in your work?	Source of Primary Cell Culture Tissue	AUS Protocol Number
Human	<input type="radio"/> Yes <input type="radio"/> No		Not applicable
Rodent	<input checked="" type="radio"/> Yes <input type="radio"/> No	Rat heart	Aus protocol 2009-020 JB
Non-human primate	<input type="radio"/> Yes <input type="radio"/> No		
Other (specify)	<input type="radio"/> Yes <input type="radio"/> No		

2.3 Please indicate the type of established cells that will be grown in culture in:

Cell Type	Is this cell type used in your work?	Specific cell line(s)*	Supplier / Source
Human	<input type="radio"/> Yes <input type="radio"/> No		
Rodent	<input checked="" type="radio"/> Yes <input type="radio"/> No	cardiomyocytes	Prepared in our lab
Non-human primate	<input type="radio"/> Yes <input type="radio"/> No		
Other (specify)	<input type="radio"/> Yes <input type="radio"/> No		

*Please attach a Material Safety Data Sheet or equivalent from the supplier. (For more information, see www.atcc.org)

2.4 For above named cell types(s) indicate PHAC or CFIA containment level required 1 2 2+ 3

3.0 Use of Human Source Materials

3.1 Does your work involve the use of human source materials? YES NO

If no, please proceed to Section 4.0

3.2 Indicate in the table below the Human Source Material to be used.

Human Source Material	Source/Supplier /Company Name	Is Human Source Material Infected With An Infectious Agent? YES/NO	Name of Infectious Agent (If applicable)	PHAC or CFIA Containment Level (Select one)
Human Blood (whole) or other Body Fluid		<input type="radio"/> Yes <input type="radio"/> Unknown		<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 2+ <input type="radio"/> 3
Human Blood (fraction) or other Body Fluid		<input type="radio"/> Yes <input type="radio"/> Unknown		<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 2+ <input type="radio"/> 3
Human Organs or Tissues (unpreserved)		<input type="radio"/> Yes <input type="radio"/> Unknown		<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 2+ <input type="radio"/> 3
Human Organs or Tissues (preserved)		Not Applicable		Not Applicable

4.0 Genetically Modified Organisms and Cell lines

4.1 Will genetic modifications be made to the microorganisms, biological agents, or cells described in Sections 1.0 and 2.0? YES NO If no, please proceed to Section 5.0

4.2 Will genetic modification(s) involving plasmids be done? YES, complete table below NO

Bacteria Used for Cloning *	Plasmid(s) **	Source of Plasmid	Gene Transfected	Describe the change that results from transformation or tranfection

* Please attach a Material Data Sheet or equivalent if available.

** Please attach a plasmid map.

4.3 Will genetic modification(s) involving viral vectors be made? YES, complete table below NO

Virus Used for Vector Construction	Vector(s) *	Source of Vector	Gene(s) Transduced	Describe the change that results from transduction

* Please attach a Material Safety Data Sheet or equivalent.

4.4 Will genetic sequences from the following be involved?

- ◆ HIV YES, please specify _____ NO
- ◆ HTLV 1 or 2 or genes from any Level 1 or Level 2 pathogens YES, specify _____ NO
- ◆ SV 40 Large T antigen YES NO
- ◆ E1A oncogene YES NO
- ◆ Known oncogenes YES, please specify _____ NO
- ◆ Other human or animal pathogen and or their toxins YES, please specify _____ NO

4.5 Will virus be replication defective? YES NO

4.6 Will virus be infectious to humans or animals? YES NO

4.7 Will this be expected to increase the containment level required? YES NO

5.0 Human Gene Therapy Trials

5.1 Will human clinical trials be conducted involving a biological agent? YES NO
 (including but not limited to microorganisms, viruses, prions, parasites or pathogens of plant or animal origin)
 If no, please proceed to Section 6.0

5.2 If YES, please specify which biological agent will be used: _____
 Please attach a full description of the biological agent.

5.2 Will the biological agent be able to replicate in the host? YES NO

5.3 How will the biological agent be administered? _____

5.4 Please give the Health Care Facility where the clinical trial will be conducted: _____

5.5 Has human ethics approval been obtained? YES, number: _____ NO PENDING

6.0 Animal Experiments

6.1 Will live animals be used? YES NO If no, please proceed to section 7.0

6.2 Name of animal species to be used _____ Sprague Dawley rat _____

6.3 AUS protocol # _____ 2009-020 _____

6.4 Will any of the agents listed in section 4.0 be used in live animals YES, specify: _____ NO

6.5 Will the agent(s) be shed by the animal: YES NO, please justify:

7.0 Use of Animal species with Zoonotic Hazards

7.1 Will any animals with zoonotic hazards or their organs, tissues, lavages or other body fluids including blood be used (see list below)? YES No If no, please proceed to section 8.0

7.2 Please specify the animal(s) used:

- ◆ Pound source dogs YES NO
- ◆ Pound source cats YES NO
- ◆ Cattle, sheep or goats YES, please specify species _____ NO
- ◆ Non-human primates YES, please specify species _____ NO
- ◆ Wild caught animals YES, please specify species & colony # _____ NO
- ◆ Birds YES, please specify species _____ NO
- ◆ Others (wild or domestic) YES, please specify _____ NO

8.0 Biological Toxins

8.1 Will toxins of biological origin be used? YES NO If no, please proceed to Section 9.0

8.2 If YES, please name the toxin(s) _____
Please attach information, such as a Material Safety Data Sheet, for the toxin(s) used.

8.3 What is the LD₅₀ (specify species) of the toxin _____

8.4 How much of the toxin is handled at one time*? _____

8.5 How much of the toxin is stored*? _____

8.6 Will any biological toxins be used in live animals? YES, Please provide details: _____ NO

*For information on biosecurity requirements, please see:

http://www.uwo.ca/humanresources/docandform/docs/healthandsafety/biosafety/Biosecurity_Requirements.pdf

9.0 Insects

9.1 Do you use insects? YES NO If no, please proceed to Section 10.0

9.2 If YES, please give the name of the species. _____

9.3 What is the origin of the insect? _____

9.4 What is the life stage of the insect? _____

9.5 What is your intention? Initiate and maintain colony, give location: _____
 "One-time" use, give location: _____

9.6 Please describe the risk (if any) of escape and how this will be mitigated:

9.7 Do you use insects that require a permit from the CFIA permit? YES NO
If YES, Please attach the CFIA permit & describe any CFIA permit conditions:

10.0 Plants

10.1 Do you use plants? YES NO If no, please proceed to Section 11.0

10.2 If YES, please give the name of the species. _____

10.3 What is the origin of the plant? _____

10.4 What is the form of the plant (seed, seedling, plant, tree...)? _____

10.5 What is your intention? Grow and maintain a crop "One-time" use

10.6 Do you do any modifications to the plant? YES NO
If yes, please describe: _____

10.7 Please describe the risk (if any) of loss of the material from the lab and how this will be mitigated:

10.8 Is the CFIA permit attached? YES NO
If YES, Please attach the CFIA permit & describe any CFIA permit conditions:

11.0 Import Requirements

11.1 Will any of the above agents be imported? YES, please give country of origin _____ NO
If no, please proceed to Section 12.0

11.2 Has an Import Permit been obtained from HC for human pathogens? YES NO

11.3 Has an import permit been obtained from CFIA for animal or plant pathogens? YES NO


11.4 Has the import permit been sent to OHS? YES, please provide permit # _____ NO

12.0 Training Requirements for Personnel Named on Form

All personnel named on the above form who will be using any of the above named agents are required to attend the following training courses given by OHS:

- ◆ Biosafety
- ◆ Laboratory and Environmental/Waste Management Safety
- ◆ WHMIS (Western or equivalent)
- ◆ Employee Health and Safety Orientation

As the Principal Investigator, I have ensured that all of the personnel named on the form who will be using any of the biological agents in Sections 1.0 to 9.0 have been trained.

SIGNATURE  _____

13.0 Containment Levels

13.1 For the work described in sections 1.0 to 9.0, please indicate the highest HC or CFIA Containment Level required. xOx 1 O 2 O 2+ O 3

13.2 Has the facility been certified by OHS for this level of containment?
 YES, permit # if on-campus _____
 NO, please certify
xOx NOT REQUIRED for Level 1 containment

14.0 Procedures to be Followed


14.1 As the Principal Investigator, I will ensure that this project will follow the Western Biosafety Guidelines and Procedures Manual for Containment Level 1 & 2 Laboratories (and the Level 3 Facilities Manual for Level 3 projects). I will ensure that UWO faculty, staff and students working in my laboratory have an up-to-date Hazard Communication Form, found at <http://www.wph.uwo.ca/>

SIGNATURE  Date: November 30, 2010

14.2 Please describe additional risk reduction measures will be taken beyond containment level 1, 2, 2+ or 3 measures, that are unique to this agent.

14.3 Please outline what will be done if there is an exposure to the biological agents listed, such as a needlestick injury:
See attached e-mail JS

15.0 Approvals

1) UWO Biohazards Subcommittee: SIGNATURE: 
Date: 23 Dec 2010

2) Safety Officer for the University of Western Ontario
SIGNATURE: 
Date: Dec 23/10

3) Safety Officer for Institution where experiments will take place (if not UWO):
SIGNATURE: _____
Date: _____

Approval Number: BIO-UWO-0171 Expiry Date (3 years from Approval): December 22, 2013

Special Conditions of Approval:

----- Original Message -----

Subject:Fwd: biohazards 14.3 (BARF for Karmazyn lab)

Date:Thu, 09 Dec 2010 10:38:46 -0500

From:Jennifer Stanley <jstanle2@uwo.ca>

To:James Haist <james.haist@schulich.uwo.ca>, Morris Karmazyn
<morris.karmazyn@schulich.uwo.ca>

Thanks Jim

Also, for Section 2, I assume that the rat hearts/cardiomyocytes are obtained from work done under AUS protocol 2009-020?
Question 2.4 would then be Level 1.

Regards,
Jennifer

----- Original Message -----

Subject:biohazards 14.3

Date:Thu, 02 Dec 2010 10:09:40 -0500

From:James Haist <James.Haist@schulich.uwo.ca>

To:jstanle2@uwo.ca

Hello Jennifer,
re section 14.3 , please fill the form with the following

"If there is a small accidental exposure such as a needlestick injury, a small amount of bleeding is encouraged when there is a cut or scrape, followed by thorough washing with hand soap and warm water, and a bandage (a small first aid kit is kept in the laboratory) is applied if appropriate. If an injury is any more serious, we can proceed to take a person to staff health in the University Community Centre or to emergency at University Hospital both of which are a five minute walk away."

This seems to be the information requested, but if there is anything else, please let me know.

Thanks.

Jim

Jim Haist
Dep't of Physiology & Pharmacology
U.W.O.
phone 661-2111-ext 86699
e-mail James.Haist@schulich.uwo.ca