

The University of Western Ontario
BIOLOGICAL AGENTS REGISTRY FORM
 Approved Biohazards Subcommittee: August 12, 2011
 Biosafety Website: www.uwo.ca/humanresources/biosafety/

This form must be completed by each Principal Investigator holding a grant administered by the University of Western Ontario (UWO) or in charge of a laboratory/facility where the use of Level 1, 2 or 3 biological agents is described in the laboratory or animal work proposed. The form must also be completed if any work is proposed involving animals carrying zoonotic agents infectious to humans or involving plants, fungi, or insects that require Public Health Agency of Canada (PHAC) or Canadian Food Inspection Agency (CFIA) permits.

This form must be updated at least every 3 years or when there are changes to the biological agents being used.

Containment Levels will be established in accordance with Laboratory Biosafety Guidelines, 3rd edition, 2004, Public Health Agency of Canada (PHAC) or Containment Standards for Veterinary Facilities, 1st edition 1996, Canadian Food Inspection Agency (CFIA).

Electronically completed forms are to be submitted to Occupational Health and Safety, (OHS), (Support Services Building, Room 4190 or to jstanle2@uwo.ca) for distribution to the Biohazards Subcommittee. For questions regarding this form, please contact the Biosafety Officer at extension 81135 or biosafety@uwo.ca. If there are changes to the information on this form (excluding grant title and funding agencies), contact Occupational Health and Safety for a modification form. See website: www.uwo.ca/humanresources/biosafety/.

Please ensure that all questions are fully and clearly answered. Failure to do so will lead to the form being returned, which will cause delays in your approval and frustration for you and your colleagues on the Committee.

If you are re-submitting this form as requested by the Biohazards Subcommittee, please make modifications to the form in bold print, highlighted in yellow. Please re-submit forms electronically.

PRINCIPAL INVESTIGATOR:	Nathalie Berube
DEPARTMENT:	Paediatrics and Biochemistry
ADDRESS:	800 Commissioners Road East
PHONE NUMBER:	519-685-8500x55066
EMERGENCY PHONE NUMBER(S):	
EMAIL:	nberube@uwo.ca

Location of experimental work to be carried out :

Building : LRCP/VRL	Room(s): A4-116(lab)
Building : _____	Room(s): _____
Building : _____	Room(s): _____

***For work being performed at Institutions affiliated with the University of Western Ontario, the Safety Officer for the Institution where experiments will take place must sign the form prior to its being sent to the University of Western Ontario Biosafety Officer (See Section 15.0, Approvals).**

FUNDING AGENCY/AGENCIES: **CIHR, International Rett Syndrome Foundation (IRSF)**

GRANT TITLE(S): **CIHR : Neuronal functions of the ATRX mental retardation gene**
CIHR: Control of skeletal development by the chromatin remodeling protein ATRX
IRSF: Epigenetic regulation of gene expression by MeCP2 in the mouse brain

UNDERGRADUATE COURSE NAME(IF APPLICABLE): _____

List all personnel working under Principal Investigators supervision in this location:

Name	UWO E-mail Address	Date of Biosafety Training
Ashley Watson	Lwatso6@uwo.ca	04/2009
Kristin Kernoham	kkernoha@uwo.ca	04/2011

Mike Levy	Mlevy2@uwo.ca	04/2011
Yan Jiang	Jiangy02@yahoo.com	04/2011
Lauren Solomon	Lsolomo2@uwo.ca	10/2010
Jason Bush	bush@ualberta.ca	04/2011
Adrienne Elbert	adrienne.elbert@ymail.com	07/2011
Matthew Edwards	Medwar27@uwo.ca	06/2011
Jonathan Dornian	jdornian@uwo.ca	soon

Please explain how the biological agents are used in your project and how they are stored and disposed of. The BARF without this description will not be reviewed.

Use of biological agents:

Adenovirus containing cre recombinase-GFP is used to delete gene sequences containing LoxP sites in cultured floxed mouse embryonic fibroblasts or in primary mouse neuroprogenitor cultures. Adenovirus expressing GFP is used as a control for effects of adenovirus or GFP on the transduced cells.shRNA is used to deplete ATRX,CTCF and Mecp2 or control genes in transfected cultured cells. Mammalian cell lines are used to deplete or overexpress various genes expressed in plasmids.

Storage:

All bacterial glycerol stocks are stored at -80C.

Virus with buffer are stored at -80C.

Mammalian cell lines are stored in media and DMSO at -160C.

Disposal of biohazardous materials:

Bacterial cell cultures that harbor foreign DNA - All solid phase media and culture vessels are sealed in biohazardous waste containers for autoclaving. All liquid cultures are bleached and disposed of down the drain.

Mammalian cell culture (primary and immortal cell isolates) - All tissue culture plastics are sealed in biohazardous waste containers for autoclaving. All liquid waste is bleached and disposed of down the drain.

Viral production - All tissue culture plastics are collected in biohazardous waste bags inside the laminar flow hood, sealed and autoclaved after removal from the hood. All glassware is disinfected with bleach inside the laminar flow hood before removal from hood. All liquid waste is bleached inside the hood before removal.

Extraction of DNA from mammalian tissues - All extractions are carried out in a laminar flow hood. We use an agent from Qiagen Extraction Kit that dissolves the tissue and allows the DNA to be isolated. This destroys any associated pathogens that may be present. Dissolved tissue is disposed of in biohazardous waste containers for autoclaving. The DNA is further purified and sterilized in alcohol and stored.

**Please include a ONE page research summary or teaching protocol in lay terms.
Forms with summaries more than one page will not be reviewed.**

- 1. The role of the ATRX chromatin remodeling protein in mouse brain development. We are investigating the outcome of ATRX loss of function using the Cre/loxP system in the mouse. Using various mouse Cre driver lines, we have inactivated ATRX in early neurogenesis and are determining the effects on cell division and differentiation, gene expression profiles, higher order chromatin looping, and the epigenetic state of chromatin in the developing brain. In some experiments, we will use adenovirus-cre recombinase (Ad-Cre) to inactivate ATRX in cultured mouse embryonic fibroblasts obtained from ATRX floxed mice. Cells will also be infected with a control adenovirus-Green Fluorescent Protein (Ad-GFP). Both of these adenoviral vectors are non-oncogenic and non-growth promoting. The infected cells will not be injected in animals. (Funded by CIHR)**
- 2. The roles of the ATRX chromatin remodeling protein in mouse skeletal development. In collaboration with Dr. Frank Beier at UWO, we are using various Cre driver lines to inactivate ATRX in early limb bud mesenchyme, cartilage or osteoblasts. We are investigating the outcome of ATRX loss of function using histological, cellular and molecular techniques. (Funded by CIHR)**
- 3. Epigenetic regulation of neuronal genes by the chromatin proteins ATRX and MeCP2. Using mouse models that lack either ATRX or MeCP2 in the brain, we are identifying genes that are bound and co-regulated by both these proteins and that may contribute to the related human syndromes, ATR-X and Rett syndrome. (Funded by IRSF)**
- 4. Higher order chromatin looping and insulator functions during brain development. The CTCF insulator protein is a crucial factor in maintaining higher order structure of chromatin. We aim to identify CTCF-binding sites that are specific to brain tissue and to determine the importance of CTCF through conditional inactivation of the gene in the mouse brain.**

Acronyms used:

ATRX: alpha-thalassemia mental retardation, X-linked

Cre: Cre recombinase

Floxed: indicates that loxP sites have been introduced in the genome

MeCP2: Methyl-CpG- binding protein 2

CTCF: CCCTC binding factor

CIHR: Canadian Institutes for Health Research

IRSF: International Rett Syndrome foundation.

1.0 Microorganisms

1.1 Does your work involve the use of biological agents? YES NO
 (non-pathogenic and pathogenic biological agents including but not limited to bacteria and other microorganisms, viruses, prions, parasites or pathogens of plant or animal origin)? If no, please proceed to Section 2.0

Do you use microorganisms that require a permit from the CFIA? YES NO

If YES, please give the name of the species _____

What is the origin of the microorganism(s)? _____

Please describe the risk (if any) of escape and how this will be mitigated:

Please attach the CFIA permit.

Please describe any CFIA permit conditions:

1.2 Please complete the table below:

Full Scientific Name of Biological Agent(s)* (Be specific)	Is it known to be a human pathogen? YES/NO	Is it known to be an animal pathogen? YES/NO	Is it known to be a zoonotic agent? YES/NO	Maximum quantity to be cultured at one time? (in Litres)	Source/ Supplier	PHAC or CFIA Containment Level
<i>E.coli DH5a</i> <i>One shot Top10 completant cells</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	0.15 L 0.1L	Invitrogen	<input checked="" type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
<i>E.coli DH10B</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	1L	TCAG Genome Resource Facility	<input checked="" type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
<i>Adenovirus</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	0.1L	Other investigators	<input type="checkbox"/> 1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
<i>Retroviruses</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	0.1L	Other investigators	<input type="checkbox"/> 1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3

*Please attach a Material Safety Data Sheet or equivalent from the supplier if the bacterium used is not on this link:
http://www.uwo.ca/humanresources/docandform/docs/ohs/CFIA_Ecoli_list.pdf

Additional Comments: _____

2.0 Cell Culture

2.1 Does your work involve the use of cell cultures? YES NO
 (If NO, please proceed to Section 3.0)

2.2 Please indicate the type of primary cells (i.e. derived from fresh tissue) that will be grown in culture:

Cell Type	Is this cell type used in your work?	Source of Primary Cell Culture Tissue	AUS Protocol Number
Human	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Not applicable
Rodent	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Embryonic telencephalon tissue & MEF	2008-041-02
Non-human primate	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Other (specify)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		

2.3 Please indicate the type of established cells that will be grown in culture in:

Cell Type	Is this cell type used in your work?	Specific cell line(s)*	Containment Level of each cell line	Supplier / Source of cell line(s)
Human	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Hela, MCF-7, C33A, U2OS, SH-sy5y	Level (2)	ATCC, other investigators
Rodent	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Neuro2A	Level (2)	ATCC, other investigators
Non-human primate	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
Other (specify)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			

*Please attach a Material Safety Data Sheet or equivalent from the supplier. (For more information, see www.atcc.org)

2.4 For above named cell types(s) indicate PHAC or CFIA containment level required 1 2 2+ 3

Additional Comments: _____

3.0 Use of Human Source Materials

3.1 Does your work involve the use of human source materials? YES NO
 If no, please proceed to Section 4.0

3.2 Indicate in the table below the Human Source Material to be used.

Human Source Material	Source/Supplier /Company Name	Is Human Source Material Infected With An Infectious Agent? YES/UNKNOWN	Name of Infectious Agent (If applicable)	PHAC or CFIA Containment Level (Select one)
Human Blood (whole) or other Body Fluid		<input type="checkbox"/> Yes <input type="checkbox"/> Unknown		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
Human Blood (fraction) or other Body Fluid		<input type="checkbox"/> Yes <input type="checkbox"/> Unknown		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
Human Organs or Tissues (unpreserved)		<input type="checkbox"/> Yes <input type="checkbox"/> Unknown		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
Human Organs or		Not Applicable		Not Applicable

Tissues (preserved)				
---------------------	--	--	--	--

Additional Comments: _____

4.0 Genetically Modified Organisms and Cell lines

4.1 Will genetic modifications be made to the microorganisms, biological agents, or cells described in Sections 1.0 and 2.0? YES NO If **NO**, please proceed to Section 5.0

4.2 Will genetic modification(s) involving plasmids be done? YES, complete table below NO

Bacteria Used for Cloning *	Plasmid(s) **	Source of Plasmid	Gene Transformed or Transfected	Will there be a change due to transformation of the bacteria?	Will there be a change in the pathogenicity of the bacteria after the genetic modification?	What are the consequences due to the transformation of the bacteria?
E.Coli DH5a, DH10b	See accompanying table of plasmids	See accompanying table of plasmids	Too numerous to list, in general related to chromatin function and development	None in bacteria and mammalian cells	None in bacteria and mammalian cells	None

* Please attach a Material Safety Data Sheet or equivalent if available.

** Please attach a plasmid map.

***No Material Safety Data Sheet is required for the following strains of *E. coli*:

http://www.uwo.ca/humanresources/docandform/docs/ohs/CFIA_Ecoli_list.pdf

4.3 Will genetic modification(s) of bacteria and/or cells involving viral vectors be made?

YES, complete table below NO

Virus Used for Vector Construction	Vector(s) *	Source of Vector	Gene(s) Transduced	Describe the change that results from transduction
None	Recombinant adenovirus	Other investigators	GFP	-none - deletion of ATRX, or CTCF results in growth defects - Outcome varies depending on which gene is depleted. -not done yet
	Retroviral vector	Oligoengine	Short hairpin RNAs(shRNA)	
			Histone H3.3-Flag	

* Please attach a Material Safety Data Sheet or equivalent.

4.3.1 Will virus be replication defective? YES NO

4.3.2 Will virus be infectious to humans or animals? YES NO

4.3.3 Will this be expected to increase the containment level required? YES NO

5.0 Will genetic sequences from the following be involved?

- ◆ HIV NO YES, specify
- ◆ HTLV 1 or 2 or genes from any Level 1 or Level 2 pathogens NO YES, specify
- ◆ SV 40 Large T antigen NO YES
- ◆ E1A oncogene NO YES
- ◆ Known oncogenes NO YES, specify
- ◆ Other human or animal pathogen and or their toxins NO YES, specify

5.1 Is any work being conducted with prions or prion sequences? NO YES

Additional Comments: _____

6.0 Human Gene Therapy Trials

6.1 Will human clinical trials be conducted involving a biological agent? YES NO
(including but not limited to microorganisms, viruses, prions, parasites or pathogens of plant or animal origin)
If no, please proceed to Section 6.0

6.2 If YES, please specify which biological agent will be used:
Please attach a full description of the biological agent.

6.3 Will the biological agent be able to replicate in the host? YES NO

6.4 How will the biological agent be administered?

6.5 Please give the Health Care Facility where the clinical trial will be conducted:

6.6 Has human ethics approval been obtained? YES, number: NO PENDING

7.0 Animal Experiments

7.1 Will live animals be used? YES NO If NO, please proceed to section 8.0

7.2 Name of animal species to be used

7.3 AUS protocol #

7.4 Will any of the agents listed in section 4.0 be used in live animals
 NO YES, specify:

7.5 Will the agent(s) be shed by the animal:
 YES NO, please justify:

8.0 Use of Animal species with Zoonotic Hazards

8.1 Will any animals with zoonotic hazards or their organs, tissues, lavages or other body fluids including blood be used (see list below)? YES NO - If NO, please proceed to section 9.0

8.2 Will live animals be used? YES NO

8.3 If YES, please specify the animal(s) used:

- | | | |
|-----------------------------|--|-----------------------------|
| ◆ Pound source dogs | <input type="checkbox"/> YES | <input type="checkbox"/> NO |
| ◆ Pound source cats | <input type="checkbox"/> YES | <input type="checkbox"/> NO |
| ◆ Cattle, sheep or goats | <input type="checkbox"/> YES, species | <input type="checkbox"/> NO |
| ◆ Non-human primates | <input type="checkbox"/> YES, species | <input type="checkbox"/> NO |
| ◆ Wild caught animals | <input type="checkbox"/> YES, species & colony # | <input type="checkbox"/> NO |
| ◆ Birds | <input type="checkbox"/> YES, species | <input type="checkbox"/> NO |
| ◆ Others (wild or domestic) | <input type="checkbox"/> YES, specify | <input type="checkbox"/> NO |

8.4 If no live animals are used, please specify the source of the specimens:

9.0 Biological Toxins and Hormones

9.1 Will toxins or hormones of biological origin be used? YES NO If **NO**, please proceed to Section 10.0

9.2 If YES, please name the toxin(s) or hormones(s)
Please attach information, such as a Material Safety Data Sheet, for the toxin(s) used.

9.3 What is the LD₅₀ (specify species) of the toxin or hormone

9.4 How much of the toxin or hormone is handled at one time*?

9.5 How much of the toxin or hormone is stored*?

9.6 Will any biological toxins or hormones be used in live animals? YES NO

If **YES**, Please provide details:

*For information on biosecurity requirements, please see:

http://www.uwo.ca/humanresources/docandform/docs/healthandsafety/biosafety/Biosecurity_Requirements.pdf

Additional Comments: _____

10.0 Insects

10.1 Do you use insects? YES NO - If **NO**, please proceed to Section 11.0

10.2 If YES, please give the name of the species.

10.3 What is the origin of the insect?

10.4 What is the life stage of the insect?

10.5 What is your intention? Initiate and maintain colony, give location:

"One-time" use, give location:

10.6 Please describe the risk (if any) of escape and how this will be mitigated:

10.7 Do you use insects that require a permit from the CFIA permit? YES NO

If **YES**, Please attach the CFIA permit & describe any CFIA permit conditions:

11.0 Plants

- 11.1 Do you use plants? YES NO - If NO, please proceed to Section 12.0
- 11.2 If YES, please give the name of the species.
- 11.3 What is the origin of the plant?
- 11.4 What is the form of the plant (seed, seedling, plant, tree...)?
- 11.5 What is your intention? Grow and maintain a crop "One-time" use
- 11.6 Do you do any modifications to the plant? YES NO
If yes, please describe:
- 11.7 Please describe the risk (if any) of loss of the material from the lab and how this will be mitigated:
- 11.8 Is the CFIA permit attached? YES NO
If YES, Please attach the CFIA permit & describe any CFIA permit conditions:

12.0 Import Requirements

- 12.1 Will any of the above agents be imported? YES, country of origin NO
If NO, please proceed to Section 13.0
- 12.2 Has an Import Permit been obtained from HC for human pathogens? YES NO
- 12.3 Has an import permit been obtained from CFIA for animal or plant pathogens? YES NO
- 12.4 Has the import permit been sent to OHS? YES, please provide permit # NO

13.0 Training Requirements for Personnel Named on Form

All personnel named on the above form who will be using any of the above named agents are required to attend the following training courses given by OHS:

- ◆ Biosafety
- ◆ Laboratory and Environmental/Waste Management Safety
- ◆ WHMIS (Western or equivalent)
- ◆ Employee Health and Safety Orientation

As the Principal Investigator, I have ensured that all of the personnel named on the form who will be using any of the biological agents in Sections 1.0 to 9.0 have been trained.

An X in the check box indicates you agree with the above statement..
Enter Your Name Nathalie Berube **Date:** Nov2,2011

14.0 Containment Levels

14.1 For the work described in sections 1.0 to 9.0, please indicate the highest HC or CFIA Containment Level required. 1 2 2+ 3

14.2 Has the facility been certified by OHS for this level of containment?
 YES, location and date of most recent biosafety inspection: **Dec.10,2010**
 NO, please certify
 NOT REQUIRED for Level 1 containment

14.3 Please indicate permit number (not applicable for first time applicants):

15.0 Procedures to be Followed

15.1 Are additional risk reduction measures necessary beyond containment level 1, 2, 2+ or 3 measures that are unique to these agents? YES NO
If YES please describe:

15.2 Please outline what will be done if there is an exposure to the biological agents listed such as a needlestick injury or an accidental splash:
We don't inject any of the agents listed above. The greatest risk for people in my lab is contact with these agents on their skin. The best remedy is thorough washing of the affected areas. None of the listed agents offers a serious health risk from skin exposure. Even adenoviruses don't infect through the epidermis (they need mucosal membranes)

15.3 As the Principal Investigator, I will ensure that this project will follow the Western Biosafety Guidelines and Procedures Manual for Containment Level 1 & 2 Laboratories (and the Level 3 Facilities Manual for Level 3 projects). I will ensure that UWO faculty, staff and students working in my laboratory have an up-to-date Hazard Communication Form, found at <http://www.shs.uwo.ca/workplace/newposition.htm>

An X in the check box indicates you agree with the above statement...
Enter Your Name Nathalie Berube Date: Oct.20,2011

15.4 Additional Comments: _____

16.0 Approvals

1) UWO Biohazards Subcommittee: SIGNATURE: _____
Date: _____

2) Safety Officer for the University of Western Ontario SIGNATURE: _____
Date: _____

3) Safety Officer for Institution where experiments will take place (if not UWO):
SIGNATURE: M. Rydz
Date: November 8, 2011

Approval Number: _____ Expiry Date (3 years from Approval): _____

Special Conditions of Approval:



Office of Biohazard Containment and Safety
Science Branch, CFIA
59 Canalot Drive, Ottawa, Ontario K1A 0Y9
Tel: (613) 221-7058 Fax: (613) 228-6129
Email: ImcorZoopah@inspection.gc.ca

Bureau du confinement des biohazards et sécurité
Direction générale des sciences, AOA
59 promenade Canalot, Ottawa, Ontario K1A 0Y9
Tél: (613) 221-7058 Téléc: (613) 228-6129
Courriel: ImcorZoopah@inspection.gc.ca

October 20th, 2009

Ms. Shamila Survery / Mr. Michael Decosimo
Cedarlane Laboratories Ltd
4410 Paletta Court
Burlington, Ontario L7L 5R2

By Facsimile: (289) 288-0020

SUBJECT: Importation of *Escherichia coli* strains

Dear Ms. Survery / Mr. Decosimo:

Our office received your query about the importation of *Escherichia coli* from the American Type Culture Collection (ATCC) located in Manassas, Virginia, United States. The following *Escherichia coli* strains are considered to be level 1 animal pathogens:

- | | | | | |
|---------------|--------------------|-----------|-------------------|----------------|
| • 5K | • CIE85 | • J52 | • MC4100 (MuLac) | • US/41 |
| • 58 | • DH1 | • J53 | • MG1655 | • W208 |
| • 58-161 | • DH10 GOLD | • JC3272 | • MM294 | • W945 |
| • 679 | • DH10B | • JC7661 | • MS101 | • W1485 |
| • 1532 | • DH5 | • JC9387 | • NC-7 | • W3104 |
| • AB284 | • DH5alpha | • JF1504 | • Nissle 1917 | • W3110 |
| • AB311 | • DP50 | • JF1508 | • One Shot STBL3 | • WA704 |
| • AB1157 | • DY145 | • JF1509 | • OP50 | • WP2 |
| • AB1206 | • DY380 | • JJ055 | • P678 | • X1854 |
| • AG1 | • E11 | • JM83 | • PA309 | • X2160T |
| • B | • EJ183 | • JM101 | • PK-5 | • X2541 |
| • BB4 | • EL250 | • JM109 | • PMC103 | • X2547T |
| • BD792 | • EMG2 | • K12 | • PR13 | • XL1-BLUE |
| • BL21 | • EPI 300 | • KC8 | • Rri | • XL1-BLUE-MRF |
| • BL21 (DE3) | • EZ10 | • KA802 | • RV308 | • XL0LR |
| • BM25.8 | • FDA Seattle 1946 | • KAM32 | • S17-1λ-PIR | • Y10 |
| • C | • Fusion-Blue | • KAM33 | • SCS1 | • Y1090 (1090) |
| • C-1a | • H1443 | • KAM43 | • SMR10 | • YN2980 |
| • C-3000 | • HF4714 | • LE450 | • SOLR | • W3110 |
| • C25 | • HB101 | • LE451 | • SuperchargeEZ10 | • WG1 |
| • C41 (DE3) | • HS(PFAMP)R | • LE452 | • SURE | • WG439 |
| • C43 (DE3) | • Hfr3000 | • MB408 | • TOP10 | • WG443 |
| • C600 | • Hfr3000 X74 | • MBX1928 | • TG1 | • WG445 |
| • Cavalli Hfr | • HMS174 | • MC1061 | | |

The Office of Biohazard Containment and Safety (BCS) of the Canadian Food Inspection Agency (CFIA) only issues import permits for microorganisms that are pathogenic to animals, or parts of microorganisms that are pathogenic to animals. As the products listed above are not considered pathogenic to animals, the Office of BCS does not have any regulatory requirements for their importation.

Please note that other legislation may apply. You may wish to contact the Public Health Agency of Canada's (PHAC) Office of Laboratory Security at (613) 957-1779.

Note: Microorganisms pathogenic to animals and veterinary biologics require an import permit from the CFIA.

Sincerely,

Cynthia Labrie
Head, Animal Pathogen Importation Program
Office of Biohazard Containment & Safety

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product code 440098
 Product name SUBCLONING EFFICIENCY **DH5A COMPETENT CELLS**

Company/Undertaking Identification

INVITROGEN CORPORATON
 1600 FARADAY AVENUE
 PO BOX 6482
 CARLSBAD, CA 92008
 760-603-7200

INVITROGEN CORPORATION
 2270 INDUSTRIAL STREET
 BURLINGTON, ONT
 CANADA L7P 1A1
 800-263-6236

GIBCO PRODUCTS
 INVITROGEN CORPORATION
 3175 STALEY ROAD P.O. BOX 68
 GRAND ISLAND, NY 14072
 716-774-6700

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous/Non-hazardous Components

Chemical Name	CAS No	Weight %
Glycerol	56-81-5	7-13
dimethylsulfoxide	67-68-5	3-7

The product contains no substances which at their given concentration, are considered to be hazardous to health

3. HAZARDS IDENTIFICATION

Emergency Overview

Components of the product may be absorbed into the body through the skin

Form
 Liquid

3. HAZARDS IDENTIFICATION

Principle Routes of Exposure/ Potential Health effects

Eyes Mild eye irritation.
Skin moderate skin irritation. Components of the product may be absorbed into the body through the skin.
Inhalation No Information available
Ingestion May be harmful if swallowed.

Specific effects

Carcinogenic effects No information available
Mutagenic effects No information available
Reproductive toxicity No information available
Sensitization No information available

Target Organ Effects No information available

HMIS

Health	1
Flammability	0
Reactivity	0

4. FIRST AID MEASURES

Skin contact Wash off immediately with plenty of water
Eye contact Rinse thoroughly with plenty of water, also under the eyelids.
Ingestion Never give anything by mouth to an unconscious person
Inhalation Move to fresh air
Notes to physician Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media Dry chemical
Special protective equipment for firefighters Wear self-contained breathing apparatus and protective suit

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Use personal protective equipment.
Methods for cleaning up Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Handling No special handling advice required
Storage Keep in properly labelled containers

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls

Exposure limits

Chemical Name	OSHA PEL (TWA)	OSHA PEL (Ceiling)	ACGIH OEL (TWA)	ACGIH OEL (STEL)
Glycerol	15 mg/m ³ total dust 5 mg/m ³ respirable fraction	-	10 mg/m ³	-
dimethylsulfoxide	-	-	-	-

Engineering measures Ensure adequate ventilation, especially in confined areas

Personal protective equipment

Respiratory protection	In case of insufficient ventilation wear suitable respiratory equipment.
Hand protection	Impervious butyl rubber gloves. Nitrile gloves are not recommended. Some brands of Nitrile gloves have breakthrough times of five minutes. .
Eye protection	Safety glasses with side-shields
Skin and body protection	Lightweight protective clothing.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Prevent product from entering drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Form Liquid

Important Health Safety and Environmental Information

Boiling point/range	°C No data available	°F No data available
Melting point/range	°C No data available	°F No data available
Flash point	°C No data available	°F No data available
Autoignition temperature	°C No data available	°F No data available
Oxidizing properties	No information available	
Water solubility	soluble	

10. STABILITY AND REACTIVITY

Stability	Stable.
Materials to avoid	No information available
Hazardous decomposition products	No information available
Polymerization	Hazardous polymerisation does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	LD50 (oral; rat/mouse)	LD50 (dermal; rat/rabbit)	LC50 (inhalation; rat/mouse)
Glycerol	12800 mg/kg (Rat)	10 g/kg (Rabbit)	570 mg/m ³ (Rat)
dimethylsulfoxide	14500 mg/kg (Rat)	No data available	No data available

Principle Routes of Exposure/

Potential Health effects

Eyes	Mild eye irritation.
Skin	moderate skin irritation. Components of the product may be absorbed into the body through the skin.
Inhalation	No information available
Ingestion	May be harmful if swallowed.

Specific effects

Carcinogenic effects	No information available
Mutagenic effects	No information available
Reproductive toxicity	No information available
Sensitization	No information available

Target Organ Effects No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity effects	No information available.
Mobility	No information available.
Biodegradation	Inherently biodegradable.
Bioaccumulation	Does not bioaccumulate.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations

14. TRANSPORT INFORMATION

IATA

Proper shipping name	Not classified as dangerous in the meaning of transport regulations
Hazard Class	No information available
Subsidiary Class	No information available
Packing group	No information available
UN-No	No information available

15. REGULATORY INFORMATION

International Inventories

Chemical Name	YSOA	PICCS	ENCS	DSL	NDSL	AICS
Glycerol	Listed	Listed	Listed	Listed	-	Listed
dimethylsulfoxide	Listed	Listed	Listed	Listed	-	Listed

U.S. Federal Regulations

SARA 313

This product is not regulated by SARA.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contains HAPs.

U.S. State Regulations

Chemical Name	Massachusetts RTK	New Jersey RTK	Pennsylvania RTK	Illinois RTK	Rhode Island RTK
Glycerol	Listed	-	Listed	-	Listed
dimethylsulfoxide	-	-	-	-	-

California Proposition 65

This product does not contain chemicals listed under Proposition 65

WHMIS hazard class:

Non-controlled

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR

16. OTHER INFORMATION

This material is sold for research and development purposes only. It is not for any human or animal therapeutic or clinical diagnostic use. It is not intended for food, drug, household, agricultural, or cosmetic use. An individual technically qualified to handle potentially hazardous chemicals must supervise the use of this material.

The above information was acquired by diligent search and/or investigation and the recommendations are based on prudent application of professional judgment. The information shall not be taken as being all inclusive and is to be used only as a guide. All materials and mixtures may be present unknown hazards and should be used with caution. Since Invitrogen Corporation cannot control the actual methods, volumes, or conditions of use, the Company shall not be held liable for any damages or losses resulting from the handling or from contact with the product as described herein. THE INFORMATION IN THIS MSDS DOES NOT CONSTITUTE A WARRANTY, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE.

End of Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product code 500257
 Product name TOP 10 - ONE SHOT

Contact manufacturer
 INVITROGEN CORPORATON
 1600 FARADAY AVENUE
 PO BOX 6482
 CARLSBAD, CA 92008
 760-603-7200

INVITROGEN CORPORATION
 2270 INDUSTRIAL STREET
 BURLINGTON, ONT
 CANADA L7P 1A1
 800-263-6236

GIBCO PRODUCTS
 INVITROGEN CORPORATION
 3175 STALEY ROAD P.O. BOX 68
 GRAND ISLAND, NY 14072
 716-774-6700

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous/Non-hazardous Components
 The product contains no substances which at their given concentration, are considered to be hazardous to health

3. HAZARDS IDENTIFICATION

Emergency Overview
 The product contains no substances which at their given concentration, are considered to be hazardous to health.
 Form
 suspension

Principle Routes of Exposure/
 Potential Health effects

Eyes	No information available
Skin	No information available
Inhalation	No information available
Ingestion	No information available

Specific effects

Carcinogenic effects	No information available
Mutagenic effects	No information available
Reproductive toxicity	No information available

Sensitization

No information available

Target Organ Effects

No information available

4. FIRST AID MEASURES

Skin contact

Wash off immediately with plenty of water

Eye contact

Rinse thoroughly with plenty of water, also under the eyelids.

Ingestion

Never give anything by mouth to an unconscious person

Inhalation

Move to fresh air

Notes to physician

Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical

Special protective equipment for firefighters

Wear self-contained breathing apparatus and protective suit

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment

Methods for cleaning up

Soak up with inert absorbent material

7. HANDLING AND STORAGE

Handling

No special handling advice required

Storage

Keep in properly labelled containers

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls

Exposure limits

Engineering measures

Ensure adequate ventilation, especially in confined areas

Personal protective equipment

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment

Hand protection

Protective gloves

Eye protection

Safety glasses with side-shields

Skin and body protection

Lightweight protective clothing

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls

Prevent product from entering drains

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Form

suspension

Important Health Safety and Environmental Information

Boiling point/range

°C No data available

°F No data available

Melting point/range

°C No data available

°F No data available

Flash point

°C No data available

°F No data available

Autolignition temperature

°C No data available

°F No data available

Oxidizing properties

No information available

Water solubility

No data available

10. STABILITY AND REACTIVITY

Stability	Stable.
Materials to avoid	No information available
Hazardous decomposition products	No information available
Polymerization	Hazardous polymerisation does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Principle Routes of Exposure/ Potential Health effects

Eyes	No information available
Skin	No information available
Inhalation	No information available
Ingestion	No information available

Specific effects

Carcinogenic effects	No information available
Mutagenic effects	No information available
Reproductive toxicity	No information available
Sensitization	No information available

Target Organ Effects No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity effects	No information available.
Mobility	No information available.
Biodegradation	Inherently biodegradable.
Bioaccumulation	Does not bioaccumulate.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations

14. TRANSPORT INFORMATION

IATA

Proper shipping name	Not classified as dangerous in the meaning of transport regulations
Hazard Class	No information available
Subsidiary Class	No information available
Packing group	No information available
UN-No	No information available

15. REGULATORY INFORMATION

International Inventories

U.S. Federal Regulations

SARA 313
Not regulated

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)
This product contains the following HAPs:

U.S. State Regulations

California Proposition 65
This product contains the following Proposition 65 chemicals:

WHMIS hazard class:
Non-controlled

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR

16. OTHER INFORMATION

This material is sold for research and development purposes only. It is not for any human or animal therapeutic or clinical diagnostic use. It is not intended for food, drug, household, agricultural, or cosmetic use. An individual technically qualified to handle potentially hazardous chemicals must supervise the use of this material.

The above information was acquired by diligent search and/or investigation and the recommendations are based on prudent application of professional judgment. The information shall not be taken as being all inclusive and is to be used only as a guide. All materials and mixtures may be present unknown hazards and should be used with caution. Since Invitrogen Corporation cannot control the actual methods, volumes, or conditions of use, the Company shall not be held liable for any damages or losses resulting from the handling or from contact with the product as described herein. THE INFORMATION IN THIS MSDS DOES NOT CONSTITUTE A WARRANTY, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE.

End of Safety Data Sheet



MSDS'

Français	Contact Us	Help
Home	Centres & Labs	Publications
Child Health	Adult Health	Seniors Health

Office of
 laboratory
 security

MSDS
 MSDS
 MSDS

Home : Material Safety Data Sheets - Infectious Substances :

MATERIAL SAFETY DATA SHEET - INFECTIOUS SUBSTANCES

SECTION I - INFECTIOUS AGENT

NAME: *Adenovirus types 1, 2, 3, 4, 5 and 7*

SYNONYM OR CROSS REFERENCE: ARD, acute respiratory disease, pharyngoconjunctival fever

CHARACTERISTICS: *Adenoviridae*; non-enveloped, icosahedral virions, 70-90 nm diameter, doubled-stranded, linear DNA genome.

SECTION II - HEALTH HAZARD

PATHOGENICITY: Varies in clinical manifestation and severity; symptoms include fever, rhinitis, pharyngitis, tonsillitis, cough and conjunctivitis; common cause of nonstreptococcal exudative pharyngitis among children under 3 years; more severe diseases include laryngitis, croup, bronchiolitis, or severe pneumonia; a syndrome of pharyngitis and conjunctivitis (pharyngoconjunctival fever) is associated with adenovirus infection

EPIDEMIOLOGY: Worldwide; seasonal in temperate regions, with highest incidences in the fall, winter and early spring; in tropical areas, infections are common in the wet and colder weather; annual incidence is particularly high in children; adenovirus types 4 and 7 are common among military recruits (ARD)

HOST RANGE: Humans

INFECTIOUS DOSE: >150 plaque forming units when given intranasally

MODE OF TRANSMISSION: Directly by oral contact and droplet spread; indirectly by handkerchiefs, eating utensils and other articles freshly soiled with respiratory discharge of an infected person; outbreaks have been related to swimming pools; possible spread through the fecal-oral route

INCUBATION PERIOD: From 1-10 days

COMMUNICABILITY: Shortly prior to and for the duration of the active disease

SECTION III - DISSEMINATION

RESERVOIR: Humans

ZOONOSIS: None

VECTORS: None

SECTION IV - VIABILITY

DRUG SUSCEPTIBILITY: No specific antiviral available; cidofovir has shown

promise in the treatment of adenoviral ocular infections.

SUSCEPTIBILITY TO DISINFECTANTS: Susceptible to 1% sodium hypochlorite, 2% glutaraldehyde, 0.25% sodium dodecyl sulfate

PHYSICAL INACTIVATION: Sensitive to heat >56°C; unusually stable to chemical or physical agents and adverse pH conditions

SURVIVAL OUTSIDE HOST: Resistance to chemical and physical agents allows for prolonged survival outside of the body. Adenovirus type 3 survived up to 10 days on paper under ambient conditions; adenovirus type 2 survived from 3-8 weeks on environmental surfaces at room temperature

SECTION V - MEDICAL

SURVEILLANCE: Monitor for symptoms; confirm by serological analysis

FIRST AID/TREATMENT: Mainly supportive therapy

IMMUNIZATION: Vaccine available for adenovirus types 4 and 7 (used for military recruits)

PROPHYLAXIS: None available

SECTION VI - LABORATORY HAZARDS

LABORATORY-ACQUIRED INFECTIONS: Ten cases documented up to 1988

SOURCES/SPECIMENS: Respiratory secretions

PRIMARY HAZARDS: Ingestion; droplet exposure of the mucous membrane

SPECIAL HAZARDS: Contact with feces from infected animals

SECTION VII - RECOMMENDED PRECAUTIONS

CONTAINMENT REQUIREMENTS: Biosafety level 2 practices and containment facilities for all activities involving the virus and potentially infectious body fluids or tissues

PROTECTIVE CLOTHING: Laboratory coat; gloves when skin contact with infectious materials is unavoidable

OTHER PRECAUTIONS: None

SECTION VIII - HANDLING INFORMATION

SPILLS: Allow aerosols to settle; wearing protective clothing gently cover the spill with absorbent paper towel and apply 1% sodium hypochlorite starting at the perimeter and working towards the centre; allow sufficient contact time (30 min) before clean up

DISPOSAL: Decontaminate all wastes before disposal; steam sterilization, incineration, chemical disinfection

STORAGE: In sealed containers that are appropriately labelled

SECTION IX - MISCELLANEOUS INFORMATION

Date prepared: November 1999

Prepared by: Office of Laboratory Security, PHAC

Although the information, opinions and recommendations contained in this Material Safety Data Sheet are compiled from sources believed to be reliable, we accept no responsibility for the accuracy, sufficiency, or reliability or for any loss or injury resulting from the use of the information. Newly discovered hazards are frequent and this information may not be completely up to date.

Copyright ©
Health Canada, 2001

[\[Material Safety Data Sheets - Index\]](#)

Last Updated: 2001-01-23



[Important Notices](#)

VECTOR BIOLABS
THE ADENOVIRUS COMPANY

MATERIAL SAFETY DATA SHEET

EMERGENCY TELEPHONES: 1- 877-Biolabs 1-215-966-6045

http: www.vectorbiolabs.com

MATERIAL SAFETY DATA SHEET - INFECTIOUS SUBSTANCES

SECTION I - INFECTIOUS AGENT

PRODUCT IDENTIFICATION:

All pre-made adenovirus made by Vector BioLabs.

BIOLOGICAL NAME: Adenovirus - Type 5

CHARACTERISTICS: Adenoviridae; non-enveloped, icosahedral virions, 75-80 nm diameter, doublestranded, linear DNA genome. The recombinant viruses are based on human adenoviral backbone which is deleted in the essential E1 gene as well as the E3 gene. The viruses produced are thus non-replicative.

SECTION II - HEALTH HAZARD

PATHOGENICITY: Varies in clinical manifestation and severity; symptoms include fever, rhinitis, pharyngitis, cough and conjunctivitis. The risk from infection by defective recombinant adenoviral vectors depends both on the dose of virus and on the nature of the transgene. Adenovirus does not integrate into the host cell genome but can produce a strong immune response.

HOST RANGE: Humans and animals

INCUBATION PERIOD: from 1-10 days

MODE OF TRANSMISSION: In the laboratory, care must be taken to avoid spread of infectious material by aerosol, direct contact or accidental injection

CHEMICAL LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN: None

SECTION III - VIABILITY

DRUG SUSCEPTIBILITY: No specific antiviral available

SUSCEPTIBILITY TO DISINFECTANTS: Susceptible to 1% sodium hypochlorite, 2% glutaraldehyde. Recommend use of 1/3 volume of bleach for 30 minutes.

PHYSICAL INACTIVATION: Sensitive to heat; 1 hour at 56°C is used to inactivate virus.

SURVIVAL OUTSIDE HOST: Adenovirus type 5 survived from 3-8 weeks on environmental surfaces at room temperature.

SECTION IV - MEDICAL

SURVEILLANCE: Monitor for symptoms; confirm by serological analysis

FIRST AID/TREATMENT:

Contact: Immediately flush eyes and skin with plenty of water for at least 15 minutes. Call a physician.

Inhalation: N/A

Ingestion: Wash out mouth with water. Call a physician

Accidental injection: wash area with soap and water. Call a physician.

SECTION V - ACCIDENTAL RELEASE PROCEDURES

Pour 1 volume of Javel water over the leak(s) and wait for 15 minutes.

Wipe up carefully.

Hold for autoclave waste disposal and decontaminate work surfaces with 70% alcohol.

SECTION VI - RECOMMENDED PRECAUTIONS

CONTAINMENT REQUIREMENTS: Biosafety level 2 practices and containment facilities for all activities involving the virus and potentially infectious body fluids or tissues. This level consists of etiological agents considered to be of ordinary potential harm.

PROTECTIVE CLOTHING: Recombinants Adenovirus: Laboratory coat; gloves.

OTHER PRECAUTIONS:

Access to the laboratory is limited.

Work surfaces are decontaminated before and after each procedure

Mechanical pipetting devices are used for all procedures; mouth pipetting is prohibited.

Eating, drinking, and smoking are not permitted in the laboratory; food is not stored in laboratory areas.

Laboratory coats are worn in and are removed before leaving the laboratory.

Hands are washed before and after handling virus.

SECTION VII - HANDLING INFORMATION

DISPOSAL: Decontaminate all wastes before disposal; steam sterilization

STORAGE: In sealed containers that are appropriately labeled

SECTION VIII - MISCELLANEOUS INFORMATION

The above information and recommendations are believed to be accurate and represent the most complete information currently available to us. All materials and components may present unknown hazards and should be used with caution. Vector BioLabs, Inc assumes no liability resulting from use of the above products.

Date of revision: May 24, 2004

pBABE-Puro Retroviral Vector

CATALOG NUMBER: RTV-001-puro

STORAGE: -20°C

QUANTITY AND CONCENTRATION: 10 µg at 0.5 µg/µL in TE

Background

Retroviruses are efficient tools for delivering heritable genes into the genome of dividing cells. Cell Biolabs' retrovirus vector is based on the pBABE vector system, which is derived from Moloney murine leukemia virus (MMLV). The vector provides the viral package signal, transcription and processing elements, and a target gene. The viral *env* gene, produced by the package cell line, encodes the envelop protein, which determines the viral infectivity range. Transfection into a package cell line produces high-titer, replication-incompetent viruses. In addition to transfer and expression of exogenous genes in mammalian cells, recently, retroviruses are used to express silencing RNAs (siRNA) to decrease the expression of target genes both *in vitro* and *in vivo*.

The vector contains the bacterial origin of replication, ampicillin-resistance gene, and puromycin-resistance gene for the growth of infected mammalian cells to select stable cell lines (Figure 1).




Figure 1. pBABE-Puro Retroviral Vector Map



Material Safety Data Sheet

SECTION 1. PRODUCT IDENTIFICATION

Catalog Number: RTV-xxx
Product Name: Retroviral Expression Vectors

MANUFACTURER:

Cell Biolabs, Inc.
7758 Arjons Drive
San Diego, CA 92126

EMERGENCY CONTACT:

+1 858 271 6500
info@cellbiolabs.com

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Plasmid DNA in TE Buffer or Bacterial Glycerol Stock

SECTION 3. WASTE DISPOSAL

For small quantities: Cautiously add to a large stirred excess of water. Adjust the pH to neutral. Flush the aqueous solutions down the drain with plenty of water.

SECTION 4. FIRST-AID MEASURES


- IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
- IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN.
- IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

SECTION 5. SAFETY HANDLING PROCEDURES

- Should be handled by trained personnel observing good laboratory practices.
- Avoid breathing vapor.
- Avoid skin contact or swallowing.
- May cause allergic reaction in sensitized individuals.

SECTION 6. ACCIDENTAL RELEASE MEASURES

7758 Arjons Drive, San Diego, CA 92126
Phone (858) 271 6500
US Toll Free (888) CBL 0505
Fax (858) 271 6514
info@cellbiolabs.com



CELL BIOLABS, INC.
Creating Solutions for Life Science Research

EVACUATE AREA. WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY RUBBER GLOVES. ABSORB WITH SAND OR VERMICULITE, SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL. AVOID RAISING DUST. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide for experienced personnel. Cell Biolabs, Inc. shall not be held liable for any damage resulting from the handling or from contact with the above product(s).

Cell Biology

ATCC® Number:

CCL-2™[Order this Item](#)

Price:

\$279.00

Designations:

HeLa

Depositors:

WF Scherer

Biosafety Level:

2 [Cells contain human papilloma virus]

Shipped:

frozen

Medium & Serum:

[See Propagation](#)

Growth Properties:

adherent

Organism:

Homo sapiens (human)

epithelial

Morphology:



Source:

Organ: cervix**Disease:** adenocarcinoma**Cell Type:** epithelial

keratin

Cellular Products:

Lysophosphatidylcholine (lyso-PC) induces AP-1 activity and c-jun N-terminal kinase activity (JNK1) by a protein kinase C-independent pathway [26623]

In addition to the [MTA](#) mentioned above, other [ATCC](#) and/or [regulatory permits](#) may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please [click here](#) for information regarding the specific requirements for shipment to your location.

Permits/Forms:

transfection host ([21491] [Nucleofection technology from Lonza](#)

Applications:

[Roche FuGENE® Transfection Reagents\)](#)

screening for Escherichia coli strains with invasive potential [21447] [21491]

Virus Susceptibility:

Human adenovirus 3

Encephalomyocarditis virus

Human poliovirus 1

Human poliovirus 2

Human poliovirus 3

Amelogenin: X

CSF1PO: 9,10

D13S317: 12,13.3

D16S539: 9,10

DNA Profile (STR):

D5S818: 11,12

D7S820: 8,12

TH01: 7

TPOX: 8,12

vWA: 16,18

Related Links ▶[NCBI Entrez Search](#)[Cell Micrograph](#)[Make a Deposit](#)[Frequently Asked Questions](#)[Material Transfer Agreement](#)[Technical Support](#)[Related Cell](#)[Culture Products](#)**Login****Required ▶**[Product Information Sheet](#)**BioProducts**

[Cell, microbial and molecular genomics products for the life](#)

- [sciences BioServices](#)

[Bio-materials management; basic repository to complex partnership-](#)

- [level services BioStandards](#)

[Biological Reference Material and Consensus Standards for the life science](#)

- [community](#)



[ATCC Advanced Catalog Search](#) » [Product Details](#)

Product Description

Before submitting an order you will be asked to read and accept the terms and conditions of ATCC's [Material Transfer Agreement](#) or, in certain cases, an MTA specified by the depositing institution.

Customers in Europe, Australia, Canada, China, Hong Kong, India, Israel, Japan, Korea, Macau, Mexico, New Zealand, Singapore, and Taiwan, R.O.C. must contact a [local distributor](#) for pricing information and to place an order for ATCC cultures and products.

[Print this Page](#)

Cell Biology

ATCC® Number: HTB-22™ [Order this Item](#) **Price:** \$279.00

Designations: **MCF7**

Depositors: CM McGrath

Biosafety Level: 1

Shipped: frozen

Medium & Serum: [See Propagation](#)

Growth Properties: adherent

Organism: *Homo sapiens* (human)

Morphology: epithelial

Related Links

- [NCBI Entrez Search](#)
- [Cell Micrograph](#)
- [Make a Deposit](#)
- [Frequently Asked Questions](#)
- [Material Transfer Agreement](#)
- [Technical Support](#)
- [Related Cell Culture Products](#)

Login Required



[Product Information Sheet](#)

Source: **Organ:** mammary gland; breast
Disease: adenocarcinoma
Derived from metastatic site: pleural effusion
Cell Type: epithelial

Cellular Products: insulin-like growth factor binding proteins (IGFBP) BP-2; BP-4; BP-5

Permits/Forms: In addition to the [MTA](#) mentioned above, other [ATCC and/or regulatory permits](#) may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please [click here](#) for information regarding the specific requirements for shipment to your location.

Applications: transfection host ([Nucleofection technology from Lonza](#)
[Roche FuGENE® Transfection Reagents](#))

Receptors: estrogen receptor, expressed

Antigen Expression: Blood Type O; Rh+

DNA Profile (STR): Amelogenin: X
 CSF1PO: 10
 D13S317: 11
 D18S539: 11,12
 D5S818: 11,12
 D7S820: 8,9
 THO1: 6
 TPOX: 9,12
 vWA: 14,15

Cytogenetic Analysis: modal number = 82; range = 86 to 87.
 The stemline chromosome numbers ranged from hypertriploidy to hypotetraploidy, with the 2S component occurring at 1%. There were 29 to 34 marker chromosomes per S metaphase; 24 to 28 markers occurred in at least 30% of cells, and generally one large submetacentric (M1) and 3 large subtelocentric (M2, M3, and M4) markers were recognizable in over 80% of metaphases. No DM were detected. Chromosome 20 was nullisomic and X was disomic.

Isoenzymes: AK-1, 1
 ES-D, 1-2
 G6PD, B
 GLO-I, 1-2
 PGM1, 1-2
 PGM3, 1

Age: 69 years adult

Gender: female

Ethnicity: Caucasian

Comments: The MCF7 line retains several characteristics of differentiated mammary epithelium including ability to process estradiol via cytoplasmic estrogen receptors and the capability of forming domes. The cells express the WNT7B oncogene [PubMed: 8168088]. Growth of MCF7 cells is inhibited by tumor necrosis factor alpha (TNF alpha). Secretion of IGFBP's can be modulated by treatment with anti-estrogens.

Cell line(s)

Cell Biology

ATCC [®] Number:	CRM-ITB-31 [™] Order this Item	Price:	\$400.00
Designations:	C-33 A	Related Links ▶	
Depositors:	N Auersperg	NCBI Entrez Search	
<u>Biosafety Level:</u>	1	Make a Deposit	
Shipped:	frozen	Frequently Asked Questions	
Medium & Serum:	See Propagation	Material Transfer Agreement	
Growth Properties:	adherent	Technical Support	
Organism:	<i>Homo sapiens</i> (human)	Related Cell Culture Products	
Morphology:	epithelial	BioProducts	
Permits/Forms:	In addition to the MTA mentioned above, other ATCC and/or regulatory permits may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please click here for information regarding the specific requirements for shipment to your location.	Cell, microbial and molecular genomics products for the life sciences	
Applications:	For use in testing and calibration in ISO 17025 accredited laboratories, to challenge assay performance, validate or compare test methods, and to establish sensitivity, linearity and specificity during assay validation or implementation. ISO Guide 34:2000 .	BioServices	
Tumorigenic:	YES	Bio-materials management: basic repository to complex partnership-level services	
Oncogene:	p53 +; pRB + Amelogenin: X CSF1PO: 12 D13S317: 13 D16S539: 13,14	BioStandards	
DNA Profile (STR):	D5S818: 11,12 D7S820: 10 TH01: 7,8 TPOX: 9 vWA: 18,20	Biological Reference Material and Consensus Standards for the life science community	
Cytogenetic Analysis:	This a pseudodiploid human cell line with the modal chromosome number of 46, occurring in 70% of cells examined. Polyploid cells occurred at 8.6%. Seven marker chromosomes were consistently detected per pseudodiploid cell. They are: t(1q17q), t(1p21q), del(18)(q21.3), der(1)t(1;17)(p16;q21.3) and three others. Several other markers were also found but they occurred only once in 15 metaphases analyzed. Neither DMs nor HSRs were detected. Structurally normal N1 was absent. Generally there are two X chromosomes in each cell.		
Isoenzymes:	AK-I, 1 ES-D, 1		
Age:	66 years adult		



[ATCC Advanced Catalog Search](#) > [Product Details](#)

Product Description

Before submitting an order you will be asked to read and accept the terms and conditions of ATCC's [Material Transfer Agreement](#) or, in certain cases, an MTA specified by the depositing institution.

Customers in Europe, Australia, Canada, China, Hong Kong, India, Israel, Japan, Korea, Macau, Mexico, New Zealand, Singapore, and Taiwan, R.O.C. must contact a [local distributor](#) for pricing information and to place an order for ATCC cultures and products.

[Print this Page](#)

Cell Biology

ATCC® Number: CCL-131™ [Order this Item](#)

Designations: Neuro-2a ~

Depositors: R.J. Klebe

Biohazard Level: 1

Shipped: frozen

Medium & Serum: [See Propagation](#)

Growth Properties: adherent

Organism: *Mus musculus* (mouse)

Morphology: neuronal and amoeboid stem cells

Price: \$279.00

Related Links

- [NCBI Entrez Search](#)
- [Cell Micrograph](#)
- [Make a Deposit](#)
- [Frequently Asked Questions](#)
- [Material Transfer Agreement](#)
- [Technical Support](#)
- [Related Cell Culture Products](#)

Login Required

- [Product Information Sheet](#)

Source: Strain: A
Organ: brain
Disease: neuroblastoma
Cell Type: neuroblast;

Cellular Products: acetylcholinesterase
tubulin

Permits/Forms: In addition to the [MTA](#) mentioned above, other [ATCC and/or regulatory permits](#) may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please [click here](#) for information regarding the specific requirements for shipment to your location.

Applications: transfection host ([Nucleofection technology from Lonza](#)
[Roche FuGENE® Transfection Reagents](#))

Virus Susceptibility: Herpes simplex virus
Vesicular stomatitis virus
Human poliovirus 1

Antigen Expression: H-2, a haplotype; *Mus musculus*, expressed

Cytogenetic Analysis: modal number = 85; range = 59 to 193.
Karyotype unstable within a stemline range of 94 to 98 chromosomes. All the cells contain 6 to 10 large chromosomes with median or submedian centromeres and 2 to 4 minute chromosomes.

GenoType: albino

Comments: Clone Neuro-2a was established by R.J. Klebe and F.H. Ruddle from a spontaneous tumor of a strain A albino mouse. This tumor line, designated C1300, was obtained from the Jackson Laboratory, Bar Harbor, Maine [22181]. Neuro-2a cells produce large quantities of microtubular protein which is believed to play a role in a contractile system which is responsible for axoplasmic flow in nerve cells. The cell line has been used for studies on the mechanism of vinblastine precipitation of microtubular protein, the kinetics of GTP binding to isolated protein, the turnover of microtubules in vivo, and the synthesis and assembly of microtubular protein [PubMed: 5283744]. The World Organization for Animal Health (OIE) uses the cells for routine diagnosis of rabies. (see: http://www.oie.int/Eng/Normal/Mmanual/IA_00044.htm) Tested and found negative for ectromelia virus (mousepox).

Propagation: ATCC complete growth medium: The base medium for this cell line is ATCC-formulated Eagle's Minimum Essential Medium, Catalog No. 30-2003. To make the complete growth medium, add the following components to the base medium: fetal bovine serum to a final concentration of 10%.
Atmosphere: air, 95%; carbon dioxide (CO2), 5%
Temperature: 37.0°C



Cell Biology

ATCC® Number: **HTB-96™** Price: \$256.00

Designations: **U-2 OS**

Depositors: Hellstrom

Biosafety Level: 1

Shipped: frozen

Medium & Serum: See Propagation

Growth Properties: adherent

Organism: *Homo sapiens* (human)

Morphology: epithelial

Source: **Organ:** bone
Disease: osteosarcoma

Cellular Products: osteosarcoma derived growth factor (ODGF)

Permits/Forms: In addition to the MTA mentioned above, other ATCC and/or regulatory permits may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please click here for information regarding the specific requirements for shipment to your location.

Applications: transfection host (Nucleofection technology from Lonza Roche FuGENE® Transfection Reagents)

Receptors: insulin-like growth factor I (IGF-I); insulin-like growth factor II (IGF II)

Antigen Expression: Blood Type A; Rh+; HLA A2, Aw30, B12, Bw35, B40(+/-)

Amelogenin: X
CSF1PO: 13
D13S17: 13
D16S539: 11,12

DNA Profile (STR): D5S818: 11
D7S820: 11,12
TH01: 6,9.3
TPOX: 11,12
vWA: 14,18

Cytogenetic Analysis: Cell line U-2 OS is chromosomally highly altered, with chromosome counts in the hypertriploid range. We did not find the hypodiploid cell population described by J. Ponten, et al., Instead, most of the population has slightly higher counts than first described. Very few normal chromosomes are present, but a high number of stable marker chromosomes are identified., Different chromosomal rearrangements involving the same chromosomes (N1, N7, N9, and N11 particularly), are seen. Twenty-two markers are found including: t(9qter--->9q21::1p36--->1p::?), 7p+, iso(17q), t(15q;?), 4q+, del(3)(q21), 5q(aberrant) and others. [22509]

Related Links ▶

NCBI Entrez Search

Make a Deposit

Frequently Asked Questions

Material Transfer Agreement

Technical Support

Related Cell Culture Products

Login Required ▶

Product Information Sheet

BioProducts

Cell, microbial and molecular genomics products for the life

• sciences BioServices

Bio-materials management; basic repository to complex partnership-

• level services BioStandards

Biological Reference Material and Consensus Standards for the life science

• community



ATCC

THE ESSENTIALS OF CELL SCIENCE RESEARCH
ESTABLISHED 1925

[ATCC Advanced Catalog Search](#) » [Product Details](#)

Product Description

Before submitting an order you will be asked to read and accept the terms and conditions of ATCC's [Material Transfer Agreement](#) or, in certain cases, an MTA specified by the depositing institution.

Customers in Europe, Australia, Canada, China, Hong Kong, India, Israel, Japan, Korea, Macau, Mexico, New Zealand, Singapore, and Taiwan, R.O.C. must contact a [local distributor](#) for pricing information and to place an order for ATCC cultures and products.

[Print this Page](#)

Cell Biology

ATCC® Number: CRL-2266™ [Order this Item](#)

Price: \$270.00

Designations: **SH-SY5Y**

Related Links

Depositors: J.L. Biedler



[Biosafety Level](#): 1

Shipped: frozen

[NCBI Entrez Search](#)

Medium & Serum: [See Propagation](#)

[Cell Micrograph](#)

Growth Properties: mixed, adherent and suspension

Organism: *Homo sapiens* (human)

Morphology: epithelial



[Make a Deposit](#)

[Frequently Asked Questions](#)

[Material Transfer Agreement](#)

[Technical Support](#)

[Related Cell Culture Products](#)

[Login Required](#)



Source: Organ: brain
Disease: neuroblastoma
Derived from metastatic site: bone marrow

[Product Information Sheet](#)

Permits/Forms: In addition to the [MTA](#) mentioned above, other [ATCC and/or regulatory permits](#) may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please [click here](#) for information regarding the specific requirements for shipment to your location.

Restrictions: NOTE: SH-SY5Y was deposited at the ATCC by June L. Biedler, Memorial Sloan-Kettering Cancer Center. SH-SY5Y is distributed for academic research purposes only. Memorial Sloan-Kettering releases the line subject to the following: 1.) SH-SY5Y or its products must not be distributed to third parties. Commercial interests are the exclusive property of Memorial Sloan-Kettering Cancer Center. 2.) Any proposed commercial use of SH-SY5Y including any use by a for-profit entity must first be negotiated with Director, Office of Industrial Affairs, Memorial Sloan-Kettering Cancer Center, 1275 York Avenue, New York, NY 10021; phone (212) 639-6181; FAX (212) 717-3439.

Isolation: Isolation date: 1970

Applications: transfection host ([Roche FuGENE® Transfection Reagents technology from amaxa](#))

Antigen Expression: Blood Type A, Rh+

DNA Profile (STR): Amelogenin: X
CSF1PO: 11
D13S317: 11
D18S539: 8,13
D5S818: 12
D7S820: 7,10
TH01: 7,10
TPOX: 8,11
vWA: 14,18

Cytogenetic Analysis: modal number = 47; the cells possess a unique marker comprised of a chromosome 1 with a complex insertion of an additional copy of a 1q segment into the long arm, resulting in trisomy of 1q [\[22554\]](#)

Age: 4 years

Gender: female

Comments: SH-SY5Y cells have a reported saturation density greater than 1 X 10(8) cells/sq cm. They are reported to exhibit moderate levels of dopamine beta hydroxylase activity [PubMed ID: 29704].

Propagation: ATCC complete growth medium: The base medium for this cell line is a 1:1 mixture of ATCC-formulated Eagle's Minimum Essential Medium, Catalog No. 30-2003, and F12 Medium. To make the complete growth medium, add the following components to the base medium: fetal bovine serum to a final concentration of 10%.
Atmosphere: air, 95%; carbon dioxide (CO2), 5%
Temperature: 37.0°C



Phoenix™ Eco Cells (Murine)

PRODUCT SUMMARY

Cat. No:	RVC-10002
Quantity:	1 vial of 10 ⁶ Phoenix™ Eco Cells
Storage:	Store in liquid nitrogen.
Stability:	See Protocol for proper procedure in cells handling.

DESCRIPTION

Phoenix™ Eco packaging cell lines was created by placing constructs which is capable of producing gag-pol and envelope protein for amphotropic viruses into 293T cells. This cell line offers the great advantages over previous stable systems in that virus can be produced in just a few days. Orbigen's Phoenix™ Eco cells have been extensively tested for helper virus production and established as being helper-virus free.

Gag-pol was introduced with hygromycin as the co-selectable marker. The envelope proteins were introduced with diphtheria toxin resistance as the co-selectable marker. An IRES-CD8 surface marker was also introduced downstream of the reading frame of the gag-pol construct to monitor gag-pol production which can be readily monitored by flow cytometry.

Eotropic packaging cells system is to deliver genes to dividing cells of murine or rat.

PROTOCOLS:

Thawing Phoenix™ Eco Cells:

1. Remove the vial containing frozen cells from liquid nitrogen or shipping box. Thaw rapidly at 37°C by holding the vial and gently shaking in the water bath. Take out the vial from the water bath when the frozen cells start to thaw (about 1-2 minutes). The key point is NOT to let the cells thaw completely.
2. Immediately add 1 ml of Growth Medium (High glucose DMEM containing 10% heat inactivated fetal bovine serum, 100 U/ml Penicillin, 100 U/ml Streptomycin, 2 mM L-Glutamine) to the cells and gently transfer them to a 15 ml sterile conical screw cap tube.
3. Add 2 ml of GM and gently mix the cells to allow osmotic equilibration.
4. Add 10 ml of GM, close the tube, invert the tube several times and spin cells at 500 x g for five minutes.

5. Remove the supernatant, resuspend cell pellet in GM, and transfer cells to a 10 cm tissue culture dish.

Note: It is important to freeze multiple vials of each producer cell line after first receiving and expanding them to ensure a ready supply of backup vials to allow for uniform virus production over several years. If the cells are to be carried in selective media, this should not be applied until after the first passage.

Growth and passage of Phoenix™ Eco cells:

Phoenix™ Eco cells derived from 293 cells are carried in GM and grown in a 37°C incubator supplied with 5% CO₂. To split and passage the cell lines:

1. Gently rinse cultured cells 1x with PBS (without Ca⁺⁺ or Mg⁺⁺).
2. Trypsinize (.05% trypsin/0.53 mM EDTA) until the cells easily detach and can be readily pipelleted into a single cell suspension.
3. Trypsinization is quenched with GM prior to subculture in fresh medium.

Note: Do not split the cells at densities more dilute than 1:5 in order to maintain the uniformity of the cells in culture and minimize the outgrowth of clonal variants. The cells should not be allowed to grow over-confluent. This leads to the formation of cell clumps in culture which can cause uneven cell distribution after replating and result in less efficient transfection.

Passaging Phoenix™ Eco cells:

To achieve optimal cell conditions, passage cells at 1:4 or 1:5 at 70-80% confluent every 2-3 days. Never let cells reach confluence since this will reduce transfection efficiency in the short term. Passage of Phoenix™ Eco cells every few months in Hygromycin (300 µg/ml) and Diphtheria Toxin (1 µg/ml) containing medium for one week is recommended.

Cells can be analyzed and sorted by fluorescent activated cell scan (FACS) for expression of mouse CD8 (a proxy measure of gag-pol in this cell line) and for surface expression of envelope protein with 83A25 antibody.

****Special Note:**

This product is only available for non-profit organization researches. Industrial customers will need to obtain a license agreement with Stanford University prior ordering this product from Orbigen.



THE ESSENTIALS OF LIFE SCIENCE RESEARCH
GLOBALITY OF INNOVATION

[ATCC Advanced Catalog Search](#) » **Product Details**

Product Description

Before submitting an order you will be asked to read and accept the terms and conditions of ATCC's [Material Transfer Agreement](#) or, in certain cases, an MTA specified by the depositing institution.

Customers in Europe, Australia, Canada, China, Hong Kong, India, Israel, Japan, Korea, Macau, Mexico, New Zealand, Singapore, and Taiwan, R.O.C. must contact a [local distributor](#) for pricing information and to place an order for ATCC cultures and products.

[Print this Page](#)

Cell Biology

ATCC® Number: CRL-1573™ [Order this Item](#) Price: **\$279.00**

Designations: **293 [HEK-293]**

Depositors: FL Graham

Biosafety Level: 2 [CELLS CONTAIN ADENOVIRUS]

Shipped: frozen

Medium & Serum: [See Propagation](#)

Growth Properties: adherent

Organism: *Homo sapiens* (human)

Morphology: epithelial



Related Links

[NCBI Entrez Search](#)

[Cell Micrograph](#)

[Make a Deposit](#)

[Frequently Asked Questions](#)

[Material Transfer Agreement](#)

[Technical Support](#)

[Related Cell Culture Products](#)

Login Required



[Product Information Sheet](#)

Source: Organ: embryonic kidney
Cell Type: transformed with adenovirus 5 DNA

Permits/Forms: In addition to the [MTA](#) mentioned above, other [ATCC and/or regulatory permits](#) may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please [click here](#) for information regarding the specific requirements for shipment to your location.

Restrictions: These cells are distributed for research purposes only. 293 cells, their products, or their derivatives may not be distributed to third parties.

Applications: efficacy testing [92587]
transfection host (Nucleofection technology from Lonza Roche Transfection Reagents)
virucide testing [92579]

Receptors: vitronectin, expressed

Tumorigenic: YES

DNA Profile (STR): Amelogenin: X
CSF1PO: 11,12
D13S317: 12,14
D16S539: 9,13
D5S818: 8,9
D7S820: 11,12
THO1: 7,9,3
TPOX: 11
vWA: 16,19

Cytogenetic Analysis: This is a hypotriploid human cell line. The modal chromosome number was 64, occurring in 30% of cells. The rate of cells with higher ploidies was 4.2 %. The der(1)t(1;15) (q42;q13), der(19)t(3;19) (q12;q13), der(12)t(8;12) (q22;p13), and four other marker chromosomes were common to most cells. Five other markers occurred in some cells only. The marker der(1) and M8 (or Xq+) were often paired. There were four copies of N17 and N22. Noticeably in addition to three copies of X chromosomes, there were paired Xq+, and a single Xp+ in most cells.

Age: fetus

Comments: Although an earlier report suggested that the cells contained Adenovirus 5 DNA from both the right and left ends of the viral genome [RF32764], it is now clear that only left end sequences are present. [39768]
The line is excellent for titrating human adenoviruses.
The cells express an unusual cell surface receptor for vitronectin composed of the integrin beta-1 subunit and the vitronectin receptor alpha-v subunit. [23406]
The Ad5 insert was cloned and sequenced, and it was determined that a colinear segment from nts 1 to 4344 is integrated into chromosome 19 (19q13.2). [39768]

Propagation:	<p>ATCC complete growth medium: The base medium for this cell line is ATCC-formulated Eagle's Minimum Essential Medium, Catalog No. 30-2003. To make the complete growth medium, add the following components to the base medium: fetal bovine serum to a final concentration of 10%.</p> <p>Atmosphere: air, 95%; carbon dioxide (CO₂), 5%</p> <p>Temperature: 37.0°C</p> <p>The cell line does not adhere to the substrate when left at room temperature for any length of time, therefore, live cultures may be received with the cells detached. The cells will re-attach to the flask over a period of several days in culture at 37°C.</p>
Subculturing:	<p>Protocol:</p> <ol style="list-style-type: none">1. Remove and discard culture medium.2. Briefly rinse the cell layer with 0.25% (w/v) Trypsin- 0.53 mM EDTA solution to remove all traces of serum that contains trypsin inhibitor.3. Add 2.0 to 3.0 ml of Trypsin-EDTA solution to flask and observe cells under an inverted microscope until cell layer is dispersed (usually within 5 to 15 minutes). Note: To avoid clumping do not agitate the cells by hitting or shaking the flask while waiting for the cells to detach. Cells that are difficult to detach may be placed at 37°C to facilitate dispersal.4. Add 6.0 to 8.0 ml of complete growth medium and aspirate cells by gently pipetting.5. Add appropriate aliquots of the cell suspension to new culture vessels. An inoculum of 2 X 10³ to 6 X 10³ viable cells/cm² is recommended.6. Incubate cultures at 37°C. Subculture when cell concentration is between 6 and 7 X 10⁴ cells/cm². <p>Subcultivation Ratio: 1:6 to 1:10 weekly</p> <p>Medium Renewal: Every 2 to 3 days</p>
Preservation:	<p>Freeze medium: Complete growth medium supplemented with 5% (v/v) DMSO</p> <p>Storage temperature: liquid nitrogen vapor phase</p>
Related Products:	<p>Recommended medium (without the additional supplements or serum described under ATCC Medium): ATCC 30-2003</p> <p>derivative: ATCC CRL-10852</p> <p>derivative: ATCC CRL-12006</p> <p>derivative: ATCC CRL-12007</p> <p>derivative: ATCC CRL-12013</p> <p>derivative: ATCC CRL-12479</p> <p>derivative: ATCC CRL-2029</p> <p>derivative: ATCC CRL-2368</p> <p>purified DNA: ATCC CRL-1573D</p>

Plasmid	Source	Gene Transfected	Describe Change that Resulted
pMAL-C2	NEB	hATRX	Protein Expression Vector
psCODON	Delphi Genetics	mSMC3	Protein Expression Vector
psCODON	Delphi Genetics	mSMC3	Protein Expression Vector
psCODON	Delphi Genetics	mSMC3	Protein Expression Vector
pET30a	Novagen	mSMC3	Protein Expression Vector
pET30a	Novagen	mSMC1A	Protein Expression Vector
psCODON	Delphi Genetics	mSMC1A	Protein Expression Vector
psCODON	Delphi Genetics	mSMC1A	Protein Expression Vector
pET30a	Novagen	mSMC1A	Protein Expression Vector
pET30a	Novagen	mSTAG2	Protein Expression Vector
pET30a	Novagen	mSTAG2	Protein Expression Vector
pMAL-C2	NEB	mMecp2	Protein Expression Vector
pET30a	Novagen	mRad21	Protein Expression Vector
pMAL-C2	NEB	mRad21	Protein Expression Vector
pMAL-C2	NEB	mSororin	Protein Expression Vector
pMAL-C2	NEB	mWAPL	Protein Expression Vector
pMAL-C2	NEB	mWAPL	Protein Expression Vector
pET30a	Novagen	mWAPL	Protein Expression Vector
psCODON	Delphi Genetics	mCTCF	Protein Expression Vector
pcDNA3.1	Invitrogen	Histon3.3, GFP	Protein Expression Vector
pGEM-T	Promega		Amplify methylation DNA
pBABE-puro	other investigator		produce retrovirus
pSUPER RNAi System	Oligoengine	ATRX Si3	Amplify SiRNA
pSUPER RNAi System	Oligoengine	ATRX Si4	Amplify SiRNA
pGK-EF1aGFP	other investigator	shRNA ATRX	Amplify SiRNA
pGK-EF1aGFP	other investigator	shRNA CTCF	Amplify SiRNA
pGK-EF1aGFP	other investigator	shRNA Mecp2	Amplify SiRNA

KK shRNA → glycerol stocks

ATRX-4 plasmids


- 6422 - platelet mouse
- 5099 - mouse
- 3838 - mouse + human
- 6537 - human

CTCF - 5 plasmids

- 202 #all mouse
- 993
- 2233
- 1245
- 1637

MECP2

- #626 mouse
- #503 rat + mouse



[Print](#)**Chemical Material Safety Data Sheet**

Product: PGK Promoter Thomson Factors Lentivirus Set
Cat #: G354

Date Printed: September 20th, 2011**Section 1: Product and Company Information**

Product Name: PGK Promoter Thomson Factors Lentivirus Set
Cat. No.: G354
Company: ABM Inc.
Address: #8-13520 Crestwood Place
Richmond, BC V6V2G2
Phone: 604-247-2416
Fax: 604-247-2414
Emerg. Phone: 866-757-2414

Section 2: Composition and Information on Ingredients

Substance Name: Lentivirus Product
CAS Number: None
SARA 313: No

Ingredient Name: PGK Promoter Thomson Factors Lentivirus Set
CAS Number: None
SARA 313: No
Percent: 0.0001

Ingredient Name: Dulbecco's Modified Eagle's Medium (Solution)
CAS Number: None
SARA 313: No
Percent: 89.9999

Ingredient Name: Fetal Bovine Serum, Manufacturing Use
CAS Number: None
SARA 313: No
Percent: 10.0

Section 3: Hazard Identification**Emergency Overview****HMIS Classification**

Health Hazard: 0
Reactivity: 0
Flammability: 0

NFPA Classification

Health Hazard: 0
Reactivity: 0
Flammability: 0

For additional information on toxicity, please refer to Section 11.

Section 4: First Aid Measures**Eye Contact**

Rinse thoroughly with plenty of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Consult a physician.

Skin Contact

Wash off with soap and plenty of water. Consult a physician.

Inhalation

If breathed in, move person into fresh air. If not breathing give artificial respiration. Consult a physician.

Ingestion

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Section 5: Fire Fighting Measures**Suitable Extinguishing Media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special Protective Equipment for Fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Section 6: Accidental Release Measures**Personal Precautions**

Exercise appropriate precautions to minimize direct contact with skin or eyes, and prevent inhalation of dust.

Methods for Cleaning up

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

Section 7: Handling and Storage**Handling**

User Exposure: Avoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.

StorageSuitable: Keep tightly closed.
Store at -70C**Section 8: Exposure Controls and PPE****Engineering Controls**

Safety shower and eye bath. Mechanical exhaust required

Personal Protective Equipment

Respiratory:

Use respirators and components tested and approved under appropriate government standards, such as NIOSH (USA) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (USA) or Type P1 (EN143) dust masks.

Hand:

Protective gloves.

Eye:

Chemical safety goggles.

General Hygiene Measures

Wash thoroughly after handling.

Section 9: Physical and Chemical Properties

N/A

Section 10: Stability and Reactivity

Stability

Stable.

Materials to Avoid:

Strong oxidizing agents.

Hazardous Decomposition Products

Nature of decomposition products not known.

Hazardous Polymerization

Will not occur.

Section 11: Toxicological Information

Route of Exposure

Skin Contact: May cause irritation.

Skin: May be harmful if absorbed through skin.

Absorption:

Eye Contact: May cause eye irritation.

Ingestion: May be harmful if swallowed.

Inhalation: Material may be irritating to mucous membranes and upper respiratory tract. May be harmful if inhaled.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Section 12: Ecological Information

N/A

Section 13: Disposal Considerations

Contact a licensed, professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state/provincial, and local environment regulations.

Section 14: Transport Information

DOT

Proper Shipping Name: None

This substance is considered to be non-hazardous for transport.

IATA

This substance is considered to be non-hazardous for air transport.

Section 15: Regulatory Information

United States Regulatory Information

SARA LISTED: No

Canada Regulatory Information

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the

MSDS contains all the information required by the CPR.

DSL: No

NDSL: No

Section 16: Other Information

The information contained in this Material Safety Data Sheet is believed to be accurate, but it is the responsibility of the user or supplier to determine the applicability of these data to the formulation of necessary safety precautions.

Applied Biological Materials Inc. shall not be held responsible for any damage resulting from the use of the above product or the information contained in this Material Safety Data Sheet.

For Research Use Only



pSUPER RNAi System™

VECTOR: pSUPER.retro.neo+GFP
CATALOG#: VEC-PRT-0005/0006

Length: 8371 bp


Key Sites

BglII: 2424
HindIII: 1441
EcoRI: 2645
Sall: 1426
XhoI: 1420

Vector Features

PGK promoter: 2770-3168
EGFP ORF: 3186-3919
Neo ORF: 3926-4895
H1 promoter: 2430-2650
Ampicillin resistance ORF: 7443-6577
3' delta LTR: 4910-5277
5' LTR: 8369-513 (homologous to other MSCV LTR)
Stuffer Sequence: 1447-2423

Sequencing primer 5'-GGAAGCCTTGGCTTTG-3' binding site: 1241-1257
Sequencing primer 5'-CGAACGTGACGCATC-3' binding site: 2645-2629



USER NOTIFICATION

Customers are granted a nonexclusive sublicense under the intellectual properties licensed by to OligoEngine, Inc. by Cancer Research Ventures (UK) solely to the extent required for customer's use of the pSUPER RNAi System within the following limits: 1) it is a *bona fide* charitable, educational, not-for-profit or similar institution established at least in principal part for the purpose of academic research (an "Academic Institution"); 2) it shall not manufacture, resell or otherwise dispose of the pSUPER Products or sublicense or purport to sublicense the pSUPER Products or their use; 3) it will not under any circumstances administer the pSUPER Products to humans; its use of the pSUPER Products will be limited to use as research reagents for the purpose of non-commercial academic research; 4) it will not use the pSUPER Products on behalf of any entity other than Customer or its affiliates that are also Academic Institutions; 5) it will not use the pSUPER Products in any research undertaken at the request of or in collaboration with any entity that is not an Academic Institution or where any resulting information, inventions, patent rights, discoveries, data, test results, rights in chemical or biological materials, or other know-how or rights would be encumbered in favor of any entity that is not an Academic Institution that develops, manufactures and/or sells therapeutic or diagnostic agents; and 6) if Customer wishes to use the pSUPER Products for any purpose involving a commercially active third party, Customer understands that it must first seek a separate license from for such use. Customer shall not, by virtue of this Agreement, obtain any rights in any of the pSUPER RNAi System Intellectual Property other than the rights of use set out in this Agreement. Customer shall comply with all applicable laws, rules and regulations regarding any Materials transferred to it pursuant to this Agreement and their handling.

In addition, use of the pSUPER vector is covered under a number of different licenses. Please contact OligoEngine for specific information about such license restrictions.

All of the provisions of the Terms and Conditions agreed to upon obtaining an account with OligoEngine apply and govern Customer's purchase of the pSUPER Products, including without limitation the disclaimers of warranty, limitations of liability, regulatory compliance provisions, and customer indemnifications stated in these terms and conditions. If any pSUPER Products are found not to conform to the Specifications,

OligoEngine warrants that all of its products will perform according to commercially reasonable standards. The company will replace, free of charge, any product that does not meet those specifications. Customer must so notify OligoEngine within thirty days of delivery. OligoEngine will, as customer's exclusive remedy and OligoEngine's sole obligation, either replace non-conforming pSUPER Products at no additional charge to Customer, or, where OligoEngine reasonably determines that such replacement would be impracticable or that it otherwise cannot successfully or safely provide conforming pSUPER Products, OligoEngine shall cancel the order for the non-conforming pSUPER Products and refund to Customer any payment made for the non-conforming pSUPER Products. The pSUPER products are otherwise provided "as-is" and without indemnity or warranty, whether express or implied, and whether of merchantability, fitness for a particular purpose, non-infringement, or otherwise.

This warranty limits OligoEngine's liability only to the cost of the product. No warranty is granted for products beyond their listed expiration date. No warranty is applicable unless all product components are stored in accordance with instructions. OligoEngine reserves the right to select the method(s) used to analyze a product unless OligoEngine agrees to a specified method in writing prior to acceptance of the order.

OligoEngine makes every effort to ensure the accuracy of its publications, but realizes that the occasional typographical or other error is inevitable. Therefore OligoEngine makes no warranty of any kind regarding the contents of any publications or documentation. If you discover an error in any of our publications, please report it to our Technical Service Representatives.

OligoEngine assumes no responsibility or liability for any special, incidental, indirect or consequential loss or damage whatsoever. The above limited warranty is sole and exclusive. No other warranty is made, whether expressed or implied, including any warranty of merchantability or fitness for a particular purpose.




Figure 3: Restriction map of the pSCodonGST1.2 vector

Features:

- Staby forward primer: 5474-5492
- T7 promoter: 5514-5530
- GST: 5603-6256
- His: 6357-6374
- Staby reverse primer: 6417-6399(C)

The complete sequence of the vector is available on our website (www.delphigenetics.com)

pET-30a-c(+) Vectors

TB095 12/98



	Cat. No.
pET-30a DNA	69909-3
pET-30b DNA	69910-3
pET-30c DNA	69911-3

The pET-30a-c(+) vectors carry an N-terminal His⁶-Tag[®]/thrombin/S⁶-Tag™/enterokinase configuration plus an optional C-terminal His⁶-Tag sequence. Unique sites are shown on the circle map. Note that the sequence is numbered by the pBR322 convention, so the T7 expression region is reversed on the circular map. The cloning/expression region of the coding strand transcribed by T7 RNA polymerase is shown below. The f1 origin is oriented so that infection with helper phage will produce virions containing single-stranded DNA that corresponds to the coding strand. Therefore, single-stranded sequencing should be performed using the T7 terminator primer (Cat. No. 69337-3).

pET-30a(+) sequence landmarks

T7 promoter	419-435
T7 transcription start	418
His ⁶ -Tag coding sequence	327-344
S ⁶ -Tag coding sequence	249-293
Multiple cloning sites (Nco I - Xho I)	158-217
His ⁶ -Tag coding sequence	140-157
T7 terminator	26-72
lacI coding sequence	826-1905
pBR322 origin	3339
Kan coding sequence	4048-4860
f1 origin	4956-5411

The maps for pET-30b(+) and pET-30c(+) are the same as pET-30a(+) (shown) with the following exceptions: pET-30b(+) is a 5421bp plasmid; subtract 1bp from each site beyond BamH I at 198. pET-30c(+) is a 5423bp plasmid; add 1bp to each site beyond BamH I at 198.



pET-30a(+) Restriction Sites

TB095 12/98

Enzyme	# Sites	Locations
AccI	2	180 3047
AceII	7	943 1671 2002 2786 2927 3229 5020
AcII	75	
AFIII	2	1176 3277
AluI	22	
AlwI	13	
Alw21I	7	159 190 676 1160 2271 3095 3595
Alw44I	3	1156 3091 3591
AlwNI	1	3693
ApaI	1	1387
ApaBI	1	860
Apcl	7	192 270 1451 4092 4276 4982 4993
AvatI	2	158 4351
Avall	5	1720 2104 2192 2283 2562
BamHI	1	198
BanI	10	234 310 498 519 633 1096 1815 1945 2071 5217
BanII	6	190 560 574 1387 4134 5255
BbsI	4	1322 1661 2035 2395
BbvI	25	
BccI	14	
Bce83I	6	21 1990 2160 3368 3666 3907
BceII	6	695 1036 1663 3779 4798 5206
BcgI	8	160 194 1468 1502 2002 2036 2854 2888
BclI	1	1190
Bfal	6	70 385 2291 3772 4079 5331
BglI	1	2240
BglII	1	241
BmgI	1	1385
BpmI	4	1014 1503 2137 2804
Bpu10I	2	2383 4496
Bpu1102I	1	80
BsaAI	2	3029 5180
BsaBI	3	449 459 2474
BsaHI	5	499 520 634 1133 1816
BsaJI	10	57 212 613 619 1811 2249 3437 4350 4351 4752
BsaWI	7	2 1495 1998 2466 3483 3630 4614
BsaXI	2	1835 5120
Bsbl	2	2993 5087
BscGI	11	
BsgI	3	1027 1227 2437
Bsil	1	3450
BsIEI	5	169 1961 3193 3617 4479
BsII	26	
BsmI	2	4363 4440
BsmAI	6	873 1278 1404 1791 2918 4495
BsmBI	3	1791 2918 4495
BsmFI	4	637 2178 2548 5395
BsoFI	43	
Bsp24I	10	466 498 1017 1049 1319 1351 3770 3802 3948 3980
Bsp1286I	12	
BspEI	2	2 2466
BspGI	1	2803
BspLU11I	1	3277
BsrI	21	
BsrBI	4	405 3210 4878 5324
BsrDI	2	1223 1589
BsrFI	7	486 495 862 2074 2234 4433 5281
BsstIII	1	1587

Enzyme	# Sites	Locations
Bst1107I	1	3048
BstEII	1	1357
BstXI	3	978 1107 1230
BstYI	9	132 198 241 740 1952 2469 3918 3929 4728
CacBI	40	
CjeI	24	
CjePI	18	
ClaI	2	453 4170
CviJI	85	
CviRI	31	
DdeI	11	
DpnI	23	
DraII	1	5180
DrdI	3	2970 3385 5135
DrdII	2	899 5185
DsaI	3	212 613 2249
EaeI	4	166 484 616 1850
EagI	1	166
Eari	3	794 3161 4292
Ecit	3	953 3351 3497
Eco47III	3	581 2082 2531
Eco57I	1	3825
EcoNI	2	711 4391
EcoO109I	3	53 609 2283
EcoRI	1	192
EcoRII	9	899 1214 1754 1811 3303 3424 3437 4367 4724
EcoRV	1	206
FauI	17	
FokI	9	1222 1231 2496 2550 2636 2822 2963 4117 4723
FspI	1	2258
GdiII	4	166 484 616 1850
HaeI	7	217 904 2225 3292 3303 3755 4566
HaeII	14	
HaeIII	24	
HgaI	11	
HgiEII	2	774 3863
HhaI	46	
Hin4I	4	203 1075 4165 4707
HincII	2	181 1682
HindIII	1	173
HinfI	18	
HpaI	1	1682
HphI	16	
KpnI	1	238
MaeI	14	
MaeII	16	
MboII	13	
MluI	1	1176
MmeI	7	3492 3676 4121 4315 4677 4686 5157
MnlI	25	
MseI	25	
MslI	6	1228 1516 1546 2264 2459 2850
MspI	29	
MspAII	9	84 283 1206 1776 1869 2868 2987 3619 3864
MwoI	39	
NarI	4	499 520 634 1816
NciI	12	
NcoI	1	212
NdeI	1	346
NgoAIV	4	486 2074 2234 5281
NlaaII	26	
NlaaIV	23	
NotI	1	166
NruI	1	4136
NsiI	2	4329 4595

Enzyme	# Sites	Locations
NspI	4	651 2622 2914 3281
NspV	1	268
Pfl1108I	1	2063
PflMI	3	260 758 4742
PleI	9	433 725 812 1608 3171 3656 4711 5115 5123
PshAI	1	2021
Psp5II	1	2283
Psp1406I	4	838 2206 2602 4965
PvuI	1	4479
PvuII	3	1776 1869 2868
RcaI	3	574 3997 4872
RsaI	4	236 1323 3083 4314
SacI	1	190
Sall	1	179
SapI	1	3161
Sau56I	14	
Sau3AI	23	
ScrFI	21	
SfaNI	23	
SfcI	4	418 3542 3733 5399
SgfI	1	4479
SgrAI	1	495
SmaI	1	4353
SphI	1	651
SspI	2	4404 4972
StyI	2	57 212
TaqI	17	
TaqII	6	1084 1302 1975 3179 4733 5084
TfiI	9	1855 2157 2327 2831 3252 4390 4446 4618 4709
ThaI	36	
TseI	25	
Tsp45I	7	1357 2185 2716 2929 3024 4626 5353
Tsp509I	21	
Tth111I	1	3022
Tth111II	8	1015 1708 2738 3867 3874 3906 4315 4442
UbaJI	18	
VspI	5	433 1861 1920 4678 4867
XbaI	1	384
XcmI	3	1032 1548 1566
XhoI	1	158
XrnII	2	2835 4868

Enzymes that do not cut pET-30a(+):

AatI	AflII	AgeI	AscI	AvrII
BaeI	BsaI	BseRI	BspMI	BsrCI
Bsu36I	DraI	Eam1105I	FseI	MscI
MunI	NheI	PacI	PmeI	PmlI
PstI	RleAI	RsiII	SacII	Scal
SexAI	SfiI	SnaBI	SpeI	SrfI
Sse8387I	StuI	SunI	Swat	




Figure 1. pMAL™-2 Vectors. pMAL™-c2 (6646 base pairs) has an exact deletion of the *malE* signal sequence. pMAL™-p2 (6721 base pairs) includes the *malE* signal sequence. Arrows indicate the direction of transcription. Unique restriction sites are indicated.

	Product: Plasmid DNA Rev. No: Page 1 of 3
MATERIAL SAFETY DATA SHEET	

Section 1. Identification

Product Name: PLASMID DNA
 Chemical Name: Deoxyribonucleic Acid
 CAS Number:
 Substance: deoxyribonucleic acid
 Other Names or Code Numbers: N/A

Section 2. Composition / Information on Ingredients Section 4. First Aid Measures


Components	% Optional	OSHA PEL	ACGIH TLV	OTHER STANDARDS
PLASMID DNA		None	None	None

Section 3. Hazards Identification

General Statement: PLASMID is a nucleic acid prepared from normal human tissue culture cells.
 Carcinogen Status: OSHA: No NTP: No IARC: No
 Carcinogen Statement: No carcinogenicity data for PLASMID DNA are available in animals or humans.
 Mutagenic Effects: No data available.
 Teratogenic Effects: No data available.
 Reproductive Effects: No data available.
 Neurotoxic Effects: No data available.

Section 4. First Aid Measures

If Inhaled: Remove to fresh air. Get medical attention. If breathing has stopped, give artificial respiration. Treat symptomatically and supportively.
 If Swallowed: Wash out with water.
 In Case of Skin or Eye Contact: No data available. May cause irritation; flush with copious amounts of freely flowing running water. If irritation persists, seek medical care.
 Skin Absorption: Limited available data indicates that Plasmid DNA is not absorbed across intact skin.
 If Injected: No data available

	Product: Plasmid DNA Rev. No: Page 2 of 3
MATERIAL SAFETY DATA SHEET	

Medical Conditions Aggravated by Exposure: No data available.

Section 5. Fire Fighting Measures

Flash Point: No data available
 Flammable Limits: n/a
 Extinguishing Media: Use water spray, CO2, ABC dry chemical or foam.
 Special Fire Fighting Materials: No special procedures.
 Unusual Fire and Explosion Hazards: No data available.

Section 6. Accidental Release Measures

Plasmid DNA is not a hazardous material as defined by the U.S. EPA. No data available. Wear gloves to clean up a spill. No other special procedures should be necessary.

Section 7. Handling and Storage

No special safety precautions are required. For product quality assurance, vials must be stored in a 2 - 8 °C (36 - 46 °F) refrigerator. Should refrigeration be unavailable, Plasmid DNA can be stored at 25 °C (77 °F) for a period of up to 30 days. **DO NOT EXPOSE TO HIGH TEMPERATURES.**

Section 8. Exposure Control / Personal Protection


Wear gloves, lab coat, and safety glasses to prevent skin and eye contact.

Section 9. Physical and Chemical Properties

Molecular Formula: Deoxyribonucleic acid
 Molecular Weight: Varies
 Appearance/Odor: white/tan fibers
 Solubilities: Soluble in water
 Boiling Point: Not determined
 Melting Point: Not determined
 Vapor Pressure (mm HG): N/A
 Vapor Density (Air = 1): N/A
 Specific Gravity (H₂O = 1): N/A
 pH: See data sheet

Section 10. Stability and Reactivity

Plasmid DNA is Stable
 Hazardous Polymerization: Will Not Occur
 Incompatible Materials: No data available
 Conditions to Avoid: No special safety precautions required.
 Hazard Decomposition Products: No data available.

	Product: Plasmid DNA Rev. No: Page 3 of 3
MATERIAL SAFETY DATA SHEET	

Section 11. Toxicology Information

THE CHEMICAL, PHYSICAL AND TOXICOLOGICAL PROPERTIES OF PLASMID DNA HAVE NOT BEEN THOROUGHLY INVESTIGATED.

Refer to Section 3.

Section 12. Ecological Information

No data available. Plasmid DNA is not a regulated hazardous material.

Section 13. Disposal Considerations

Plasmid DNA is not a regulated hazardous material. Follow federal, state and local environmental regulations for disposal of prescription drugs.

Section 14. Transport Information

DOT Proper Shipping Name: n/a
Hazard Class: n/a
ID #: n/a

Section 15. Regulatory Information

MSDS Created: November 22, 2006
Revised: July 16, 2008
Prepared By: Richard G. Smith
Quality Assurance



DISCLAIMER: The above mentioned data are based on Lofstrand's best present knowledge of this product. Lofstrand cannot guarantee completeness or accuracy of the information contained herein, and disclaims all liability for incompleteness or inaccuracy of the information and for any claims of damages arising from handling or use of this product.

Appendix

pcDNA™3.1 Vectors

Map

The figure below summarizes the features of the pcDNA™3.1(+) and pcDNA™3.1(-) vectors. The complete sequences for pcDNA™3.1(+) and pcDNA™3.1(-) are available for down-loading from our World Wide Web site (www.invitrogen.com) or from Technical Support (see page 13). Details of the multiple cloning sites are shown on page 3 for pcDNA™3.1(+) and page 4 for pcDNA™3.1(-).



Comments for pcDNA3.1 (+)
5428 nucleotides

- CMV promoter: bases 232-819
- T7 promoter/priming site: bases 863-882
- Multiple cloning site: bases 895-1010
- pcDNA3.1/BGH reverse priming site: bases 1022-1039
- BGH polyadenylation sequence: bases 1028-1252
- f1 origin: bases 1298-1726
- SV40 early promoter and origin: bases 1731-2074
- Neomycin resistance gene (ORF): bases 2136-2930
- SV40 early polyadenylation signal: bases 3104-3234
- pUC origin: bases 3617-4287 (complementary strand)
- Ampicillin resistance gene (*bla*): bases 4432-5428 (complementary strand)
- ORF: bases 4432-5292 (complementary strand)
- Ribosome binding site: bases 5300-5304 (complementary strand)
- bla* promoter (P3): bases 5327-5333 (complementary strand)

continued on next page

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product code 350492
Product name pcDNA3.1/CAT

Company/Undertaking Identification

INVITROGEN CORPORATON
5791 VAN ALLEN WAY
PO BOX 6482
CARLSBAD, CA 92008
760-603-7200

INVITROGEN CORPORATION
5250 MAINWAY DRIVE
BURLINGTON, ONT
CANADA L7L 6A4
800-263-6236

GIBCO PRODUCTS
INVITROGEN CORPORATION
3175 STALEY ROAD P.O. BOX 68
GRAND ISLAND, NY 14072
716-774-6700

24 hour Emergency Response (Transport): 866-536-0631
301-431-8585
Outside of the U.S. ++1-301-431-8585

For research use only

2. COMPOSITION/INFORMATION ON INGREDIENTS**Hazardous/Non-hazardous Components**

The product contains no substances which at their given concentration, are considered to be hazardous to health. We recommend handling all chemicals with caution.

3. HAZARDS IDENTIFICATION**Emergency Overview**

The product contains no substances which at their given concentration, are considered to be hazardous to health

3. HAZARDS IDENTIFICATION

Form
Liquid

Principle Routes of Exposure/ Potential Health effects

Eyes No information available
Skin No information available
Inhalation No information available
Ingestion May be harmful if swallowed.

Specific effects

Carcinogenic effects No information available
Mutagenic effects No information available
Reproductive toxicity No information available
Sensitization No information available

Target Organ Effects

No information available

HMIS

Health	0
Flammability	0
Reactivity	0

4. FIRST AID MEASURES

Skin contact Wash off immediately with plenty of water. If symptoms persist, call a physician.
Eye contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.
Ingestion Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Inhalation Move to fresh air. If symptoms persist, call a physician.
Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Dry chemical
Special protective equipment for firefighters Wear self-contained breathing apparatus and protective suit

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Use personal protective equipment
Methods for cleaning up Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Handling No special handling advice required
Storage Keep in properly labelled containers

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls

Exposure limits

Engineering measures Ensure adequate ventilation, especially in confined areas

Personal protective equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory equipment

Hand protection

Protective gloves

Eye protection

Safety glasses with side-shields

Skin and body protection

Lightweight protective clothing.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls

Prevent product from entering drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Form

Liquid

Important Health Safety and Environmental Information

Boiling point/range

°C No data available

°F No data available

Melting point/range

°C No data available

°F No data available

Flash point

°C No data available

°F No data available

Autoignition temperature

°C No data available

°F No data available

Oxidizing properties

No information available

Water solubility

No data available

10. STABILITY AND REACTIVITY

Stability

Stable.

Materials to avoid

No information available

Hazardous decomposition products

No information available

Polymerization

Hazardous polymerisation does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Principle Routes of Exposure/

Potential Health effects

Eyes

No information available

Skin

No information available

Inhalation

No information available

Ingestion May be harmful if swallowed.

Specific effects	(Long Term Effects)
Carcinogenic effects	No information available
Mutagenic effects	No information available
Reproductive toxicity	No information available
Sensitization	No information available

Target Organ Effects No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity effects	No information available.
Mobility	No information available.
Biodegradation	Inherently biodegradable.
Bioaccumulation	Does not bioaccumulate.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations

14. TRANSPORT INFORMATION

IATA

Proper shipping name	Not classified as dangerous in the meaning of transport regulations
Hazard Class	No information available
Subsidiary Class	No information available
Packing group	No information available
UN-No	No information available

15. REGULATORY INFORMATION

International Inventories

U.S. Federal Regulations

SARA 313

This product is not regulated by SARA.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain HAPs.

U.S. State Regulations

California Proposition 65

This product does not contain chemicals listed under Proposition 65

WHMIS hazard class:

Non-controlled

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR

16. OTHER INFORMATION

For research use only

The above information was acquired by diligent search and/or investigation and the recommendations are based on prudent application of professional judgment. The information shall not be taken as being all inclusive and is to be used only as a guide. All materials and mixtures may present unknown hazards and should be used with caution. Since the Company cannot control the actual methods, volumes, or conditions of use, the Company shall not be held liable for any damages or losses resulting from the handling or from contact with the product as described herein. THE INFORMATION IN THIS MSDS DOES NOT CONSTITUTE A WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE.

End of Safety Data Sheet



pGEM®-T Easy Vector Systems

The pGEM®-T Easy Vector Systems are convenient systems for the cloning of PCR products. They offer all of the advantages of the pGEM®-T Vector Systems with the convenience of recognition sites for EcoRI and NotI flanking the insertion site. Thus several options for removal of the desired insert DNA with a single restriction digest! The pGEM®-T Easy Vector System II contains JM109 Competent Cells in addition to all of the pGEM®-T Easy Vector System I components.

More »

- [Products](#)
- [Specifications](#)
- [Figures & Tables](#)
- [Product Resources](#)

Figures




Figure 1. pGEM®-T Easy Vector.

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 03/08/2011

Reviewed on 03/08/2011

1 Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name: pGEM®-T Easy

Article number: A137

Application of the substance / the preparation Laboratory chemicals

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Promega Corporation
2800 Woods Hollow Road
Madison, WI 53711
U.S.A.
1-800-356-9526 or (608)-274-4330

Information department: MSDS author: Regulatory.Affairs@promega.com

Emergency telephone number:

For Chemical Emergency ONLY (spill, leak, fire, exposure or accident), call CHEMTREC at 1-800-424-9300

For call originating outside the United States dial 001-703-527-3887

2 Composition/Information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components: Void

Additional information: For the wording of the listed risk phrases refer to section 15.

3 Hazards identification

Classification of the substance or mixture

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Not applicable. Product has been classified as non-hazardous.

Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of international guidelines.

Classification system:

The classification was made according to the latest editions of international substances lists, and is expanded upon by company and technical literature data.

Label elements

Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations according to directives on hazardous materials.

(Contd. on page 2)

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/08/2011

Reviewed on 03/08/2011

Trade name: pGEM®-T Easy

(Contd. of page 1)

Classification system:

NFPA ratings (scale 0 - 4)

Health = 0

Fire = 0

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 0

Fire = 0

Reactivity = 0

OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable

Target Organ(s): Not applicable or unknown

*** 4 First aid measures****General information:** No special measures required.**After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:** Generally the product does not irritate the skin.**After eye contact:** Rinse opened eye for several minutes under running water.**After swallowing:** If symptoms persist consult doctor.*** 5 Firefighting measures****Suitable extinguishing agents:**CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**Special hazards arising from the substance or mixture:** None known**Protective equipment:** No special measures required.*** 6 Accidental release measures****Personal precautions, protective equipment and emergency procedures:** Not required.**Environmental precautions:** No special measures required.**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 13 for disposal information.

*** 7 Handling and storage****Handling:****Precautions for safe handling:** No special measures required.**Information about protection against explosions and fires:** The product is not flammable.**Storage:****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** None.**Specific end use(s):** No further relevant information available.

USA

(Contd. on page 3)

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/08/2011

Reviewed on 03/08/2011

Trade name: pGEM®-T Easy

(Contd. of page 2)

8 Exposure controls/personal protection

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment: Not required.

Protection of hands:

Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

General Information

Appearance:

Form:	Fluid
Color:	Colorless
Odor:	Characteristic
Odour threshold:	Not determined.

pH-value at 20°C (68 °F): 7.4

Change in condition

Melting point/Melting range:	0°C (32 °F)
Boiling point/Boiling range:	100°C (212 °F)

Flash point: Not applicable.

Flammability (solid, gaseous): Not applicable.

Ignition temperature:

Decomposition temperature: Not determined.

Auto igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

Vapor pressure: Not determined.

Density: Not determined.

Relative density: Not determined.

Vapour density: Not determined.

Evaporation rate: Not determined.

(Contd. on page 4)

USA

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/08/2011

Reviewed on 03/08/2011

Trade name: pGEM®-T Easy

(Contd. of page 3)

Solubility in / Miscibility with

Water: *Not miscible or difficult to mix.*

Segregation coefficient (n-octanol/water): *Not determined.*

Viscosity:

Dynamic: *Not determined.*

Kinematic: *Not determined.*

Solvent content:

Organic solvents: *0.0 %*

Water: *99.9 %*

Solids content: *0.1 %*

Other information *No further relevant information available.*

10 Stability and reactivity

Thermal decomposition / conditions to be avoided: *No decomposition if used according to specifications.*

Incompatible materials: *No further relevant information available.*

Hazardous decomposition products: *No dangerous decomposition products known.*

11 Toxicological information

Acute toxicity:

LD/LC50 values that are relevant for classification: *No data available*

Primary irritant effect:

on the skin: *No irritant effect.*

on the eye: *Irritating effect.*

Sensitization: *No sensitizing effects known.*

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological Information

Aquatic toxicity: *Not harmful to the aquatic environment*

Persistence and degradability: *Not available*

Behavior in environmental systems:

Bioaccumulative potential: *Not known*

Ecotoxicological effects:

Remark: *Not available*

Additional ecological information:

General notes: *Generally not hazardous for water*

USA

(Contd. on page 5)