

The University of Western Ontario
BIOLOGICAL AGENTS REGISTRY FORM
Approved Biohazards Subcommittee: October 14, 2011
Biosafety Website: www.uwo.ca/humanresources/biosafety/

This form must be completed by each Principal Investigator holding a grant administered by the University of Western Ontario (UWO) or in charge of a laboratory/facility where the use of Level 1, 2 or 3 biological agents is described in the laboratory or animal work proposed. The form must also be completed if any work is proposed involving animals carrying zoonotic agents infectious to humans or involving plants, fungi, or insects that require Public Health Agency of Canada (PHAC) or Canadian Food Inspection Agency (CFIA) permits.

This form must be updated at least every 3 years or when there are changes to the biological agents being used.

Containment Levels will be established in accordance with Laboratory Biosafety Guidelines, 3rd edition, 2004, Public Health Agency of Canada (PHAC) or Containment Standards for Veterinary Facilities, 1st edition 1996, Canadian Food Inspection Agency (CFIA).

Electronically completed forms are to be submitted to Occupational Health and Safety, (OHS), (Support Services Building, Room 4190 or to jstanle2@uwo.ca) for distribution to the Biohazards Subcommittee. For questions regarding this form, please contact the Biosafety Officer at extension 81135 or biosafety@uwo.ca. If there are changes to the information on this form (excluding grant title and funding agencies), contact Occupational Health and Safety for a modification form. See website: www.uwo.ca/humanresources/biosafety/.

Please ensure that all questions are fully and clearly answered. Failure to do so will lead to the form being returned, which will cause delays in your approval and frustration for you and your colleagues on the Committee.

If you are re-submitting this form as requested by the Biohazards Subcommittee, please make modifications to the form in bold print, highlighted in yellow. Please re-submit forms electronically.

PRINCIPAL INVESTIGATOR:	Dr. Weiping Min
DEPARTMENT:	Surgery
ADDRESS:	LHSC-UH, Rm C9-119
PHONE NUMBER:	519-6858500 ext 35501
EMERGENCY PHONE NUMBER(S):	
EMAIL:	mweiping@uwo.ca

Location of experimental work to be carried out :

Building :	LHSC-UH	Room(s):	C9-119
Building :		Room(s):	
Building :		Room(s):	

***For work being performed at Institutions affiliated with the University of Western Ontario, the Safety Officer for the Institution where experiments will take place must sign the form prior to its being sent to the University of Western Ontario Biosafety Officer (See Section 15.0, Approvals).**

FUNDING AGENCY/AGENCIES: **CBCF**

GRANT TITLE(S): **Treatment of Breast Cancer through RNAi**

UNDERGRADUATE COURSE NAME(IF APPLICABLE): _____

List all personnel working under Principal Investigators supervision in this location:

<u>Name</u>	<u>UWO E-mail Address</u>	<u>Date of Biosafety Training</u>
Xusheng Zhang	xzhan59@uwo.ca	06/22/2010
Di Chen	dchen97@uwo.ca	03/16/2009
Leo Siu	ksiu25@uwo.ca	02/10/2010
Rong Li	rli274@uwo.ca	08/01/2011

**Please include a ONE page research summary or teaching protocol in lay terms.
Forms with summaries more than one page will not be reviewed.**

Our immune system is naturally equipped with ways to recognize and destroy cancerous cells. In order to survive and grow, tumors must therefore be able to avoid and weaken the immune system. Suppression of the immune system, termed immunosuppression, represents a primary mechanism of cancer evasion and has also been a major hurdle impeding research aimed at fighting cancer using immune-based therapies. Recent research has demonstrated that there are several key molecules that are responsible for the inhibition of our immune cells. Therefore, we believe that the inhibition of these immunosuppressive molecules will allow our immune cells to kill cancers.

A powerful method of inhibiting immunosuppressive molecules is by inhibiting the genes which code for such molecules. More recently, a novel gene silencing strategy, called siRNA, has been developed. siRNA is more potent than any other gene-inhibiting technique currently being used. We have already demonstrated that siRNA can effectively inhibit suppressive genes in cancers. Based on our new technology and discovery, we will develop a new treatment for breast cancer through destroying suppressive molecules in immune cells. This new treatment will be safer and more robust with great potential in clinic anti-cancer therapy.

1.0 Microorganisms

1.1 Does your work involve the use of biological agents? YES NO
 (non-pathogenic and pathogenic biological agents including but not limited to bacteria and other microorganisms, viruses, prions, parasites or pathogens of plant or animal origin)? If no, please proceed to Section 2.0

Do you use microorganisms that require a permit from the CFIA? YES NO

If YES, please give the name of the species _____

What is the origin of the microorganism(s)? _____

Please describe the risk (if any) of escape and how this will be mitigated:

Please attach the CFIA permit.

Please describe any CFIA permit conditions:

1.2 Please complete the table below:

Full Scientific Name of Biological Agent(s)* (Be specific)	Is it known to be a human pathogen? YES/NO	Is it known to be an animal pathogen? YES/NO	Is it known to be a zoonotic agent? YES/NO	Maximum quantity to be cultured at one time? (in Litres)	Source/ Supplier	PHAC or CFIA Containment Level
<i>Escherichia coli (DH5-alpha)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2	Life Technologies	<input checked="" type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
<i>Adenovirus</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	0.1	clontech	<input type="checkbox"/> 1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3

**Please attach a Material Safety Data Sheet or equivalent from the supplier if the bacterium used is not on this link:*
http://www.uwo.ca/humanresources/docandform/docs/ohs/CFIA_Ecoli_list.pdf

Additional Comments: _____

2.0 Cell Culture

2.1 Does your work involve the use of cell cultures? YES NO
 (If NO, please proceed to Section 3.0)

2.2 Please indicate the type of primary cells (i.e. derived from fresh tissue) that will be grown in culture:

Cell Type	Is this cell type used in your work?	Source of Primary Cell Culture Tissue	AUS Protocol Number
Human	<input type="checkbox"/> Yes <input type="checkbox"/> No		Not applicable
Rodent	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Mouse Bone Marrow	2009-006
Non-human primate	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Other (specify)	<input type="checkbox"/> Yes <input type="checkbox"/> No		

2.3 Please indicate the type of established cells that will be grown in culture in:

Cell Type	Is this cell type used in your work?	Specific cell line(s)*	Containment Level of each cell line	Supplier / Source of cell line(s)
Human	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	HEk-293,	level 2	ATCC
Rodent	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	4T1, B16-F10, P815	level 2	ATCC
Non-human primate	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
Other (specify)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			

**Please attach a Material Safety Data Sheet or equivalent from the supplier. (For more information, see www.atcc.org)*

2.4 For above named cell types(s) indicate PHAC or CFIA containment level required 1 2 2+ 3

Additional Comments: _____

3.0 Use of Human Source Materials

3.1 Does your work involve the use of human source materials? YES NO
 If no, please proceed to Section 4.0

3.2 Indicate in the table below the Human Source Material to be used.

Human Source Material	Source/Supplier /Company Name	Is Human Source Material Infected With An Infectious Agent? YES/UNKNOWN	Name of Infectious Agent (If applicable)	PHAC or CFIA Containment Level (Select one)
Human Blood (whole) or other Body Fluid	clinical samples/LHSC	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> Unknown		<input type="checkbox"/> 1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
Human Blood (fraction) or other Body Fluid		<input type="checkbox"/> Yes <input type="checkbox"/> Unknown		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
Human Organs or Tissues (unpreserved)		<input type="checkbox"/> Yes <input type="checkbox"/> Unknown		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 2+ <input type="checkbox"/> 3
Human Organs or Tissues (preserved)		Not Applicable		Not Applicable

Additional Comments: _____

4.0 Genetically Modified Organisms and Cell lines

4.1 Will genetic modifications be made to the microorganisms, biological agents, or cells described in Sections 1.0 and 2.0? YES NO If NO, please proceed to Section 5.0

4.2 Will genetic modification(s) involving plasmids be done? YES, complete table below NO

DH5 alpha				med ted	Will there be a change due to transformation of the bacteria?	Will there be a change in the pathogenicity of the bacteria after the genetic modification?	What are the consequences due to the transformation of the bacteria?
E Coli	PRNATU6.1	Genscript	TNF-alpha		No Change	No Change	Decrease TNF-alpha expression

** Please attach a Material Safety Data Sheet or equivalent if available.*

*** Please attach a plasmid map.*

****No Material Safety Data Sheet is required for the following strains of E. coli:*

http://www.uwo.ca/humanresources/docandform/docs/ohs/CFIA_Ecoli_list.pdf

4.3 Will genetic modification(s) of bacteria and/or cells involving viral vectors be made?

YES, complete table below NO

Virus Used for Vector Construction	Vector(s) *	Source of Vector	Gene(s) Transduced	Describe the change that results from transduction
Adenovirus	Adeno-X	Clontech	TNF-alpha	Decrease TNF-alpha expression

** Please attach a Material Safety Data Sheet or equivalent.*

4.3.1 Will virus be replication defective? YES NO

4.3.2 Will virus be infectious to humans or animals? YES NO

4.3.3 Will this be expected to increase the containment level required? YES NO

5.0 Will genetic sequences from the following be involved?

- ◆ HIV NO YES, specify
- ◆ HTLV 1 or 2 or genes from any Level 1 or Level 2 pathogens NO YES, specify
- ◆ SV 40 Large T antigen NO YES
- ◆ E1A oncogene NO YES
- ◆ Known oncogenes NO YES, specify
- ◆ Other human or animal pathogen and or their toxins NO YES, specify

5.1 Is any work being conducted with prions or prion sequences? NO YES

Additional Comments: _____

Oncogenes ie E1A

6.0 Human Gene Therapy Trials

6.1 Will human clinical trials be conducted involving a biological agent? YES NO
(including but not limited to microorganisms, viruses, prions, parasites or pathogens of plant or animal origin)
If no, please proceed to Section 7.0

6.2 If YES, please specify which biological agent will be used:
Please attach a full description of the biological agent.

6.3 Will the biological agent be able to replicate in the host? YES NO

6.4 How will the biological agent be administered?

6.5 Please give the Health Care Facility where the clinical trial will be conducted:

6.6 Has human ethics approval been obtained? YES, number: NO PENDING

7.0 Animal Experiments

7.1 Will live animals be used? YES NO If NO, please proceed to section 8.0

7.2 Name of animal species to be used **Rodent**

7.3 AUS protocol # **2009-006**

7.4 List the location(s) for the animal experimentation and housing. **HSACF-6030, Matthew Mailing Centre**

7.5 Will any of the agents listed in section 4.0 be used in live animals
 NO YES, specify: **Plasmid vector**

7.6 Will the agent(s) be shed by the animal:

YES NO, please justify: **The purified plasmid will not be shed by animals, the adenovirus will not be used in live animals.**

8.0 Use of Animal species with Zoonotic Hazards

8.1 Will any animals with zoonotic hazards or their organs, tissues, lavages or other body fluids including blood be used (see list below)? YES NO - If NO, please proceed to section 9.0

8.2 Will live animals be used? YES NO

8.3 If YES, please specify the animal(s) used:

- | | | |
|-----------------------------|--|-----------------------------|
| ◆ Pound source dogs | <input type="checkbox"/> YES | <input type="checkbox"/> NO |
| ◆ Pound source cats | <input type="checkbox"/> YES | <input type="checkbox"/> NO |
| ◆ Cattle, sheep or goats | <input type="checkbox"/> YES, species | <input type="checkbox"/> NO |
| ◆ Non-human primates | <input type="checkbox"/> YES, species | <input type="checkbox"/> NO |
| ◆ Wild caught animals | <input type="checkbox"/> YES, species & colony # | <input type="checkbox"/> NO |
| ◆ Birds | <input type="checkbox"/> YES, species | <input type="checkbox"/> NO |
| ◆ Others (wild or domestic) | <input type="checkbox"/> YES, specify | <input type="checkbox"/> NO |

8.4 If no live animals are used, please specify the source of the specimens:

9.0 Biological Toxins and Hormones

9.1 Will toxins or hormones of biological origin be used? YES NO If **NO**, please proceed to Section 10.0

9.2 If YES, please name the toxin(s) or hormones(s)
Please attach information, such as a Material Safety Data Sheet, for the toxin(s) used.

9.3 What is the LD₅₀ (specify species) of the toxin or hormone

9.4 How much of the toxin or hormone is handled at one time*?

9.5 How much of the toxin or hormone is stored*?

9.6 Will any biological toxins or hormones be used in live animals? YES NO

If **YES**, Please provide details:

*For information on biosecurity requirements, please see:

http://www.uwo.ca/humanresources/docandform/docs/healthandsafety/biosafety/Biosecurity_Requirements.pdf

Additional Comments: _____

10.0 Insects

10.1 Do you use insects? YES NO - If **NO**, please proceed to Section 11.0

10.2 If YES, please give the name of the species.

10.3 What is the origin of the insect?

10.4 What is the life stage of the insect?

10.5 What is your intention? Initiate and maintain colony, give location:
 "One-time" use, give location:

10.6 Please describe the risk (if any) of escape and how this will be mitigated:

10.7 Do you use insects that require a permit from the CFIA permit? YES NO
If **YES**, Please attach the CFIA permit & describe any CFIA permit conditions:

11.0 Plants

- 11.1 Do you use plants? YES NO - If **NO**, please proceed to Section 12.0
- 11.2 If YES, please give the name of the species.
- 11.3 What is the origin of the plant?
- 11.4 What is the form of the plant (seed, seedling, plant, tree...)?
- 11.5 What is your intention? Grow and maintain a crop "One-time" use
- 11.6 Do you do any modifications to the plant? YES NO
If yes, please describe:
- 11.7 Please describe the risk (if any) of loss of the material from the lab and how this will be mitigated:
- 11.8 Is the CFIA permit attached? YES NO
If **YES**, Please attach the CFIA permit & describe any CFIA permit conditions:

12.0 Import Requirements

- 12.1 Will any of the above agents be imported? YES, country of origin NO
If **NO**, please proceed to Section 13.0
- 12.2 Has an Import Permit been obtained from HC for human pathogens? YES NO
- 12.3 Has an import permit been obtained from CFIA for animal or plant pathogens? YES NO
- 12.4 Has the import permit been sent to OHS? YES, please provide permit # NO

13.0 Training Requirements for Personnel Named on Form

All personnel named on the above form who will be using any of the above named agents are required to attend the following training courses given by OHS:

- ◆ Biosafety
- ◆ Laboratory and Environmental/Waste Management Safety
- ◆ WHMIS (Western or equivalent)
- ◆ Employee Health and Safety Orientation

As the Principal Investigator, I have ensured that all of the personnel named on the form who will be using any of the biological agents in Sections 1.0 to 9.0 have been trained.

An X in the check box indicates you agree with the above statement...
Enter Your Name Weiping Min **Date:** 01/17/2012

14.0 Containment Levels

14.1 For the work described in sections 1.0 to 9.0, please indicate the highest HC or CFIA Containment Level required. 1 2 2+ 3

14.2 Has the facility been certified by OHS for this level of containment?
 YES, location and date of most recent biosafety inspection: **06/25/10**
 NO, please certify
 NOT REQUIRED for Level 1 containment

✓ JP

14.3 Please indicate permit number (not applicable for first time applicants): **BIO-LHRI-0076**

15.0 Procedures to be Followed

15.1 Are additional risk reduction measures necessary beyond containment level 1, 2, 2+ or 3 measures that are unique to these agents? YES NO
If **YES** please describe:

15.2 Please outline what will be done if there is an exposure to the biological agents listed such as a needlestick injury or an accidental splash:

1. The exposed site must be washed immediately. The spill kit use for disinfect for the splash. 2. The worker must immediately inform the Supervisor/PI of the exposure incident and seek prompt medical attention and provide information for a Accident/Incident Report. 4. Supervisors/PI must complete and sign the University Accident/Incident Report within 24hrs.

15.3 As the Principal Investigator, I will ensure that this project will follow the Western Biosafety Guidelines and Procedures Manual for Containment Level 1 & 2 Laboratories (and the Level 3 Facilities Manual for Level 3 projects). I will ensure that UWO faculty, staff and students working in my laboratory have an up-to-date Hazard Communication Form, found at <http://www.shs.uwo.ca/workplace/workplacehealth.html>

An X in the check box indicates you agree with the above statement...

Enter Your Name Weiping Min **Date:** 01/17/2012

15.4 Additional Comments: _____

16.0 Approvals

1) UWO Biohazards Subcommittee: SIGNATURE: _____
Date: _____

2) Safety Officer for the University of Western Ontario SIGNATURE: _____
Date: _____

3) Safety Officer for Institution where experiments will take place (if not UWO): Sail Ryder
SIGNATURE: _____
Date: January 24, 2012

Approval Number: _____ Expiry Date (3 years from Approval): _____

Special Conditions of Approval:



Office of Biohazard Containment and Safety
Science Branch, CFIA
59 Camelot Drive, Ottawa, Ontario K1A 0Y9
Tel: (613) 221-7068 Fax: (613) 228-6129
Email: ImportZoopath@inspection.gc.ca

Bureau du confinement des biorisques et sécurité
Direction générale des sciences, ACIA
59 promenade Camelot, Ottawa, Ontario K1A 0Y9
Tél: (613) 221-7068 Téléc: (613) 228-6129
Courriel: ImportZoopath@inspection.gc.ca

October 20th, 2009

Ms. Shamila Survery / Mr. Michael Decosimo
Cedarlane Laboratories Ltd
4410 Paletta Court
Burlington, Ontario L7L 5R2

By Facsimile: (289) 288-0020

SUBJECT: Importation of *Escherichia coli* strains

Dear Ms. Survery / Mr. Decosimo:

Our office received your query about the importation of *Escherichia coli* from the American Type Culture Collection (ATCC) located in Manassas, Virginia, United States. The following *Escherichia coli* strains are considered to be level 1 animal pathogens:

- 5K
- 58
- 58-161
- 679
- 1532
- AB284
- AB311
- AB1157
- AB1206
- AG1
- B
- BB4
- BD792
- BL21
- BL21 (DE3)
- BM25.8
- C
- C-1a
- C-3000
- C25
- C41 (DE3)
- C43 (DE3)
- C600
- Cavalli Hfr
- CIE85
- DH1
- DH10 GOLD
- DH10B
- DH5
- DH5-alpha
- DP50
- DY145
- DY380
- E11
- EJ183
- EL250
- EMG2
- EPI 300
- EZ10
- FDA Seattle 1946
- Fusion-Blue
- H1443
- HF4714
- HB101
- HS(PFAMP)R
- Hfr3000
- Hfr3000 X74
- HMS174
- J52
- J53
- JC3272
- JC7661
- JC9387
- JF1504
- JF1508
- JF1509
- JJ055
- JM83
- JM101
- JM109
- K12
- KC8
- KA802
- KAM32
- KAM33
- KAM43
- LE450
- LE451
- LE452
- MB408
- MBX1928
- MC1061
- MC4100 (MuLac)
- MG1655
- MM294
- MS101
- NC-7
- Nissle 1917
- One Shot STBL3
- OP50
- P678
- PA309
- PK-5
- PMC103
- PR13
- Rri
- RV308
- S17-1λ -PIR
- SCS1
- SMR10
- SOLR
- SuperchargeEZ10
- SURE
- TOP10
- TG1
- U5/41
- W208
- W945
- W1485
- W3104
- W3110
- WA704
- WP2
- X1854
- X2160T
- X2541
- X2547T
- XL1-BLUE
- XL1-BLUE-MRF
- XL0LR
- Y10
- Y1090 (1090)
- YN2980
- W3110
- WG1
- WG439
- WG443
- WG445

The Office of Biohazard Containment and Safety (BCS) of the Canadian Food Inspection Agency (CFIA) only issues import permits for microorganisms that are pathogenic to animals, or parts of microorganisms that are pathogenic to animals. As the products listed above are not considered pathogenic to animals, the Office of BCS does not have any regulatory requirements for their importation.

Please note that other legislation may apply. You may wish to contact the Public Health Agency of Canada's (PHAC) Office of Laboratory Security at (613) 957-1779.

Note: Microorganisms pathogenic to animals and veterinary biologics require an import permit from the CFIA.

Sincerely,

Cinthia Labrie
Head, Animal Pathogen Importation Program
Office of Biohazard Containment & Safety

Adenovirus Material Safety Data Sheet

Name: Adenovirus type C strain 5 and recombinant vectors based on Adenovirus 5.

Characteristics: Adenoviridae; non-enveloped, icosahedral virions, 75-100 nm diameter, double stranded, linear DNA genome. Virus is lytic.

Biosafety Level: NIH BSL 2

HEALTH HAZARD

Pathogenicity: Wild type Adenovirus infection varies in clinical manifestation and severity; symptoms include fever, rhinitis, pharyngitis, cough and conjunctivitis. The risk from infection by defective recombinant adenoviral vectors depends both on the dose of virus and on the nature of the transgene. Adenovirus does not integrate into the host cell genome but can produce a strong immune response.

Host Range: Humans are the natural reservoir for wild type Adenovirus 5. Recombinant Adenovirus vectors infect a variety of mammalian cell types.

Mode of Transmission: Wild type virus is spread directly by oral contact and droplet spread; indirectly by handkerchiefs, eating utensils and other articles freshly soiled with respiratory discharge of an infected person. In the laboratory, care must be taken to avoid spread of infectious material by aerosol, direct contact or accidental injection.

Incubation Period: From 1-10 days.

VIABILITY

Drug susceptibility: No specific anti-viral available.

Susceptibility to Disinfectants: Susceptible to 1% sodium hypochlorite, 2% glutaraldehyde. Recommend fresh solution of 10% bleach for 30 minutes.

Physical Inactivation: Sensitive to heat; 1 hour at 56°C is used to inactivate virus.

Survival Outside of Host: Adenovirus has been reported to survive 3-8 weeks on environmental surfaces at room temperature.

MEDICAL

Surveillance: Pre-employment serum samples banked. Monitor for symptoms; confirm infection by serological analysis or viral culture.

First Aid/Treatment: For splashes to the eye of material containing virus, rinse eye at eyewash for 15 minutes then report to hospital emergency room for evaluation. A serum sample should be taken as soon as possible (at UCSD this is done by Occupational Health). In the case of accidental injection of material containing virus, wash area well with soap and water then contact office of Occupational Health for advice, evaluation and serum sample. At UCSD, notify supervisor and EH&S as soon as possible after exposure. Supportive therapy is indicated for symptoms of suspected infections.

Immunization: None available.

Prophylaxis: None available.

LABORATORY HAZARDS

Laboratory-acquired infections: Rare cases reported in laboratories working with clinical specimens.

Sources/Specimens: Respiratory secretions. Theoretical risk from exposure to laboratory cultures of wild type virus or recombinant virus.

Primary Hazards: Ingestion, droplet exposure of the mucous membranes, direct injection.

Special Hazards: Contact with feces or urine from infected animals for 72 hours post infection.

RECOMMENDED PRECAUTIONS

Containment Requirements: Biosafety level 2 plus UCSD Adeno special practices and BSL 2 containment facilities for all activities involving the virus, recombinant virus vectors, and potentially infectious body fluids or Biosafety Manual for Molecular Oncology Laboratory

7 tissues.

Protective Clothing: Laboratory coat, gloves, goggles.

HANDLING INFORMATION

Spills: Allow aerosols to settle for 15 minutes; wear protective clothing and gently cover the spill with adsorbent paper towel and apply freshly prepared 10% sodium hypochlorite starting at the perimeter and working towards the center; allow at least 30 minutes contact time before clean up.

Disposal: Decontaminate all wastes before disposal; steam sterilization, incineration, chemical disinfection. At UCSD contaminated material may be sealed in labeled, doubled, red biohazard bags and transported in covered, leak proof containers to BFI disposal bins for eventual incineration.

Storage: In sealed containers that are appropriately labeled and in approved locations for BSL2 materials at -70°C.

Transport: *Material must be sealed in primary and secondary containers, appropriately labeled.*

TRANSGENES AND OTHER FOREIGN GENETIC ELEMENTS

Considerations: *What is the replication status of your vector? In general, recombinant Ad 5 vectors produced in the Vector Development laboratory are replication incompetent. What is the nature of the transgene/s - are any potentially hazardous transgenes expressed, i.e., toxins, oncogenes? Have any foreign elements been introduced which alter the specificity, host range, stability, or titer of the resulting vector? It is imperative that those handling recombinant vectors consider both the nature of the virus used as a vector and the effects of any transgene, introduced genetic elements, or other modification.*



Info on Cells

MATERIAL SAFETY DATA SHEET

MSDS FOR ANIMAL CELL CULTURES (Biosafety Level 1 or 2)

MATERIAL SAFETY DATA SHEET

SECTION 1 - SUBSTANCE IDENTITY AND COMPANY INFORMATION

Product Name: Various Animal Cell Cultures at Biosafety Level 1 or 2
ATCC Catalog #: Various

COMPANY INFORMATION: AMERICAN TYPE CULTURE COLLECTION
PO BOX 1549
MANASSAS, VA 20108

FOR INFORMATION CALL: 800-638-6597 or 703-365-2700
AFTER-HOURS CONTACT: 703-365-2710
CHEMTREC EMERGENCY: 800-424-9300 or 703-527-3887

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Either frozen or growing cells shipped in liquid cell culture medium (a mixture of components that may include, but is not limited to: inorganic salts, vitamins, amino acids, carbohydrates and other nutrients dissolved in water). Frozen Cultures may also contain a 5%-10% solution of Dimethyl sulfoxide as a cryoprotectant.

SECTION 3 - HAZARD IDENTIFICATION

HMS Rating: Health: 0 Flammability: 0 Reactivity: 0
NFPA Rating: Health: 0 Flammability: 0 Reactivity: 0

This substance is not hazardous as defined by OSHA 29CFR 1910.1200 however this product should be handled according to good lab practices, with proper personal protective equipment, proper engineering controls and within the parameters of the purchaser's safety program.

Health Hazards

For Biosafety Level 1 Cell Cultures

Handle as a potentially biohazardous material under at least Biosafety Level 1 containment.

This cell line is not known to cause disease in healthy adult humans. These cells have **NOT** been screened for Hepatitis B, human immunodeficiency viruses or other adventitious agents, unless otherwise reported on the Certificate of Analysis. Regardless of results reported on the Certificate of Analysis Universal Precautions according to 29 CFR 1910.1030 should be followed at all times when manipulating these cell lines.

See next page for Biosafety Level 2 cell cultures.



MATERIAL SAFETY DATA SHEET

For Biosafety Level 2 Cell Cultures

Handle as a potentially biohazardous material under at least Biosafety Level 2 containment.

These cell lines are associated with human disease, hazards include: percutaneous injury, ingestion, mucous membrane exposure (U.S. Government Publication **Biosafety in Microbiological and Biomedical Laboratories**). These cells have **NOT** been screened for Hepatitis B, human immunodeficiency viruses or other adventitious agents, unless otherwise reported on the Certificate of Analysis. Regardless of results reported on the Certificate of Analysis Universal Precautions according to 29 CFR 1910.1030 should be followed at all times when manipulating these cell lines.

SECTION 4 - FIRST AID MEASURES

Report to your Safety Office and Seek Medical Attention as Soon as Possible

Ingestion: If person is unconscious seek emergency medical attention; never give anything by mouth to an unconscious person. If the person is conscious wash mouth out with copious amounts of water and call a physician then administer three cupfuls of water. Do not induce vomiting unless directed to do so by a physician.

Inhalation: If person is unconscious seek emergency medical attention, if person is conscious remove to fresh air and call a physician.

Dermal exposure: Immediately wash skin with copious amounts of water followed by washing with soap and copious amounts of water. Remove all contaminated clothing.

Eye exposures: Flush eyes with copious amounts of water for at least 15 minutes with eyelids separated and call a physician.

SECTION 5 - FIRE FIGHTING MEASURES

Flammability: Data not available

Suitable Extinguishing Media: Water spray, carbon dioxide, dry chemical powder, Halon (where regulations permit), or appropriate foam.

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent inhalation, ingestion, skin and eye contact.

Specific Hazard(s): Responders should take into consideration the biohazard risk associated with responding to a fire in the area where the material may be stored or handled.



MATERIAL SAFETY DATA SHEET

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Procedure(s) of Personal Precaution(s): At a minimum use PPE listed in Section 8. Wear laboratory coat, gloves and eye protection. Avoid all contact.

Methods for Cleaning Up

Patient/Victim: Wash with soap and water. Work clothes should be laundered separately. Launder contaminated clothing before re-use. Do not take clothing home.

Equipment/Environment: Allow aerosols to settle; wearing protective clothing, gently cover spill with paper towel and apply 1% sodium hypochlorite, starting at perimeter and working towards the center; allow sufficient contact time before clean up (30 min).

Note: The use of additional PPE may be necessary for cleaning solutions.

SECTION 7 - HANDLING AND STORAGE

Handle and store according to instructions on product information sheet and label.

Special Requirements:

Follow established laboratory procedures when handling material.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Use Personal Protective Equipment: Including Eye Protection, Chemical Resistant Gloves, and appropriate clothing to prevent skin exposure. In addition, a Respiratory protection program that complies with OSHA 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

Engineering Controls: The use and storage of this material requires user to maintain and make available appropriate eyewash and safety shower facilities. Use fume hood or other appropriate ventilation method to keep airborne concentrations as low as possible.

Exposure Limits: No exposure limits for this material have been established by ACGIH, NIOSH, or OSHA.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Data Not Available

SECTION 10 - STABILITY AND REACTIVITY

Hazardous polymerization will not occur.

SECTION 11 - TOXICOLOGICAL INFORMATION

Route of Exposure

American Type Culture Collection
P.O. Box 1549
Manassas, VA 20108
July 2010

Emergency Telephone: (703) 365-2710 (24 hours)
Information Telephone: (703) 365-2700 Ext.2303



MATERIAL SAFETY DATA SHEET

Eye Contact: Data not available. Avoid eye contact.
Skin Contact: Data not available. Avoid skin contact.
Skin Absorption: Data not available. Avoid skin absorption.
Inhalation: Data not available. Avoid inhalation.
Ingestion: Data not available. Avoid ingestion.
Parenteral Exposure: Data not available. Avoid parenteral exposure.

Sensitization

Skin: Data not available
Respiratory: Data not available

Target Organ(s) or System(s): Data not available

Signs and Symptoms of Exposure

Skin and Mucous Membranes: Data not available
Respiratory: Data not available
Gastrointestinal: Data not available

Toxicity Data: Data not available
Effects of Long Term or Repeated Exposure: Data not available
Chronic Exposure–Teratogen: Data not available
Chronic Exposure–Mutagen: Data not available
Chronic Exposure–Reproductive Hazard: Data not available

SECTION 12 - ECOLOGICAL INFORMATION

No ecological information available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Decontaminate all wastes before disposal (steam sterilization, chemical disinfection, and/or incineration).

Dispose of in accordance with applicable regulations.

SECTION 14 - TRANSPORT INFORMATION

Contact ATCC for transport information.

SECTION 15 - REGULATORY INFORMATION

Contact ATCC for regulatory information.

SECTION 16 - OTHER INFORMATION



MATERIAL SAFETY DATA SHEET

THE INFORMATION PRESENTED IN THIS DOCUMENT IS BELIEVED TO BE CORRECT BASED UPON DATA AVAILABLE TO ATCC. USERS SHOULD MAKE AN INDEPENDENT DECISION REGARDING THE ACCURACY OF THIS INFORMATION BASED ON THEIR NEEDS AND DATA AVAILABLE TO THEM. ALL SUBSTANCES AND MIXTURES MAY PRESENT UNKNOWN HAZARDS AND ALL NECESSARY SAFETY PRECAUTIONS SHOULD BE TAKEN. ATCC ASSUMES NO LIABILITY RESULTING FROM USING OR COMING IN CONTACT WITH THIS SUBSTANCE.

Cell Biology

ATCC® Number: **CRL-1573™** [Order this Item](#) Price: **\$279.00**

Designations: **293 [HEK-293]**
 Depositors: FL Graham
Biosafety Level: 2 [CELLS CONTAIN ADENOVIRUS]

Shipped: frozen
 Medium & Serum: [See Propagation](#)

Growth Properties: adherent
 Organism: *Homo sapiens*
 epithelial

Morphology:  PHOTO

Source: **Organ:** embryonic kidney
 In addition to the [MTA](#) mentioned above, other [ATCC and/or regulatory permits](#) may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please [click here](#) for information regarding the specific requirements for shipment to your location.

Restrictions: These cells are distributed for research purposes only. 293 cells, their products, or their derivatives may not be distributed to third parties.

Applications: efficacy testing
 transfection host
 viruscide testing

Receptors: vitronectin, expressed

Tumorigenic: YES
 Amelogenin: X
 CSF1PO: 11,12
 D13S317: 12,14
 D16S539: 9,13

DNA Profile (STR): D5S818: 8,9
 D7S820: 11,12
 THO1: 7,9.3
 TPOX: 11
 vWA: 16,19

Cytogenetic Analysis: This is a hypotriploid human cell line. The modal chromosome number was 64, occurring in 30% of cells. The rate of cells with higher ploidies was 4.2 %. The der(1)t(1;15) (q42;q13), der(19)t(3;19) (q12;q13), der(12)t(8;12) (q22;p13), and four other marker chromosomes were common to most cells. Five other markers occurred in some cells only. The marker der(1) and M8 (or Xq+) were often paired. There were four copies of N17 and N22. Noticeably in addition to three copies of X chromosomes, there were paired Xq+, and a single Xp+ in most cells.

Age: fetus

Related Links ▶

[NCBI Entrez Search](#)

[Cell Micrograph](#)

[Make a Deposit](#)

[Frequently Asked Questions](#)

[Material Transfer Agreement](#)

[Technical Support](#)

[Related Cell Culture Products](#)

Login**Required ▶**

[Product Information Sheet](#)

[BioProducts](#)

[Cell, microbial and molecular genomics products for the life](#)

- [sciences BioServices](#)

[Bio-materials management; basic repository to complex partnership-](#)

- [level services BioStandards](#)

[Biological Reference Material and Consensus Standards for the life science](#)

- [community](#)

Cell Biology

ATCC® Number: **CRL-2539™** [Order this Item](#) Price: **\$279.00**

Designations: **4T1**
 Depositors: BA Pulaski
[Biosafety Level:](#) 1
 Shipped: frozen
 Medium & Serum: [See Propagation](#)
 Growth Properties: adherent
 Organism: *Mus musculus* deposited as mouse
 Morphology: epithelial

Source: **Organ:** mammary gland
Strain: BALB/cfC3H
Disease: tumor

Permits/Forms: In addition to the [MTA](#) mentioned above, other [ATCC and/or regulatory permits](#) may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please [click here](#) for information regarding the specific requirements for shipment to your location.

Applications: 4T1-induced tumors can be used as a post-operative model as well as a non-surgical model because the 4T1-induced tumor metastasizes spontaneously in both models with similar kinetics.
 Because 4T1 is resistant to 6-thioquanine, micro-metastatic cells (as few as 1) can be detected in many distant site organs with better accuracy than most tumor models.
 When injected into BALB/c mice, 4T1 spontaneously produces highly metastatic tumors that can metastasize to the lung, liver, lymph nodes and brain while the primary tumor is growing in situ.

Tumorigenic: Yes

Comments:

Related Links ▶

[NCBI Entrez Search](#)
[Make a Deposit](#)
[Frequently Asked Questions](#)
[Material Transfer Agreement](#)
[Technical Support](#)
[Related Cell Culture Products](#)

Login Required ▶

[Product Information Sheet](#)

[BioProducts](#)

[Cell, microbial and molecular genomics products for the life](#)

- [sciences BioServices](#)

[Bio-materials management; basic repository to complex partnership-level services](#)
[BioStandards](#)

[Biological Reference Material and Consensus Standards for the life science community](#)

Cell Biology

ATCC® Number: **CRL-6475™** [Order this Item](#) Price: **\$279.00**

Designations: **B16-F10**

Biosafety Level: 1

Shipped: frozen

Medium & Serum: [See Propagation](#)

Growth Properties: adherent

Organism: *Mus musculus*
mixture of spindle-shaped and epithelial-like cells

Morphology: 

Source: **Organ:** skin
Strain: C57BL/6J
Disease: melanoma

Permits/Forms: In addition to the [MTA](#) mentioned above, other [ATCC and/or regulatory permits](#) may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please [click here](#) for information regarding the specific requirements for shipment to your location.

Applications: transfection host

Propagation: **ATCC complete growth medium:** The base medium for this cell line is ATCC-formulated Dulbecco's Modified Eagle's Medium, Catalog No. 30-2002. To make the complete growth medium, add the following components to the base medium: fetal bovine serum to a final concentration of 10%.
Temperature: 37.0°C
Atmosphere: air, 95%; carbon dioxide (CO₂), 5%

Subculturing:

Related Links ▶

[NCBI Entrez Search](#)

[Cell Micrograph](#)

[Make a Deposit](#)

[Frequently Asked Questions](#)

[Material Transfer Agreement](#)

[Technical Support](#)

[Related Cell Culture Products](#)

Login**Required ▶**

[Product Information Sheet](#)

[BioProducts](#)

[Cell, microbial and molecular genomics products for the life](#)

- [sciences BioServices](#)

[Bio-materials management; basic repository to complex partnership-](#)

- [level services BioStandards](#)

[Biological Reference Material and Consensus Standards for the life science](#)

- [community](#)

Cell Biology

ATCC® Number: **TIB-64™** Order this Item Price: **\$279.00**

Designations: P815

Depositors: P Ralph

Biosafety Level: 1

Shipped: frozen

Medium & Serum: [See Propagation](#)

Growth Properties: suspension (some adherent cells)

Organism: *Mus musculus*

Morphology:

Disease: mastocytoma

Strain: DBA/2

Cell Type: mast cell;

Cellular Products: lysozyme [[1080](#)]

Permits/Forms: In addition to the [MTA](#) mentioned above, other [ATCC and/or regulatory permits](#) may be required for the transfer of this ATCC material. Anyone purchasing ATCC material is ultimately responsible for obtaining the permits. Please [click here](#) for information regarding the specific requirements for shipment to your location.

Applications: transfection host

P815 cells phagocytose latex beads but not zymosan or BCG. They do not function in antibody dependent cell mediated cytotoxicity.

Comments: Growth of the cells is not inhibited by dextran sulfate, LPS or PPD. [[1136](#)] [[2104](#)]

Tested and found negative for ectromelia virus (mousepox).

ATCC complete growth medium: The base medium for this cell line is ATCC-formulated Dulbecco's Modified Eagle's Medium, Catalog No. 30-2002. To make the complete growth medium, add the following components to the base medium: fetal bovine serum to a final concentration of 10%.

Temperature: 37.0°C

Medium Renewal: Every 2 to 3 days

Subculturing: Cultures can be maintained by addition or replacement of fresh medium. Start cultures at 2 X 10⁵ cells/ml and maintain between 1 X 10⁵ and 1 X 10⁶ cells/ml. Adherent cells can be recovered by scraping.

Preservation: culture medium 95%; DMSO, 5%

Related Products: Recommended medium (without the additional supplements or serum described under ATCC Medium):ATCC [30-2002](#)
recommended serum:ATCC [30-2020](#)

Related Links ▶

[NCBI Entrez Search](#)

[Make a Deposit](#)

[Frequently Asked Questions](#)

[Material Transfer Agreement](#)

[Technical Support](#)

[Related Cell](#)

[Culture Products](#)

[BioProducts](#)

[Cell, microbial and molecular genomics products for the life](#)

- [sciences](#)

[BioServices](#)

[Bio-materials management; basic repository to complex partnership-level services](#)

- **[BioStandards](#)**

[Biological Reference Material and Consensus Standards for the life science](#)

- [community](#)

pRNAT-U6.1/Neo

Description

pRNAT-U6.1/Neo is a GenScript siRNA expression vector. It is designed for mammalian transfection. It carries a Neomycin resistance gene as the selectable marker, which can be used for establishing stable cell line. The GFP marker (coral GFP, cGFP) under CMV promoter control can be used to track the transfection efficiency. It uses U6 promoter for siRNA expression. It uses U6 promoter for siRNA expression.

